AUTHOR INDEX

VOLUME 59, 1987

British Journal of Anaesthesia

ARS = Anaesthetic Research Society papers
C = Correspondence
E = Editorial
R = Book review

ABER, V. *see* GROUNDS, R. M. 1098
ABOULEISH, E. Intracranial hypertension and caudal anaesthesia, (*C*) 1478
ABOU-MADI, M., TROP, D., ABOU-MADI, N. and RAVUSSIN, P. Does a bolus of mannitol initially aggravate intracranial hypertension? *A Study at Various* Pa_{CO_2} *Tension in Dogs* 630
ABOU-MADI, N. *see* ABOU-MADI, M. 630
ABSOOD, G. H. *see* NAGUIB, M. 482
ACHOLA, K. J. *see* COLEY, S., (*ARS*) 659P; CRAWFORD, D. C. 707; DERBYSHIRE, D. R. 300; SHRIBMAN, A. J. 295
ADAMS, A. P., HEWITT, P. B., ROGERS, M. C., (editors). *Emergency Anaesthesia*, (*R*) 1063
ADAMS, A. P. *see* JONES, R. M., (*ARS*) 658P
ADDISON, G. M. *see* MEAKIN, G. 678
ADNET, P. *see* KRIVOSIC-HORBER, R. 1554
ALAGESAN, K., NUNN, J. F., FEELEY, T. W. and HENEGHAN, C. P. H. Comparison of the ventilatory depressant effects of halothane and isoflurane in routine surgery 1070
ALLEN, J., MAIGAARD, S., CHRISTENSEN, J. H., ANDREASEN, F. and FORMAN, A. Effects of thiopentone or chlormethiazole on human placental stem villous arteries 1273
ALLEN, P. *see* WREN, W. S. 399
ALLNUTT, M. F. Human factors in accidents 856
ALLVIN, R. *see* RAWAL, N. 791
ALON, E., BAITELLA, L. and HOSSLI, G. Double-blind study of the reversal of midazolam-supplemented general anaesthesia with Ro15-1788 455
AL QUISI, N. K. S. *see* MATHEWS, H. M. L., (*ARS*) 939P
ALSTON, R. P., OWEN, H., BELL, M. and BURNS, H. Analgesic effects of bupivacaine i.p., (*ARS*) 1326P
ANDREASEN, F. *see* ALLEN, J. 1273
APS, C. and O'SULLIVAN, G. Myasthenia gravis and cardiac surgery. *A Case Report* 265
ARGIRAS, E., BLAKELEY, C. R., DUNNILL, M. S., OTREMSKI, S. and SYKES, M. K. Reduction of hyaline membrane formation by the use of high PEEP, (*ARS*) 124P
ARGIRAS, E. P., BLAKELEY, C. R., DUNNILL, M. S., OTREMSKI, S. and SYKES, M. K. High PEEP decreases hyaline membrane formation in surfactant deficient lungs 1278
ARGIRAS, E. P. *see* SANDHAR, B. K., (*ARS*) 931P
ARNÉR, S. *see* RAWAL, N. 791
ARNOLD, R. W. *see* YATE, P. M. 211
ASBURY, A. J. and GRAY, W. M. Towards automatic control of general anaesthesia, (*ARS*) 938P
ASKANAZI, J. *see* KHAMBATTA, H. J. 1171
ASTLEY, B. A., HUGHES, R. and PAYNE, J. P. Recovery of respiration after neuromuscular blockade with alcuronium 206
ASTLEY, B. A., KATZ, R. L. and PAYNE, J. P. Electrical and mechanical responses after neuromuscular blockade with vecuronium and subsequent antagonism with neostigmine or edrophonium 983
ASTRUP, P. and SEVERINGHAUS, J. W. *The History of Blood Gas, Acids and Bases*, (*R*) 137
AVELING, W. and INGRAM, S. *F.F.A.R.C.S. Part 1 Practice Exams*, (*R*) 1338
AZAR, I., (editor). *Muscle Relaxants: Side Effects and a Rational Approach to Selection*, (*R*) 1481

BACALING, J. H. *see* YACOUB, O. F. 1056
BADEN, J. M. and KUNDOMAL, Y. R. Mutagenicity of the combination of a volatile anaesthetic and nitrous oxide 772
BADEN, J. M., SERRA, M. and MAZZE, R. I. Inhibition of rat fetal methionine synthase by nitrous oxide. *An* In Vitro *Study* 1040
BADEN, J. M. *see* MAZZE, R. I. 1291
BAGSHAW, P. F. *see* VICKERS, A. P. 503
BAGULEY, I. *see* SHAH, J. L., (*ARS*) 127P
BAIRD, W. L. M. *see* CALDWELL, J. E. 478
BAITELLA, L. *see* ALON, E. 455
BAKER, J. R. *see* PURCELL-JONES, G. 1431
BAMBER, P. A., ROWBOTHAM, D. J. and NIMMO, W. S. Cisapride is more effective than metoclopramide in preventing morphine-induced delay in gastric emptying, (*ARS*) 1331P
BARBIER-BOHM, G. *see* DEPOIX, J. P. 167
BARDGETT, D. M. *see* SMITH, C. L. 1397
BARDRUM, B. *see* MADSEN, J. B. 1204
BARKER, J. Nitrous oxide in neurosurgical anaesthesia, (*E*) 146; *see* FITCH, W. 1481
BARNES, P. K. *see* MILLAR, S. W., (*ARS*) 930P
BARRY, H. *see* O'BOYLE, C. A. 746
BAXTER, A. D., JENNINGS, F. O., HARRIS, R. S., FLYNN, J. F. and WAY, J. Continuous intercostal blockade after cardiac surgery 162
BEE, D. E. *see* NELSON, T. E. 730
BEECKMAN, C. P. *see* VERMEYEN, K. M. 1115
BEHNIA, R., KOUSHANPOUR, E., SHANKS, C. A. and MCCARTHY, J. Blockade of contralateral carotid sinus nerve enhances ipsilateral nerve action potentials under halothane anaesthesia 489
BELL, B. *see* BROWN, T. C. K. 1017
BELL, M. *see* ALSTON, R. P., (*ARS*) 1326P
BELL, P. F., HAWTHORNE, P., LAVERY, G. G., MCCAUGHEY, W., ORR, I. A. and DUNDEE, J. W. Influence of fasting on postoperative headache in day-stay patients, (*ARS*) 934P
BELL, W. E. *Orofacial Pains: Classification, Diagnosis, Management*, 3rd Edn, (*R*) 139
BELT, M. W. *see* NELSON, T. E. 730
BENGTSON, A., LANNSJÖ, W. and HEIDEMAN, M. Complement and anaphylatoxin responses to cross-clamping of the aorta. *Studies During General Anaesthesia With or Without Extradural Blockade* 1093
BENHAMOU, D., ECOFFEY, C., ROUBY, J. J., SPIELVOGEL, C. and VIARS, P. High frequency jet ventilation: the influence of different methods of injection on respiratory parameters 1257

AUTHOR INDEX

VOLUME 59, 1987

British Journal of Anaesthesia

ARS = Anaesthetic Research Society papers
C = Correspondence
E = Editorial
R = Book review

ABER, V. *see* GROUNDS, R. M. 1098
ABOULEISH, E. Intracranial hypertension and caudal anaesthesia, (*C*) 1478
ABOU-MADI, M., TROP, D., ABOU-MADI, N. and RAVUSSIN, P. Does a bolus of mannitol initially aggravate intracranial hypertension? *A Study at Various* Pa_{CO_2} *Tension in Dogs* 630
ABOU-MADI, N. *see* ABOU-MADI, M. 630
ABSOOD, G. H. *see* NAGUIB, M. 482
ACHOLA, K. J. *see* COLEY, S., (*ARS*) 659P; CRAWFORD, D. C. 707; DERBYSHIRE, D. R. 300; SHRIBMAN, A. J. 295
ADAMS, A. P., HEWITT, P. B., ROGERS, M. C., (editors). *Emergency Anaesthesia*, (*R*) 1063
ADAMS, A. P. *see* JONES, R. M., (*ARS*) 658P
ADDISON, G. M. *see* MEAKIN, G. 678
ADNET, P. *see* KRIVOSIC-HORBER, R. 1554
ALAGESAN, K., NUNN, J. F., FEELEY, T. W. and HENEGHAN, C. P. H. Comparison of the ventilatory depressant effects of halothane and isoflurane in routine surgery 1070
ALLEN, J., MAIGAARD, S., CHRISTENSEN, J. H., ANDREASEN, F. and FORMAN, A. Effects of thiopentone or chlormethiazole on human placental stem villous arteries 1273
ALLEN, P. *see* WREN, W. S. 399
ALLNUTT, M. F. Human factors in accidents 856
ALLVIN, R. *see* RAWAL, N. 791
ALON, E., BAITELLA, L. and HOSSLI, G. Double-blind study of the reversal of midazolam-supplemented general anaesthesia with Ro15-1788 455
AL QUISI, N. K. S. *see* MATHEWS, H. M. L., (*ARS*) 939P
ALSTON, R. P., OWEN, H., BELL, M. and BURNS, H. Analgesic effects of bupivacaine i.p., (*ARS*) 1326P
ANDREASEN, F. *see* ALLEN, J. 1273
APS, C. and O'SULLIVAN, G. Myasthenia gravis and cardiac surgery. *A Case Report* 265
ARGIRAS, E., BLAKELEY, C. R., DUNNILL, M. S., OTREMSKI, S. and SYKES, M. K. Reduction of hyaline membrane formation by the use of high PEEP, (*ARS*) 124P
ARGIRAS, E. P., BLAKELEY, C. R., DUNNILL, M. S., OTREMSKI, S. and SYKES, M. K. High PEEP decreases hyaline membrane formation in surfactant deficient lungs 1278
ARGIRAS, E. P. *see* SANDHAR, B. K., (*ARS*) 931P
ARNÉR, S. *see* RAWAL, N. 791
ARNOLD, R. W. *see* YATE, P. M. 211
ASBURY, A. J. and GRAY, W. M. Towards automatic control of general anaesthesia, (*ARS*) 938P
ASKANAZI, J. *see* KHAMBATTA, H. J. 1171
ASTLEY, B. A., HUGHES, R. and PAYNE, J. P. Recovery of respiration after neuromuscular blockade with alcuronium 206
ASTLEY, B. A., KATZ, R. L. and PAYNE, J. P. Electrical and mechanical responses after neuromuscular blockade with vecuronium and subsequent antagonism with neostigmine or edrophonium 983
ASTRUP, P. and SEVERINGHAUS, J. W. *The History of Blood Gas, Acids and Bases*, (*R*) 137
AVELING, W. and INGRAM, S. *F.F.A.R.C.S. Part 1 Practice Exams*, (*R*) 1338
AZAR, I., (editor). *Muscle Relaxants: Side Effects and a Rational Approach to Selection*, (*R*) 1481

BACALING, J. H. *see* YACOUB, O. F. 1056
BADEN, J. M. and KUNDOMAL, Y. R. Mutagenicity of the combination of a volatile anaesthetic and nitrous oxide 772
BADEN, J. M., SERRA, M. and MAZZE, R. I. Inhibition of rat fetal methionine synthase by nitrous oxide. *An* In Vitro *Study* 1040
BADEN, J. M. *see* MAZZE, R. I. 1291
BAGSHAW, P. F. *see* VICKERS, A. P. 503
BAGULEY, I. *see* SHAH, J. L., (*ARS*) 127P
BAIRD, W. L. M. *see* CALDWELL, J. E. 478
BAITELLA, L. *see* ALON, E. 455
BAKER, J. R. *see* PURCELL-JONES, G. 1431
BAMBER, P. A., ROWBOTHAM, D. J. and NIMMO, W. S. Cisapride is more effective than metoclopramide in preventing morphine-induced delay in gastric emptying, (*ARS*) 1331P
BARBIER-BOHM, G. *see* DEPOIX, J. P. 167
BARDGETT, D. M. *see* SMITH, C. L. 1397
BARDRUM, B. *see* MADSEN, J. B. 1204
BARKER, J. Nitrous oxide in neurosurgical anaesthesia, (*E*) 146; *see* FITCH, W. 1481
BARNES, P. K. *see* MILLAR, S. W., (*ARS*) 930P
BARRY, H. *see* O'BOYLE, C. A. 746
BAXTER, A. D., JENNINGS, F. O., HARRIS, R. S., FLYNN, J. F. and WAY, J. Continuous intercostal blockade after cardiac surgery 162
BEE, D. E. *see* NELSON, T. E. 730
BEECKMAN, C. P. *see* VERMEYEN, K. M. 1115
BEHNIA, R., KOUSHANPOUR, E., SHANKS, C. A. and MCCARTHY, J. Blockade of contralateral carotid sinus nerve enhances ipsilateral nerve action potentials under halothane anaesthesia 489
BELL, B. *see* BROWN, T. C. K. 1017
BELL, M. *see* ALSTON, R. P., (*ARS*) 1326P
BELL, P. F., HAWTHORNE, P., LAVERY, G. G., MCCAUGHEY, W., ORR, I. A. and DUNDEE, J. W. Influence of fasting on postoperative headache in day-stay patients, (*ARS*) 934P
BELL, W. E. *Orofacial Pains: Classification, Diagnosis, Management*, 3rd Edn, (*R*) 139
BELT, M. W. *see* NELSON, T. E. 730
BENGTSON, A., LANNSJÖ, W. and HEIDEMAN, M. Complement and anaphylatoxin responses to cross-clamping of the aorta. *Studies During General Anaesthesia With or Without Extradural Blockade* 1093
BENHAMOU, D., ECOFFEY, C., ROUBY, J. J., SPIELVOGEL, C. and VIARS, P. High frequency jet ventilation: the influence of different methods of injection on respiratory parameters 1257

BENNETT, H. L. Unconscious perception during general anaesthesia, (*C*) 1336
BENNETT, N. R. *see* CONROY, P. T. 1313
BERNOW, J. *see* LINDBLAD, A. 1265
BESSON, J. M. and LAZORTHES, Y., (editors). *Spiral Opioids and the Relief of Pain*, (*R*) 392
BEVAN, D. R. *see* CURRAN, M. J. 989; LAYCOCK, J. R. D., (*ARS*) 1321P
BEWLEY, A. *see* O'BOYLE, C. A. 746
BINGHAM, R. M. and HINDS, C. J. Influence of bolus doses of phenoperidine on intracranial pressure and systemic arterial pressure in traumatic coma 592
BIRCH, K., JØRGENSEN, J., CHRAEMMER-JØRGENSEN, B. and KEHLET, H. Effect of i.v. lignocaine on pain and the endocrine metabolic responses after surgery 721
BIRD, G. L. A. *see* DEARDON, D. J., (*C*) 391
BIRMINGHAM, A. T. *see* DRURY, P. J. 784
BISHOP, V. A. and CUNDY, J. M. Measurement of preoperative anxiety in relation to anaesthesia, (*ARS*) 653P
BISHOP, V. A. *see* MARYNIAK, J. K., (*ARS*) 133P; (*C*) 390; (*ARS*) 654P
BITHELL, J. F. *see* EVANS, J. M. 1346
BJERRING, P. and ØBERG, B. Possible role of vacuum systems and compressed air generators in cross-infection in the ICU 648
BJÖRKMAN, S., GABRIELSSON, J., QUAYNOR, H. and CORBEY, M. Pharmacokinetics of i.v. and rectal methohexitone in children 1541
BLACK, A. M. S., HUTTON, P. and CLUTTON-BROCK, T. The Grass FT ^3 transducer should not be used for human experiments (*C*) 664
BLACK, A. M. S., MOHARIB, M. M., GOODMAN, N. W. and WEIR, P. M. Atracurium combined with alcuronium, (*ARS*) 660P
BLACK, A. M. S. *see* CLUTTON-BROCK, T. H., (*ARS*) 135P; GOODMAN, N. W. 1497; 1504
BLACK, G. W. Isoflurane in dental anaesthesia for children, (*C*) 522
BLAKELEY, C. R., HAHN, C. E. W. and SYKES, M. K. A simple method for determining the appropriate correction for transit and response times of a fast response analyser, (*ARS*) 938P
BLAKELEY, C. R. *see* ARGIRAS, E., (*ARS*) 124P; 1278
BLAND, B. *see* DUNCAN, P. W. 360
BLANLOEIL, Y. *see* LEPAGE, J. Y. 1004
BLOMQUIST, H. *see* NYMAN, G. 1027
BLOOM, S. R. *see* LACOUMENTA, S. 713
BLUNNIE, W. P. *see* DUNPHY, J. A., (*ARS*) 1323P
BOADEN, R. W. *see* TACKLEY, R. M., (*ARS*) 935P
BOAS, R. A. *see* SAGE, D. J. 459
BODMAN, R. I. *see* NAGUIB, M. 482
BOGOD, D. G., ROSEN, M. and REES, G. A. D. Extradural infusion of 0.125% bupivacaine at 10 ml h^{-1} to women during labour 325
BOGOD, D. G. *see* YUKIOKA, H. 581
BOETGER, C. L. *see* KLEPPER, I. D. 1147
BOHEIMER, N. *see* WARD, S., 697
BOLISTON, T. A. Induced hypotension as a measure of opiate requirement, (*ARS*) 131P
BONE, M. E., MOBLEY, K., FELL, D. and SMITH, G. Comparison of the haemodynamic responses to induction of anaesthesia with either propofol or thiopentone in ASA III patients, (*ARS*) 1318P
BONKE, B., SCHMITZ, P. I. M., VERHAGE, F. and ZWAVELING, A. Unconscious perception during general anaesthesia, (*C*) 1333
BONSU, A. K., VIBY-MOGENSEN, J., FERNANDO, P. U. E., MUCHHAL, K., TAMILARASAN, A. and LAMBOURNE, A. Relationship of post-tetanic count and train-of-four response during intense neuromuscular blockade caused by atracurium 1089
BOVILL, J. G. *see* HENNIS, P. J., (*ARS*) 651P
BOWER, S. *see* REDFERN, N. 1309
BOWEY, C. J. *see* FISHER, M. McD. 690
BOWLER, G. M. R., LAMONT, M. C. and SCOTT, D. B. Effect of extradural bupivacaine or i.v. diamorphine on calf blood flow in patients after surgery 1412
BOWLER, G. M. R. *see* DUGGAN, J., (*ARS*) 128P
BRADSHAW, E. G. *see* COUTINHO, W., (*ARS*) 131P
BRADY, M. M., MIRAKHUR, R. K. and GIBSON, F. M. Influence of "priming" on the potency of non-depolarizing neuromuscular blocking agents 1245
BRADY, M. M., MIRAKHUR, R. K., GIBSON, F. M. and CLARKE, R. S. J. Onset and duration of paralysis after atracurium and vecuronium given in divided doses, (*ARS*) 657P
BRADY, M. M. *see* GIBSON, F. M., (*ARS*) 659P
BRIGGS, L. P. *see* COCKSHOTT, I. D. 1103
BRITTEN, J. J. *see* WHITTAKER, M. 1052; 1157
BROMAGE, P. R. *see* KLEPPER, I. D. 1147
BROWN, D. T. *see* DRUMMOND, G. B. 444; LOGAN, M. R. 288; PUGH, G. C., (*ARS*) 929P
BROWN, J. R. jr and GANDOLFI, A. J. Adverse effects of volatile anaesthetics 14
BROWN, T. C. K. and BELL, B. Electromyographic responses to small doses of suxamethonium in children after burns 1017
BULLOCK, R. E. *see* REDFERN, N. 1309
BURNS, H. *see* ALSTON, R. P., (*ARS*) 1326P
BURRIN, J. M. *see* LACOUMENTA, S. 713
BURROW, L. M. *see* MACRAE, D. J. 354
BURT, D. R. *see* VICKERS, A. P. 503
BURTLES, R. A new design of intubating forceps, (*C*) 1475

CABANEL, N. *see* ROURE, P. 1437
CALDWELL, J. E., ROBERTSON, E. N. and BAIRD, W. L. M. Antagonism of vecuronium and atracurium: comparison of neostigmine and edrophonium administered at 5% twitch height recovery 478
CALLA, S., GUPTA, A., SEN, N. and GARG, I. P. Comparison of the effects of etomidate and thiopentone on intraocular pressure 437
CAMMU, H. *see* HEYTENS, L. 331
CAMPBELL, D. *see* POLLOK, A. J., (*ARS*) 943P
CAMPBELL, I. *see* LAWES, E. G. 315
CAMPBELL, I. T., ELLIS, F. R., LUKSIC, I. Y. and RAFFO, J. A. Work capacity of malignant hyperpyrexia susceptible individuals, (*ARS*) 937P
CAMPBELL, I. T., WILLATT, D. J., CHILDS, D. and STELL, P. M. Arterial oxygenation after major head and neck surgery involving tracheotomy 1121
CAMPBELL, I. T. *see* Duckworth, R., (*ARS*) 943P; ELLIS, F. R., (*R*) 1338
CAMU, F. *see* HEYTENS, L. 331; VERBORGH, C. 1134
CANNON, D. P. *see* MORTIMER, A. J. 240
CANTINEAU, J. P. *see* DUREUIL, B. 1230
CARAPETIS, R. J. *see* OWEN, H., (*ARS*) 1328P
CARLISLE, R. J. T. *see* HALLIDAY, N. J. 465
CARR, C. M. E. *see* SIMPSON, K. H., (*ARS*) 1323P
CARSON, I. W. *see* FERRES, C. J. 305; MATHEWS, H. M. L. 557; (*ARS*) 934P; (*ARS*) 939P
CARTER, J. A. *see* GOODMAN, N. W. 1497
CARTER, M. *see* SMITH, C. M., (*ARS*) 1330P
CARTWRIGHT, D. P. *see* DANN, W. L. 1392
CASEY, W. *see* CUNNINGHAM, A. J., (*ARS*) 652P
CATTERMOLE, R. W. *see* SUGIOKA, K. 1548
CHAFFE, A. Which pH paper? 1189
CHAKRABARTI, M. K., WHITWAM, J. G. and SAPSED-BYRNE, S. Interrupted high frequency ventilation (IHFV), (*ARS*) 928P
CHAPPLE, D. J., DODD, P., MACCLEOD, D. M., WITHINGTON, P. S. and YATE, P. M. Requirements for

neuromuscular blocking agents during prolonged anaesthesia in the anaesthetized dog. (*ARS*) 1321P
CHAPPLE, D. J., MILLER, A. A, WARD, J. B. and WHEATLEY, P. L. Cardiovascular and neurological effects of laudanosine. *Studies in Mice and Rats, and in Conscious and Anaesthetized Dogs* 218
CHAPPLE, J. C. *see* KONIECZKO, K. M. 449
CHARLTON, J. E., NICHOLLS, J. and WHITE, E. Anterior and lateral approaches to the sciatic nerve: a study using computerized tomography, (*ARS*) 127P
CHATER, S. N. and SIMPSON, K. H. Investigation of the effect of passive hyperventilation on seizure duration in patients having electroconvulsive therapy, (*ARS*) 941P
CHAUDRY, I. A. *see* VIZI, E. S. 226
CHAUVIN, M., DERIAZ, H. and VIARS, P. Continuous i.v. infusion of labetalol for postoperative hypertension. *Haemodynamic Effects and Plasma Kinetics* 1250
CHENEY, F. W. Anaesthesia and the law: the North American experience 891
CHERNIAK, *see* NOCHOMOVITZ, (*R*) 138
CHESTNUT, R. J., HEALY, T. E. J. and HARPER, N. J. N. Suxamethonium – the relation between dose and response, (*ARS*) 1322P
CHESTNUTT, W. N., CLARKE, R. S. J. and DUNDEE, J. W. Comparison of nalbuphine, pethidine and placebo as premedication for minor gynaecological surgery 576
CHILDS, D. *see* CAMPBELL, I. T. 1121
CHRAEMMER-JØRGENSEN, B. *see* BIRCH, K. 721
CORBEY, M. *see* BJÖRKMAN, S. 1541
CRAWFORD, D. C., FELL, D., ACHOLA, K. J. and SMITH, G. Effects of alfentanil on the pressor and catecholamine responses to tracheal intubation 707
CHRISTENSEN, J. H. *see* ALLEN, J. 1273
CHRISTENSEN, K. N., THOMSEN, A., JØRGENSEN, S. and FABRICIUS, J. Analysis of costs of anaesthetic breathing systems, (*C*) 389
CHRISTENSEN, P. A. and NISSEN, L. R. Treatment of thyroid storm in a child with dantrolene, (*C*) 523
CLAFFEY, L. P. *see* DUNPHY, J. A., (*ARS*) 1323P
CLAPHAM, M. C. C., WILLIS, N. and MAPLESON, W. W. Minimum volume of discard for valid blood sampling from indwelling arterial cannulae 232
CLAPHAM, M. C. C. *see* MAPLESON, W. W., (*ARS*) 126P; WILLIS, N. 1160
CLARK, C. J. *see* POLLOCK, A. J., (*ARS*) 943P
CLARKE, R. S. J. *see* BRADY, M. M., (*ARS*) 657; CHESTNUTT, W. N. 576; FERRES, C. J. 305; LYNAS, A. G. A., (*ARS*) 659; MATHEWS, H. M. L., (*ARS*) 939P; MILLIGAN, K. R., (*ARS*) 134P
CLOSE, A. *see* SAGE, D. J. 459
CLUTTON-BROCK, T. H., BLACK, A. M. S. and HUTTON, P. Simple feed-back control of neuromuscular block, (*ARS*) 135P
CLUTTON-BROCK, T. *see* BLACK, A. M. S., (*C*) 664
COATES, D. P. *see* COCKSHOTT, I. D., (*ARS*) 941P; MONK, C. R. 954; TURTLE, M. J. 283
COCKSHOTT, I. D., BRIGGS, L. P., DOUGLAS, E. J. and WHITE, M. Pharmacokinetics of propofol in female patients. *Studies Using Single Bolus Injections* 1103
COCKSHOTT, I. D., DOUGLAS, E. J., PRYS-ROBERTS, C., TURTLE, M. and COATES, D. P. Pharmacokinetics of propofol during and after i.v. infusion in man, (*ARS*) 941P
COLD, G. E. *see* MADSEN, J. B. 1204
COLE, P. V. and VESEY, C. J. Sodium thiosulphate decreases blood cyanide concentrations after the infusion of sodium nitroprusside 531
COLE, P. V. *see* LLOYD-THOMAS, A. R., (*ARS*) 661P
COLEY, S., MOBLEY, K., FELL, D., ACHOLA, K. J. and SMITH, G. Sympathoadrenal responses to tracheal intubation after thiopentone or propofol, (*ARS*) 659P
COLLIER, D. ST J. *see* KIPLING, R., (*ARS*) 1332P
COLLIER, P. S. *see* MATHEWS, H. M. L. 557
CONACHER, I. D. and KOKRI, M. Postoperative paravertebral blocks for thoracic surgery. *A Radiological Appraisal* 155
CONACHER, I. D. *see* PAES, M. L., (*C*) 663
CONNELL, H, DALGLEISH, J. G. and DOWNING, J. W. General anaesthesia in mothers with severe pre-eclampsial eclampsia 1375
CONROY, P. T. and BENNETT, N. R. Management of tracheomalacia in association with congenital tracheo-oesophageal fistula 1313
COOPER, G. *see* HUTTON, P., (*R*) 271
COOPER, J. C. *see* MILLIGAN, K. R. 1111
COTTRELL, J. E. *see* NEWFIELD, P., (*R*) 947
COUSINS, M. J. and PHILLIPS, G. D., (editors). *Acute Pain Management*, (*R*) 811
COUTINHO, W., BRADSHAW, E. G. and SCHMULIAN, C. M. The "priming principle": gallamine and atracurium compared, (*ARS*) 131P
COVINO, B. G., FOZZARD, H. A., REHDER, K. and STRICHATZ, G. *Effects of Anaesthesia. Clinical Physiology Series*, (*R*) 273
COVINO, B. G. *see* WILDSMITH, J. A. W., (*ARS*) 127P; 379
COWEN, P. N. *see* WEBSTER, N. R. 760
COZIAN, A. *see* LAPAGE, J. Y. 1004
CROSSLEY, A. W. A. and HOSIE, H. E. Radiographic study of intercostal nerve blockade in healthy volunteers 149
CULLEN, P. *see* TURTLE, M. J. 283
CUNDY, J. M. *see* BISHOP, V. A., (*ARS*) 653P
CUNNINGHAM, A. J., HANNON, V. and CASEY, W. Visual evoked potential changes following transurethral prostatectomy, (*ARS*) 652P
CUNNINGHAM, A. J. *see* HANNON, V., (*ARS*) 656P
CURRAN, M. J., DONATI, F. and BEVAN, D. R. Onset and recovery of atracurium and suxamethonium-induced neuromuscular blockade with simultaneous train-of-four and single twitch stimulation 989
CURRIE, J. *see* PURDY, G. 319
CURTIN, L. W. *see* DUNPHY, J. A. 1323P

DALGLEISH, J. G. *see* CONNELL, H. 1375
DANN, W. L., HUTCHINSON, A. and CARTWRIGHT, D. P. Maternal and neonatal responses to alfentanil administered before induction of general anaesthesia for Caesarean section 1392
DARK, C. H., SUER, A. H., MCATEER, E. and WALI, F. A. Tetanic fade during neuromuscular blockade produced by atracurium in the rat diaphragm preparation, (*ARS*) 933P
DARK, C. H., SUER, A. H. and WALI, F. A. Facilitation and inhibition by atropine and muscarinic antagonists of neuromuscular transmission at the rat neuromuscular junction, (*ARS*) 657P
DARRAH, W. C. *see* MIRAKHUR, R. K. 431
DAVIES, L. F. *see* SIMPSON, K. H. 966
DAVIS, F. M., LAURENSON, V. G., LEWIS, J., WELLS, J. E. and GILLESPIE, W. J. Metabolic response to total hip arthroplasty under hypobaric subarachnoid or general anaesthesia 725
DAVIS, F. M., MCDERMOTT, E., HICKTON, C., WELLS, E., HEATON, D. C., LAURENSON, V. G., GILLESPIE, W. J. and FOATE, J. Influence of spinal and general anaesthesia on haemostasis during total hip arthroplasty 561
DAVIS, F. M., WOOLNER, D. F., FRAMPTON, C., WILKINSON, A., GRANT, A., HARRISON, R. T., ROBERTS, M. T. S. and THADAKA, R. Prospective, multi-centre trial of mortality following general or spiral anaesthesia for hip fracture surgery in the elderly 1080
DAVIS, I. J. *see* ENGLAND, D. W. 1403
DAY, S. *see* DODD, P., (*ARS*) 1324P

DEARDON, D. J. and BIRD, G. L. A. Acute (Type 1) hypersensitivity to i.v. Diazemuls, (*C*) 391
DEBROUX, H. C. *see* VAN STEENBERGE, A. 1518
DEKEGEL, D. *see* VANACKER, B. 1514
DELLEUR, M. M. *see* MURAT, I. 1441
DENBOROUGH, M. A. *see* SIM, A. T. R. 1557
DEPOIX, J. P., MALBEZIN, S., VIDECOQ, M., HAZEBROUCQ, J., BARBIER-BOHM, G., GAUZIT, R. and DESMONTS, J. M. Oral intubation *v.* nasal intubation in adult cardiac surgery 167
DERBYSHIRE, D. R. and RICHARDSON, J. Voltarol (diclofenac) as a perioperative analgesic supplement, (*ARS*) 1327P
DERBYSHIRE, D. R., SMITH, G. and ACHOLA, K. J. Effect of topical lignocaine on the sympathoadrenal responses to tracheal intubation 300
DERBYSHIRE, D. R. *see* VICKERS, A. P. 503
DERIAZ, H. *see* CHAUVIN, M. 1250
DERRINGTON, M. C. and HINDOCHA, N. Monitoring of mechanical twitch in the diaphragm during anaesthesia, (*ARS*) 660P
DERRINGTON, M. C., HINDOCHA, N. and SMITH, G. Evaluation of the combined effects of glycopyrrolate and neostigmine on the lower oesophageal sphincter 545
DERRINGTON, M. C. and SMITH, G. A review of studies of anaesthetic risk, morbidity and mortality 815
DESMONTS, J. M. *see* DEPOIX, J. P. 167; DUREUIL, B. 1230
DEV, V. J. *see* THOMAS, D. W. 1196
DEWAN, D. M. *see* NORRIS, M. C. 338
DHIRI, A. K., SANFORD, J. and WYLLIE, M. G. Disposition and pharmacokinetics of meptazinol in the CSF. *Studies after Intrathecal Administration in the Non-Human Primate* Erythrocebus patas 1140
DIAMOND, J. G. *see* POWER, S. J., (*ARS*) 1319P
DIDIER, J. M. *see* LEYNADIER, F. 683
DINGWALL, A. E. *see* MEAKIN, G. 678
DIONYS, J. *see* VANACKER, B. 1514
DIXON, J. *see* WOODCOCK, T. E., (*ARS*) 1319P
DODD, P., GOLDHILL, D., MACLEOD, D. M., WITHINGTON, P. S., YATE, P. M. and DAY, S. Heart rate responses to different combinations of edrophonium and glycopyrrolate, (*ARS*) 1324P
DODD, P. *see* CHAPPLE, D. J., (*ARS*) 1321P
DODSON, M. E. *The Management of Postoperative Pain. Current Topics in Anaesthesia*, No. 8., (*R*) 272
DONADONI, R., VERMEULEN, H., NOORDUIN, H. and ROLLY, G. Intrathecal sufentanil as a supplement to subarachnoid anaesthesia with lignocaine 1523
DONATI, F. *see* CURRAN, M. J. 989; LAYCOCK, J. R. D., (*ARS*) 1321P
DOPSON, T. A. *see* WARD, S. 697; YATE, P. M. 211
DORJE, P. *see* KESTIN, I. G. 364
DOUGLAS, E. J. *see* COCKSHOTT, I. D., (*ARS*) 941P; 1103
DOWNING, J. W. *see* DUNCAN, P. W. 360; LAWES, E. G.1381
DOWNING, R. *see* ENGLAND, D. W. 1403
DRALANTS, G. *see* VANACKER, B. 1514
DRUMMOND, G. B. Influence of thiopentone on upper airway muscles, (*ARS*) 1320P; Influence of thiopentone sedation and anaesthesia on scalene muscle activity, (*ARS*) 652P
DRUMMOND, G. B. and BROWN, D. T. Naloxone does not influence breathing during isoflurane anaesthesia 444
DRUMMOND, G. B. *see* DUGGAN, J., (*ARS*) 134P; *ARS* 1326P; LEE, A. 1127; LOGAN, M. R. 288; PUGH, G. C., (*ARS*) 132P; 133P; (*ARS*) 658P; (*ARS*) 929P; 1356; 1364
DRURY, P. J., BIRMINGHAM, A. T. and HEALY, T. E. J. Interaction of adrenaline with neostigmine and tubocurarine at the skeletal neuromuscular junction 784
DRY, J. *see* LEYNADIER, F. 683
DUCKWORTH, R., REGAN, C., FAIRHURST, J., FRAYN, K. N., MAYCOCK, P. and CAMPBELL, I. T. Metabolic effects of dopamine, (*ARS*) 942P
DUGGAN, J., BOWLER, G. M. R., MCCLURE, J. H. and WILDSMITH, J. A. W. Effect of dose, volume and concentration of bupivacaine injection on extradural blockade, (*ARS*) 128P
DUGGAN, J. and DRUMMOND, G. B. Abdominal muscle activity increases after upper abdominal surgery, (*ARS*) 134P; Intra-abdominal pressure swings during breathing reflect changes in abdominal muscle activity after abdominal surgery, (*ARS*) 1326P
DUGGAN, J. E. *see* LOGAN, M. R. 179
DUNCALF, D. *see* VIZI, E. S. 226
DUNCAN, P. W., LAWES, E. G., BLAND, B. and DOWNING, J. W. Fresh gas flow requirements used the ADE anaesthetic system during late pregnancy 360
DUNCAN, P. W. *see* LAWES, E. G. 1381
DUNDAS, C. R. *see* NOBLE, D. W. 735
DUNDEE, J. W. Pretreatment with ranitidine, (*C*) 665; *see* BELL, P. F., (*ARS*) 934P; CHESTNUTT, W. N. 576; HEWITT, A. J. (*ARS*) 1324P; FITZPATRICK, K. T. J., (*ARS*) 936P; FURNESS, G., (*ARS*) 935; GHALY, R. G., (*ARS*) 135P; (*ARS*) 136P; HALLIDAY, N. J. 465; MILLIGAN, K. R. 1111; MATHEWS, H. M. L., (*ARS*) 934P; 557; MCCOLLUM, J. S. C., (*ARS*) 654P
DUNDEE, J. W., GHALY, R. G. and FITZPATRICK, K. T. J. P6 acupuncture: an effective non-toxic anti-emetic in cancer chemotherapy, (*ARS*) 1322P
DUNNILL, M. S. *see* ARGIRAS, E. P., (*ARS*) 124P, 1278; SANDHAR, B. K., (*ARS*) 931P
DUNPHY, J. A., CLAFFEY, L. P., BLUNNIE, W. P. and CURTIN, L. W. Comparison of respirometers, (*ARS*) 1323P
DUREUIL, B., CANTINEAU, J. P. and DESMONTS, J. M. Effects of upper or lower abdominal surgery on diaphragmatic function 1230
DUTHIE, D. J. R. and NIMMO, W. S. Adverse effects of opioid analgesic drugs 61
DUVALDESTIN, P. *see* ROURE, P. 1437
DYSON, A. *see* LATTO, I. P., (*ARS*) 651P

EARNSHAW, G., SONI, N. and LANDES, A. H. Effect of diazepam on potassium flux in burns patients following the administration of suxamethonium, (*ARS*) 1331P
ECOFFEY, C. *see* BENHAMOU, D. 1257
EDMONDSON, R. S. *see* MOSS, E. 970
EGU, J. F. *see* MURAT, I. 1441
ELLIS, F. R. and CAMPBELL, I. T. *Essential Anaesthesia*, 1st Edn., (*R*) 1338
ELLIS, F. R. *see* CAMPBELL, I. T., (*ARS*) 937P
ELTON, R. A. *see* PUGH, G. C. 1364
ELWANY, S. and MEKHAMER, A. Effect of nasotracheal intubation on nasal mucociliary clearance 755
ENGEL, L. A. and PAIUA, M., (editors). *Gas Mixing and Distribution in the Lung*. Lung Biology in Health and Disease Series, Vol. 25, (*R*) 138
ENGLAND, D. W., DAVIS, I. J, TIMMINS, A. E., DOWNING, R. and WINDSOR, C. W. O. Gastric emptying: a study to compare the effects of intrathecal morphine and intramuscular papaveretum analgesia 1403
ERDMANN, W. *see* FAITHFULL, N. S., (*ARS*) 124P
ERPELS, F. A. *see* VERMEYEN, K. M. 1115
ERWIN, C. W. *see* SEBEL, P. S. 1492
ESTEVE, C. *see* MURAT, I. 1441
EVANS, J. M., BITHELL, J. F. and VLACHONIKOLIS, I. G. Relationship between lower oesophageal contractility, clinical signs and halothane concentration during general anaesthesia and surgery in man 1346

FABRICIUS, J. *see* CHRISTENSEN, K. N., (*C*) 389
FAGAN, D., TIPLADY, B. and SCOTT, D. B. Effects of ethanol on psychomotor performance 961
FAIRHURST, J. *see* DUCKWORTH, R., (*ARS*) 942P

FAITHFULL, N. S., FENNEMA, M. and ERDMANN, W. Prophylactic treatment of myocardial ischaemia by prior haemodilution with fluorocarbon emulsions, (*ARS*) 124P
FALKNER, M. J. *see* GOODMAN, N. W. 1059
FARAG, H. *see* NAGUIB, M. 482; 606
FAROQUI, M. H. *see* TURTLE, M. J. 283
FEE, J. P. H. *see* LYNAS, A. G. A., (*ARS*) 659P
FEELEY, T. W. *see* ALAGESAN, K. 1070
FELL, D. *see* BONE, M. E., (*ARS*) 1318P; COLEY, S., 300 (*ARS*) 659P; CRAWFORD, D. C. 707
FENECK, R. O. *see* SHERRY, K. M. 510
FENNEMA, M. *see* FAITHFULL, N. S., (*ARS*) 124P
FERNANDO, P. U. E. *see* BONSU, A. K. 1089
FERRES, C. J., CARSON, I. W., LYONS, S. M., ORR, I. A., PATTERSON, C. C. and CLARKE, R. S. J. Haemodynamic effects of vecuronium, pancuronium and atracurium in patients with coronary artery disease 305
FINCH, J. D. Legal obligations and responsibilities of the medical practitioner 870
FINCH, P. M. *see* GOUCKE, C. R., (*C*) 944
FINEGAN, B. A., WEILER, R. and HERTZ, L. Effects of diazepam, ketamine, morphine and naloxone on the uptake of potassium into astrocytes, (*ARS*) 655P
FISCHLER, M. A. *see* VOURC'H, G., (*C*) 663
FISHER, M. McD., OUTHRED, A. and BOWEY, C. J. Can clinical anaphylaxis to anaesthetic drugs be predicted from allergic history? 690
FITCH, W. and BARKER, J., (editors). *Head Injury and the Anaesthetist. Monographs in Anaesthesiology No. 14., (R)* 1481
FITZPATRICK, G. J. *see* MACDONALD, N. J. 672
FITZPATRICK, K. *see* MATTHEWS, H. M. L. 557
FITZPATRICK, K. T. J., DUNDEE, J. W. and GHALY, R. G. Comparison of the anti-emetic action of manual and electro acupuncture with that of cyclizine and metoclopramide, (*ARS*) 936P
FITZPATRICK, K. T. J. *see* DUNDEE, J. W., (*ARS*) 1322P
FLETCHER, R. Alveolar deadspace in cyanotic heart disease, (*ARS*) 928P; Lung function during reduced pulmonary perfusion, (*ARS*) 652P
FLEWELLEN, E. H. *see* NELSON, T. E. 730
FLYNN, J. F. *see* BAXTER, A. D. 162
FLYNN, P. J. *see* YATE, P. M. 211
FLYNN, R. *see* GHALY, R. G., (*ARS*) 136P
FOATE, J. *see* DAVIS, F. M. 561
FOËX, P. *see* LEONE, B. J., (*ARS*) 652P
FOLDES, F. F. *see* VIZI, E. S. 226
FORMAN, A. *see* ALLEN, J. 1273
FOX, E. *see* O'BOYLE, C. A. 746
FOX, M. A., KEENS, S. J. and UTTING, J. E. Neostigmine in the antagonism of the action of atracurium 468
FOZZARD, H. A. *see* COVINO, B. G., (*R*) 273
FRAMPTON, C. *see* DAVIS, F. M. 1080
FRATER, R. A. S. and LEW, J. K. L. Dangers of anaesthesia in Munchausen's syndrome 1472
FRAYN, K. N. *see* DUCKWORTH, R., (*ARS*) 942P
FROSTELL, C. *see* NYMAN, G. 1027
FUCHS, W. *see* MOTSCH, J. 1528
FUJINAGA, M. *see* MAZZE, R. I. 1291
FUNKQUIST, B. *see* NYMAN, G. 1027
FURNESS, G., DUNDEE, J. W. and MILLIGAN, K. R. Effect of low dose sufentanil pretreatment on the induction dose and characteristics of two barbiturates, (*ARS*) 935P
FURNESS, G. *see* MATHEWS, H. M. L., (*ARS*) 939P

GABRIELSSON, J. *see* BJÖRKMAN, S. 1541
GANDOLFI, A. J. *see* BROWN, J. R. Jr. 14
GANE, G. A. C. *see* LAWES, E. G. 1381
GARCIA, R. *see* VANACKER, B. 1415
GARG, I. P. *see* CALLA, S. 437
GAUDY, J. H. *see* ZINDEL, G. 440
GAUZIT, R. *see* DEPOIX, J. P. 167
GEMMELL, C. G. *see* POLLOK, A. J., (*ARS*) 943P
GERRISH, S. P. and PEACOCK, J. E. Variations in the flow of cerebrospinal fluid through spinal needles 1465
GHALY, R. G., LYNAS, A. G. A. and DUNDEE, J. W. Acupuncture also reduces the emetic effects of pethidine, (*ARS*) 135P
GHALY, R. G., MOORE, J., WILSON, C. M., FLYNN, R. and DUNDEE, J. W. Isoflurane as a supplement to nitrous oxide for Caesarean delivery: comparison with halothane, (*ARS*) 136P
GHALY, R. G. *see* DUNDEE, J. W., (*ARS*) 1322P; FITZPATRICK, K. T. J., (*ARS*) 936P
GIBBS, J. M. No fault compensation for personal injury in New Zealand: some implications for anaesthetists 865
GIBSON, F. M., MIRAKHUR, R. K. and BRADY, M. M. Comparison of fade in train-of-four during onset of non-depolarizing neuromuscular block, (*ARS*) 659P
GIBSON, F. M. *see* BRADY, M. M., (*ARS*) 657P; 1245; MIRAKHUR, R. K. 473
GIESECKE, G. *see* KLINGSTEDT, C. 184
GILLESPIE, W. J. *see* DAVIS, F. M. 561; 725
GILLIES, G. W. A. *see* HODSMAN, N., (*ARS*) 126P
GILLMAN, M. A. Haematological changes caused by nitrous oxide. *Cause for concern?*, (*E*) 143
GISSEN, A. J. *see* WILDSMITH, J. A. W., (*ARS*) 127P; 379
GOLDHILL, D. R., MARTYN, J. A. J. and HOAGLIN, D. C. Beta-adrenoceptor blockade, alpha-stimulation and changes in plasma potassium concentration after suxamethonium administration in dogs 611
GOLDHILL, D. *see* DODD, P. (*ARS*) 1324P
GOLDINER, P. L. *see* VIZI, E. S. 226
GOODCHILD, C. S. and SERRAO, J. M. Intrathecal midazolam in the rat: evidence for spinally-mediated analgesia 1563
GOODCHILD, C. S. *see* SERRAO, J. M., (*ARS*) 125P
GOODMAN, N. W. and BLACK, A. M. S. Inter-relations of the volume and timing components of ventilation during carbon dioxide rebreathing in awake and anaesthetized subjects 1504
GOODMAN, N. W., BLACK, A. M. S. and CARTER, J. A. Some ventilatory effects of propofol as sole anaesthetic agent 1497
GOODMAN, N. W. and FALKNER, M. J. Massive intraoperative pulmonary embolism in a child 1059
GOODMAN, N. W. *see* BLACK, A. M. S., (*ARS*) 660P; SIMPSON, P. J. (*R*) 393; (*R*) 1064
GORDON, A. G. Blocked ear after extradural injection, (*C*) 666
GOUCKE, C. R., LOVEGROVE, F. T. A. and FINCH, P. M. Lumbar sympathectomy: spread of radiopharmaceuticals following a single-needle technique, (*C*) 944
GRAMM, H.-J. *see* HILT, H., (*C*) 1479
GRAMSTAD, L. Atracurium, vecuronium and pancuronium in end-stage renal failure. Dose–response properties and interactions with azathioprine 995
GRANT, A. *see* DAVIS, F. M. 1080
GRANT, I. S. *see* MACRAE, D. J. 354
GRAY, W. M., O'SULLIVAN, J., HOULDSWORTH, H. B. and MUSGRAVE, V. Use of diffusive samplers to monitor occupational exposure to waste anaesthetic gases, (*ARS*) 1325P
GRAY, W. M. *see* ASBURY, A. J., (*ARS*) 938P
GROUNDS, R. M., MAXWELL, D. L., TAYLOR, M. B., ABER, V. and ROYSTON, D. Acute ventilatory changes during i.v. induction of anaesthesia with thiopentone or propofol in man. *Studies Using Inductance Plethysmography* 1098
GUEVART, E. *see* KRIVOSIC-HORBER, R. 1554
GUPTA, A. *see* CALLA, S. 437
GUSTAFSSON, L. L. *see* RAWAL, N. 791

HAHN, C. E. W. *see* BLAKELEY, C. R., (*ARS*) 938P
HAHN, R. G. Influence of variations in blood haemoglobin concentration on the calculation of blood loss and volumetric irrigating fluid balance during transurethral resection of the prostate 1223
HALBEZIN, S. *see* DEPOIX, J. P. 167
HALL, G. M. *see* LACOUMENTA, S. 713
HALL, L. W. *see* WATNEY, G. C. G. 1022
HALLIDAY, N. J., DUNDEE, J. W., CARLISLE, R. J. T. and MCCLEAN, E. I.v. temazepam: theoretical considerations 465
HALSALL, P. J. *see* SIMPSON, K. H., (*ARS*) 1323P
HALSEY, M. J. Adverse effects of drugs used in anaesthesia, (*E*) 1; Drug interactions in anaesthesia 112; *see* HUNTER, A. B., (*ARS*) 128P
HAMBERGER, B. *see* KLINGSTEDT, C. 184
HANEGREEFS, G. H. *see* VERMEYEN, K. M. 1115
HANNING, C. D. Monitoring: bane or blessing? (*E*) 1201
HANNON, V., SCANLON, P. and CUNNINGHAM, A. J. Heart rate changes in anaesthetists and surgeons, (*ARS*) 656P
HANNON, V. *see* CUNNINGHAM, A. J., (*ARS*) 652P
HANSEN, E. S. *see* MADSEN, J. B. 1204
HANSEN, O. B. *see* LUND, C. 1408
HARDY, P. A. J. Blocked ear after extradural injection, (*C*) 666; Quantification of sympathetic blockade by thermography, (*C*) 664
HARDY, P. A. J. and WELLS, J. C. D. Stellate ganglion blockade with bupivacaine: effect of volume on extent of sympathetic blockade, (*ARS*) 933P
HARPER, K. W. *see* HEWITT, A. J., (ARS) 1324P
HARPER, N. J. N., PUGH, N. D., HEALY, T. E. J. and PETTS, H. V. Changes in the power spectrum of the evoked compound action potential of the adductor pollicis with the onset of neuromuscular blockade 200
HARPER, N. J. N. and WILSON, A. Onset of atracurium induced blockade in the muscle of the face: orbicularis oculi and adductor pollicis compared, (*ARS*) 932P
HARPER, N. J. N. *see* CHESTNUT, R. J., (*ARS*) 1322P; PUGH, N. D. 195
HARRIES, A. J. *see* YATES, A. P., (*C*) 524
HARRIS, D. *see* O'BOYLE, C. A. 746
HARRIS, R. S. *see* BAXTER, A. D. 162
HARRISON, G. R. A model of the extradural space and a reappraisal of the extradural space pressure 1177
HARRISON, M. J., JONES, R. M. and POLLARD, B. J. *Anaesthetic Management, A Rule-Based Guide*, (*R*) 947
HARRISON, R. T. *see* DAVIS, F. M. 1080
HARROP-GRIFFITHS, A. W. Recovery after atracurium, (*C*) 1477
HARTVIG, P. *see* PERSSON, P. 548
HARVEY, J. R. *see* TACKLEY, R. M., (*ARS*) 935P
HASSAN, M. *see* NAGUIB, M. 482
HATCH, D. J. and SUMNER, E. *Neonatal Anaesthesia and Perioperative Care*. 2nd Edn. *Current Topics in Anaesthesia*, series 5, (*R*) 272
HATCH, D. J., YATES, A. P. and LINDAHL, S. G. E. Flow requirements and rebreathing during mechanically controlled ventilation in a T-piece (Mapleson E) system 1533
HATCH, D. J. *see* YATES, A. P. 170; (*C*) 524
HAWTHORNE, P. *see* BELL, P. F., (*ARS*) 934P
HAYES, B. *see* TILLING, S. E. 1181
HAYTER, A., SUER, A. H. and WALI, F. A. Interaction of ethanol with calcium channel blockers, nitrendipine and nifedipine in the rat isolated vas deferens preparation, (*ARS*) 935P
HAZEBROUCQ, J. *see* DEPOIX, J. P. 167
HEALY, T. E. J. *see* CHESTNUT, R. J., (ARS), 1322P; DRURY, P. J. 784; HARPER, N. J. N. 200; PUGH, N. D. 195
HEATON, D. C. *see* DAVIS, F. M. 561
HECKER, B. R. *see* PRICE, S. L. 518
HEDENSTIERNA, G. *see* NYMAN, G. 1027
HEIDEMAN, M. *see* BENGTSON, A. 1093
HEMPELMANN, G. *see* RUSS, W. 1484
HENDERSON, P. *see* MCKEAN, J. E., (*ARS*) 129P
HENEGHAN, C. P. H., THORNTON, C., NAVARATNARAJAH, M. and JONES, J. G. Effect of isoflurane on the auditory evoked response in man 277
HENEGHAN, C. P. H. *see* ALAGESAN, K. 1070
HENNIS, P. J., BOVILL, J. G. and KOOISTRA, M. Edrophonium is shorter acting than neostigmine when antagonizing vecuronium or atracurium, (*ARS*) 651P
HERTZ, L. *see* FINEGAN, B. A., (*ARS*) 655P
HESFORD, J. W. *see* SHELLY, M. P. 800
HEWITT, A. J., DUNDEE, J. W., HARPER, K. W. and HOWARD, P. J. Influence of volatile anaesthetic agents on the pharmacokinetics of midazolam, (*ARS*) 1324P
HEWITT, P. B. *see* ADAMS, A. P., (R) 1063
HEYTENS, L., CAMMU, H. and CAMU, F. Extradural analgesia during labour using alfentanil 331
HICKTON, C. *see* DAVIS, F. M. 561
HILT, H., GRAMM, H.-J. and LINK, J. Intracranial hypertension and caudal anaesthesia, (*C*) 1479
HINDMARCH, I. *see* MOSS, E. 970
HINDMARSH, J. *see* KAY, B., (*ARS*) 1327P
HINDOCHA, N. *see* DERRINGTON, M. C. 545, (*ARS*) 660P
HINDS, C. J. *see* BINGHAM, R. M. 592
HIPPUS, H. *see* SCHOU, M., (*C*) 809
HOAGLIN, D. C. *see* GOLDHILL, D. R. 611
HOCH, P. *see* MOTSCH, J. 1528
HODSMAN, N., GILLIES, G. W. A. and KENNY, G. N. C. PCA and a speech-synthesizer, (*ARS*) 126P
HOEL, T. M. and LIND, B. Spinal needles, gauge and headache, (*C*) 808
HOLLAND, R. Anaesthetic mortality in New South Wales 834
HOLMQUIST, E. L. O. *see* RUSSELL, I. F. 347
HOSIE, H. E. *see* CROSSLEY, A. W. A. 149
HOSKING, J. and WELCHEW, E. *Postoperative Pain: Understanding its Nature and How to Treat It*, (*R*) 392
HOSSLI, G. *see* ALON, E. 455
HOULDSWORTH, H. B. *see* GRAY, W. M., (*ARS*) 1325P
HOWARD, P. J. *see* HEWITT, A. J., (*ARS*) 1324P; MATHEWS, H. M. L. 557; (*ARS*) 934P
HOWE, J. P. *see* MILLIGAN, K. R., (*ARS*) 134P; 1111
HUGHES, R. *see* ASTLEY, B. A. 206; STENLAKE, J. B., (*C*) 806
HULL, C. J. *see* REDFERN, N. 1309
HUME, A. S. *see* NORRIS, J. C. 236
HUNTER, A. B., WARDLEY-SMITH, B. and HALSEY, M. J. Pressure reversal of sedation produced by benzodiazepines? (*ARS*) 128P
HUNTER, A. R. Towards safer anaesthesia in obstetrics, (*E*) 275
HUNTER, J. M. Adverse effects of neuromuscular blocking drugs 46; *see* KEENS, S. J., 1011; SMITH, C. L. 1397
HUTCHINSON, A. *see* DANN, W. L. 1392; MALTBY, J. R., (*ARS*) 1329P
HUTSCHENREUTER, K. *see* MOTSCH, J. 1528
HUTTON, P. and COOPER, G. *Guidelines in Clinical Anaesthesia*, (*R*) 271
HUTTON, P. *see* BLACK, A. M. S., (*C*) 664; CLUTTON-BROCK, T. H., (*ARS*) 135P

IMMELMAN, L. *see* MADEJ, T., (*ARS*) 932P
INGRAM, S. *see* AVELING, W., (*R*) 1338
INOUE, K. and REICHELT, W. Combination of fentanyl, etomidate and vecuronium may cause severe vagotonic shock, (*C*) 1475

JACKSON, J. F. *see* MCSHANE, A. J. 1035
JAMES, I. G. *see* PURCELL-JONES, G. 1431

JANSSEN, L. A. *see* VERMEYEN, K. M. 1115
JÄRNBERG, P.-O. *see* KLINGSTEDT, C. 184
JEAN, N. *see* ROURE, P. 1437
JENNINGS, F. O. *see* BAXTER, A. D. 162
JENSEN, C. M. *see* LUND, C. 1408
JONES, J. G. Anaesthesia and atelectasis: the role of V_{TAB} and the chest wall, (*E*) 949
JONES, J. G., JORDAN, C., SLAVIN, B. and LEHANE, J. R. Prophylactic effect of aminophylline and salbutamol on histamine-induced bronchoconstriction 498
JONES, J. G. *see* HENEGHAN, C. P. H. 277
JONES, R. M., (editor) *Current European Anaesthesiology – The Yearbook of the European Academy of Anaesthesiologists–Vol. 2. 1986* 1065
JONES, R. M., (editor-in-chief). *Current European Anaesthesiology, Vol. 1* (Yearbook of the European Academy of Anaesthesiology) (*R*) 137; *see* HARRISON, M. J., (*R*) 947; POWER, S. J., (*ARS*) 1319P
JONES, R. M., POWER, S. J. and ADAMS, A. P. Factors influencing evoked-reversal of neuromuscular blockade, (*ARS*) 658P
JONES, S. N. *see* TINKER, J., (*R*) 1064
JONES, S. V. P. and MARSHALL, I. G. Non-competitive effects of disopyramide at the neuromuscular function: evidence for end plate ion channel block 776
JORDAN, C. *see* JONES, J. G. 498; WATNEY, G. C. G. 1022
JØRGENSEN, J. *see* BIRCH, K. 721
JØRGENSEN, S. *see* CHRISTENSEN, K. N., (*C*) 389

KAISER-SCHÖNENBERGER, E. *see* WASER, P. G. 1044
KALLA, G. N. and VENKATARAMANA, J. Comparison of physical and flow characteristics of "streamline" and "normal" cuffed tracheal tubes 1621
KANTO, J. *see* MANNER, T. 978
KATZ, R. L., (editor). *Muscle Relaxants. Basic and Clinical Aspects*, (*R*) 392; *see* ASTLEY, B. A. 983
KAUFMAN, L. *Anaesthesia Review 3, (R)* 137
KAUFMAN, R. D., PATTERSON, R. W. and LEE, A. ST J. Derivations of $\dot{V}_A/\dot{Q}$ distribution from blood-gas tensions 1599
KAUFMAN, R. D. *see* LEE, A. ST. J. 1379
KAY, B. Potency ratio between opioid agonists and partial agonists, (*C*) 810; *see* SEAR, J. W., (*ARS*) 132P; 572
KAY, B., ORTON, J., HINDMARSH, J. and LAKE, A. Pharmacokinetics of oral nalbuphine in postoperative patients, (*ARS*) 1327P
KEEGAN, M. *see* SEAR, J. W., (*ARS*) 132P; 572
KEEN, R. I. *see* STOLLERY, B. T., (*ARS*) 655P
KEENAN, M. *see* MACDONALD, N. J. 672
KEENS, S. J., HUNTER, J. M., SNOWDON, S. L. and UTTING, J. E. Potentiation of the neuromuscular blockade produced by alcuronium with halothane, enflurane and isoflurane 1011
KEENS, S. J. *see* FOX, M. A. 468
KEHLET, H. *see* BIRCH, K. 721; LUND, C. 1408
KELLY, M. *see* YACOUB, O. F. 1056
KENEFICK, J. P., LEADER, A., MALTBY, J. R. and TAYLOR, P. J. Laparoscopy: blood-gas values and minor sequelae associated with three techniques based on isoflurane 189
KENNA, J. G., NEUBERGER, J. and WILLIAMS, R. Specific antibodies to halothane induced liver antigens in halothane-associated hepatitis 1286
KENNAMER, D. L. *see* NELSON, T. E. 730
KENNEDY, H. J., (editor). *Emergencies in Clinical Medicine*, (*R*) 270
KENNY, G. N. C. *see* HODSMAN, N., (*ARS*) 126P; REID, J. A. 247
KESTIN, I. G. and DORJE, P. Anaesthesia for evacuation of retained products of conception. *Comparison Between Alfentanil plus Etomidate and Fentanyl plus Thiopentone* 364
KHAMBATTA, H. J., STONE, J. G., ASKANAZI, J. and KHAN, E. Propanol increases oxygen utilization during hypoxia 1171
KHAN, E. *see* KHAMBATTA, M. J. 1171
KIPLING, R., COLLIER, D. ST J. and MORRIS, P. J. Renal perfusion during amino acid infusion in the pig, (*ARS*) 1332P
KLEPPER, I. D., SHERRILL, D. L., BOETGER, C. L. and BROMAGE, P. R. Analgesic and respiratory effects of extradural sufentanil in volunteers and the influence of adrenaline as an adjuvant 1147
KLEPPER, I. *see* ROSEN, M., (C) 810
KLING, T. F. *see* SPARGO, P. M. 640
KLINGSTEDT, C., GIESECKE, G., HAMBERGER, B. and JÄRNBERG, P.-O. High- and low-dose fentanyl anaesthesia: circulatory and plasma catecholamine responses during cholecystectomy 184
KNIGHT, P. R. *see* SPARGO, P. M. 640
KOBAYASHI, O. *see* VIZI, E. S. 226
KOKRI, M. *see* CONACHER, I. D. 155
KONIECZKO, K. M., CHAPPLE, J. C. and NUNN, J. F. Fetotoxic potential of general anaesthesia in relation to pregnancy 449
KOOISTRA, M. *see* HENNIS, P. J., (*ARS*) 651P
KOUSHANPOUR, E. *see* BEHNIA, R. 489
KRIVOSIC-HORBER, R., ADNET, P., GUEVART, E., THEUNYNCK, D. and LESTAVEL, P. Neuroleptic malignant syndrome and malignant hyperthermia. In Vitro *Comparison with Halothane and Caffeine Contracture Tests* 1554
KRUSE-LARSEN, C. *see* MADSEN, J. B. 1204
KUMAR, C. M. Comparison of pressures measured from the proximal external jugular vein and from a central vein, (*C*) 806
KUMAR, C. M. and LAWLER, P. G. P. Acute dilatation of the stomach during general anaesthesia. *A Case Report* 1192
KUNDOMAL, Y. R. *see* BADEN, J. M. 772
KVART, C. *see* NYMAN, G. 1027

LACOUMENTA, S., YEO, T. H., BURRIN, J. M., BLOOM, S. R., PATERSON, J. L. and HALL, G. M. Fentanyl and the β-endorphin, ACTH and glucoregulatory hormonal response to surgery 713
LAKE, A. *see* KAY, B., (*ARS*) 1327P
LAMBERTY, J. M. and WILSON, I. H. Single breath induction of anaesthesia with isoflurane 1214
LAMBOURNE, A. *see* BONSU, A. K. 1089
LAMONT, M. C. *see* BOWLER, G. M. R. 1412
LANDES, A. H. *see* EARNSHAW, G., (*ARS*) 1331P
LANNSJÖ, W. *see* BENGTSON, A. 1093
LAORDEN, M. L. *see* PUIG, M. M. 1459
LARIJANI, G. E. *see* SOSIS, M. 1236
LARSSON, A., MALMKVIST, G. and WERNER, O. Variations in lung volume and compliance during pulmonary surgery 585
LATTO, I. P. and ROSEN, M., (Editors). *Difficulties in Tracheal Intubation*, (*R*) 394
LATTO, I. P., WILLIS, B. A. and DYSON, A. The Cardiff Cuff Controller, (*ARS*) 651P
LATTO, I. P. *see* SHAH, M. V., (*C*) 806
LAURENCE, A. S. Serum myoglobin and creatinine kinase concentrations following surgery, (*ARS*) 939P; *see* MCKEAN, J. E., (*ARS*) 129P
LAURENSON, V. G. *see* DAVIS, F. M. 561; 725
LAVERY, G. G. *see* BELL, P. F., (*ARS*) 934P; MIRAKHUR, R. K. 473
LAVIES, N. *see* LAWIES, E. G. 1381
LAWES, E. G., CAMPBELL, I. and MERCER, D. Inflation pressure, gastric in sufflation and rapid sequence induction 315
LAWES, E. G., DOWNING, J. W., DUNCAN, P. W., BLAND, B.,

LAVIES, N. and GANE, G. A. C. Fentanyl–droperidol supplementation of rapid sequence induction in the presence of severe pregnancy-induced and pregnancy-aggravated hypertension 1381
LAWES, E. G. *see* DUNCAN, P. W. 360
LAWLER, P. G. P. *see* KUMAR, C. M. 1192
LAYCOCK, J. R. D., DONATI, F. and BEVAN, D. R. Potency of atracurium and vecuronium at the diaphragm and adductor pollicis muscle in humans, (*ARS*) 1321P
LAZORTHES, Y. *see* BESSON, J. M., (*R*) 392
LEADER, A. *see* KENEFICK, J. P. 189
LECLERC, A.-C. *see* ROURE, P. 1437
LEE, A. and DRUMMOND, D. B. Ventilatory effects of meptazinol and pethidine in anaesthetized patients 1127
LEE, A., RAY, D., LITTLEWOOD, D. G. and WILDSMITH, J. A. W. Subarachnoid anaesthesia with solutions of differing baricity, (*ARS*) 1330P
LEE A. ST J., PATTERSON, R. W. and KAUFMAN, R. D. Relationship among ventilation–perfusion distribution, multiple inert gas methodology and metabolic blood-gas tensions 1579
LEHANE, J. R. *see* JONES, J. G. 498
LEHOT, J. J. *see* LEONE, B. J., (*ARS*) 652P
LEIER, C. V., (editor). *Cardiotonic Drugs. A Clinical Survey*, (*R*) 947
LEONE, B. J., LEHOT, J. J. and FOËX, P. Calcium reverses verapamil–halothane induced regional myocardial dysfunction, (*ARS*) 652P
LEPAGE, J. Y., MALINGE, M., COZIAN, A., PINAUD, M., BLANLOEIL, Y. and SOURON, R. Vecuronium and atracurium in patients with end-stage failure. *A Comparative Study* 1004
LESTAVEL, P. *see* KRIVOSIC-HORBER, R. 1554
LEVACK, I. D. and SPENCE, A. A. Does injection of non-depolarizing neuromuscular blockers before thiopentone affect their speed of onset? *A Study of Tubocurarine and Vecuronium* 1451
LEVACK, I. D. *see* LOGAN, M. R. 179
LEVRON, J.-C. *see* ROURE, P. 1437
LEW, J. K. L. *see* FRATER, R. A. S. 1472
LEWIS, G. B. H. Haemodynamic disturbances during anaesthesia in a patient receiving verapamil, (*C*) 1337
LEWIS, G. T. R. *see* TACKLEY, R. M., (*ARS*) 935P
LEWIS, J. *see* DAVIS, F. M. 725
LEWIS, M. and SELWYN CRAWFORD, J. Can one risk fasting the obstetric patient for less than 4 hours? 312
LEYNADIER, F., SANSARRICQ, M., DIDIER, J. M. and DRY, J. Prick tests in the diagnosis of anaphylaxis to general anaesthetics 683
LIN, E. S. and SMITH, B. E. An acoustic model of the patient undergoing artificial ventilation 256; Frequency dependence of the mechanical response of the ventilatory system to high frequency ventilation, (*ARS*) 661P
LIND, B. *see* HOEL, T. M., (*C*) 808
LINDAHL, S. G. E. and OLSSON, A.-K. Congenital heart malformations and ventilatory efficiency in children. *Effects of Lung Perfusion During Halothane Anaesthesia and Spontaneous Breathing* 410
LINDAHL, S. G. E. *see* HATCH, D. J. 1533; YATES, A. P. 170
LINDBERG, R. L. P. *see* PIHLAJAMÄKI, K. K. 1420
LINDBLAD, A., BERNOW, J., VERNERSSON, E. and MARŠÁL, K. Effect of extradural anaesthesia on human fetal blood flow *in utero*. *Comparison of Three Local Anaesthetic Solutions* 1265
LINDEGAARD, K.-F. *see* LUNDAR, T. 1204
LINK, J. *see* HILT, H., (*C*) 1479
LITTLEWOOD, D. G. *see* LEE, A., (*ARS*) 1330P
LLOYD-THOMAS, A. R., COLE, P. V. and PRIOR, P. F. Isoflurane prevents EEG depression by trimetaphan-induced hypotension in man, (*ARS*) 661P
LITTLE, D. M. jr. *Classical Anaesthesia Files*, (*R*) 1481
LOGAN, M. R., BROWN, D. T., NEWTON, I. and DRUMMOND, G. B. Stereophotogrammetric analysis of changes in body volume associated with the induction of anaesthesia 288
LOGAN, M. R., DUGGAN, J. E., LEVACK, I. D. and SPENCE, A. A. Single-shot i.v. anaesthesia for outpatient dental surgery. *Comparison of* 2,6 *Di-isopropyl Phenol and Methohexitone* 179
LOUGHNAN, B. *see* SMITH, C. M., (*ARS*) 1330P
LOVEGROVE, F. T. A. *see* GOUCKE, C. R., (*C*) 944
LUKSIC, I. Y. *see* CAMPBELL, I. T., (*ARS*) 937P
LUND, C., SELMAR, P., HANSEN, O. B., JENSEN, C. M. and KEHLET, H. Effect of extradural morphine on somatosensory evoked potentials to dermatomal stimulation 1408
LUNDAR, T., LINDEGAARD, K.-F., REFSUM, L., RIAN, R. and NORNES, H. Cerebrovascular effects of isoflurane in man. *Intracranial Pressure and Middle Cerebral Artery Flow Velocity* 1208
LYNAS, A. G. A., CLARKE, R. S. J., FEE, J. P. H. and REID, J. E. Factors influencing atracurium-induced cutaneous reactions, (*ARS*) 659P
LYNAS, A. G. A. *see* GHALY, R. G., (*ARS*) 135P
LYONS, S. M. *see* FERRES, C. J. 305; MATHEWS, H. M. L. 557; (*ARS*) 939P

MCATEER, E. *see* DARK, C. H., (*ARS*) 933P
MCCARTHY, J. *see* BEHNIA, R. 489
MCCAUGHEY, W. *see* BELL, P. F., (*ARS*) 934P
MCCLEAN, E. *see* HALLIDAY, N. J. 465
MACCLEOD, D. M. *see* CHAPPLE, D. J., (*ARS*) 1321P; Dodd, P., (*ARS*) 1324P
MCCLURE, J. H. *see* DUGGAN, J., (*ARS*) 128P
MCCOLLUM, J. S. C., MILLIGAN, K. R. and DUNDEE, J. W. Has propofol an antiemetic action? (*ARS*) 654P
MCCOLLUM, P. T. *see* SPENCE, V. A., (*C*) 664
MCCREARY, C. *see* O'BOYLE, C. A. 746
MCDERMOTT, E. *see* DAVIS, F. M. 561
MACDONALD, A. *see* MCSHANE, A. J. 1035
MACDONALD, N. J., FITZPATRICK, G. J., MOORE, K. P., WREN, W. S. and KEENAN, M. Anaesthesia for congenital hypertrophic pyloric stenosis. *A Review of 350 Patients* 672
MACINTYRE, C. C. A. *see* PUGH, G. C. 1364
MACIVER, M. B. and ROTH, S. H. Enflurane-induced burst firing of hippocampal CA1 neurones. In Vitro *Studies Using a Brain Slice Preparation* 369
MCKEAN, J. E., LAURENCE, A. S. and HENDERSON, P. Dantrolene reduces suxamethonium-induced myalgia, myoglobin and creatinine kinase changes, (*ARS*) 129P
MCLAREN, I. D. *see* SLATER, R. M. 602
MACRAE, D. J., MUNISHANKRAPPA, S., BURROW, L. M., MILNE, M. K. and GRANT, I. S. Double-blind comparison of the efficacy of extradural diamorphine, extradural phenoperidine and i.m. diamorphine following Caesarean section 354
MCRAE, W. *see* SPENCE, V. A., (*C*) 664
MCSHANE, A. J., POWER, C., JACKSON, J. F., MURPHY, D. F., MACDONALD, A., MORIARTY, D. C. and OTRIDGE, B. W. Autotransfusion: quality of blood prepared with a red cell processing device 1035
MADEJ, T., IMMELMAN, L. and ROTH, S. Extradural and intraperitoneal sufentanil in the rat: analgesia, antagonism and plasma drug concentrations, (*ARS*) 932P
MADSEN, J. B., COLD, G. E., HANSEN, E. S., BARDRUM, B. and KRUSE-LARSEN, C. Cerebral blood flow and metabolism during isoflurane-induced hypotension in patients subjected to surgery for cerebral aneurysms 1204
MAGBAGBEOLA, J. A. O. *see* NAGUIB, M. 606

MAGEE, D. A. and ROBINSON, R. J. S. Effect of stretch exercises on suxamethonium induced fasciculations and myalgia 596
MAIGAARD, S. *see* ALLEN, J. 1273
MALAMED, S. F. *Handbook of Local Anesthesia*, (*R*) 1064
MALINGE, M. *see* LEPAGE, J. Y. 1004
MALMKVIST, G. *see* LARSSON, A. 585
MALTBY, J. R., HUTCHINSON, A., SUTHERLAND, A. D., SALE, J. P. and REID, C. R. G. The effect of preoperative oral fluid on hunger and thirst, (*ARS*) 1329P
MALTBY, J. R. *see* KENEFICK, J. P. 189
MANARA, A. R. and PARK, G. R. Long term use of the Vocalaid tracheostomy tube for tracheal toilet, (*C*) 523
MANNER, T., KANTO, J. and SALONEN, M. Use of simple tests to determine the residual effects of the analgesic component of balanced anaesthesia 978
MAPLESON, W. W., CLAPHAM, M. C. C. and WILLIS, N. A proposal for additional blood-gas variables for the rational control of oxygen therapy, (*ARS*) 126P
MAPLESON, W. W. *see* CLAPHAM, M. C. C. 232; THOMAS, D. L. 424; WILLIS, N. 1160
MARKS, R. *see* SMITH, C. M., (*ARS*) 1330P
MARR, A. T. *see* SOSIS, M. 1236
MARŠÁL, K. *see* LINDBLAD, A. 1265
MARSHALL, I. G. *see* JONES, S. V. P. 776
MARSHALL, R. J. *see* MUIR, A. W. 622
MARTIN, J. and NEILL, R. S. Venous plasma (total) bupivacaine concentrations following lower abdominal field block 1425
MARTYN, J. A. J. *see* GOLDHILL, D. R. 611
MARYNIAK, J. K. and BISHOP, V. A. Cardiovascular and palmar sweat changes in patients undergoing cystoscopy, (*ARS*) 654P; Palmar sweat and heart rate changes during stress response attenuation with alfentanil, (*ARS*) 133P; Sinus arrest after alfentanil, (*C*) 390
MATHER, L. E. *see* OWEN, H., (*ARS*) 1328P
MATHEWS, H. M. L., CARSON, I. W., COLLIER, P. S., DUNDEE, J. W., FITZPATRICK, K., HOWARD, P. J., LYONS, S. M. and ORR, I. A. Midazolam sedation following open heart surgery 557
MATHEWS, H. M. L., CARSON, I. W., HOWARD, P. J. and DUNDEE, J. W. Pharmacokinetics of midazolam infusion following open heart surgery in paediatric patients, (*ARS*), 934P
MATHEWS, H. M. L., FURNESS, G., CARSON, I. W., LYONS, S. M., ORR, I. A., AL QUISI, N. K. S. and CLARKE, R. S. J. Comparison of fentanyl and sufentanil anaesthesia for patients undergoing coronary artery bypass grafting, (*ARS*) 939P
MAXWELL, D. L. *see* GROUNDS, R. M. 1098
MAYCOCK, P. *see* DUCKWORTH, R., (*ARS*) 942P
MAZZE, R. I., FUJINAGA, M. and BADEN, J. M. Reproductive and teratogenic effects of nitrous oxide, fentanyl and their combination in Sprague–Dawley rats 1291
MAZZE, R. I. *see* BADEN, J. M. 1040
MEAGHER, D. *see* O'DRISCOLL, K., (*R*) 946
MEAKIN, G., DINGWALL, A. E. and ADDISON, G. M. Effects of fasting and oral premedication on the pH and volume of gastric aspirate in children 678
MEISELMAN, C. *see* ZINDEL, G. 440
MEKHAMER, A. *see* ELWANY, S. 755
MERCER, D. *see* LAWES, E. G. 315
MILLAR, C. D. and WARREN, S. J. I.v. lignocaine fails to attenuate the cardiovascular response to laryngoscopy and intubation, (*ARS*) 1325P
MILLAR, K. Unconscious perception during general anaesthesia, (*C*) 1334
MILLAR, S. W., BARNES, P. K. and SONI, N. Comparison of the Magill and Lack anaesthetic breathing systems in anaesthetized patients, (*ARS*) 930P
MILLARD, R. K. *see* WOODCOCK, T. E., (*ARS*) 1319P
MILLER, A. A. *see* CHAPPLE, D. J. 218
MILLER, R. D., (editor). *Year-Book of Anaesthesia 1985*, (*R*) 269; *see* STOELTING, R. K., (*R*) 811
MILLIGAN, K. R., O'TOOLE, D. P., HOWE, J. P. and CLARKE, R. S. J. Recovery from outpatient anaesthesia: comparison of propofol and isoflurane maintenance, (*ARS*) 134P
MILLIGAN, K. R., O'TOOLE, D. P., HOWE, J. P., COOPER, J. C. and DUNDEE, J. W. Recovery from out patient anaesthesia: a comparison of incremental propofol and profol–isoflurane 1111
MILLIGAN, K. R. *see* FURNESS, G., (*ARS*) 935P; MCCOLLUM, J. S. C., (*ARS*) 654P
MILLS, K. *see* PAGE, G., (*R*) 1199
MILNE, M. K. *see* MACRAE, D. J. 354
MIRAKHUR, R. K., GIBSON, F. M. and LAVERY, G. G. Antagonism of vecuronium-induced neuromuscular blockade with edrophonium or neostigmine 473
MIRAKHUR, R. K., SHEPHERD, W. F. I. and DARRAH, W. C. Propofol or thiopentone: effects on intraocular pressure associated with induction of anaesthesia and tracheal intubation (facilitated with suxamethonium) 431
MIRAKHUR, R. K. *see* BRADY, M. M., (*ARS*) 657P; 1245; GIBSON, F. M., (*ARS*) 659P
MOBLEY, K. *see* BONE, M. E., (*ARS*) 1318P; COLEY, S., (*ARS*) 659P
MOHARIB, M. M. *see* BLACK, A. M. S., (*ARS*) 660P
MOIR, D. D. *Pain Relief in Labour. A Hardbook for Midwives*, 5th Edn., (*R*) 140
MOIR, D. D. and THORBURN, J. *Obstetric Anaesthesia and Analgesia*, 3rd Edn., (*R*) 271
MØLLER, I. W. Cardiac arrest following i.v. verapamil combined with halothane anaesthesia, (*C*) 522
MONK, C. R., COATES, D. P., PRYS-ROBERTS, C., TURTLE, M. J. and SPELINA, K. Haemodynamic effects of prolonged infusion of propofol as a supplement to nitrous oxide anaesthesia. *Studies in Association with Peripheral Arterial Surgery* 954
MONK, C. R. *see* TURTLE, M. J. 283
MOORE, J. *see* GHALY, R. G., (*ARS*) 136P
MOORE, K. P. *see* MACDONALD, N. J. 672
MORGAN, B., (editor). *Problems in Obstetric Anaesthesia* (*Perinatal Practice*, Vol. 3), (*R*) 1480
MORGAN, M. Anaesthetic contribution to maternal mortality 842
MORIARTY, D. C. *see* MCSHANE, A. J. 1035
MORRIS, P. J. *see* KIPLING, R., (*ARS*) 1332P
MORTIMER, A. J., CANNON, D. P. and SYKES, M. K. Estimation of arterial P_{CO_2} during high frequency jet ventilation. *Studies in the Dog* 240
MORTON, R. *see* PAGE, G., (*R*) 1199
MOSS, E., HINDMARCH, I., PAIN, A. J. and EDMONDSON, R. S. Comparison of recovery after halothane or alfentanil anaesthesia for minor surgery 970
MOSTAFA, S. M. and WALFORD, A. Core temperature changes during anaesthesia for varicose vein surgery, (*ARS*) 942P
MOTSCH, J., FUCHS, W., HOCH, P., KAAS, V. and HUTSCHEN REUTER, K. Side effects and changes in pulmonary function after fixed dose precurarization with alcuronium, pancuronium or vecuronium 1528
MUCHHAL, K. *see* BONSU, A. K. 1089
MUIR, A. W. and MARSHALL, R. J. Comparative neuromuscular blocking effects of vecuronium, pancuronium, Org 6368 and suxamethonium in the anaesthetized domestic pig 622
MUNISHANKRAPPA, S. *see* MACRAE, D. J. 354
MURAT, I., DELLEUR, M. M., ESTEVE, C., EGU, J. F., RAYNAUD, P. and SAINT-MAURICE, C. Continuous extradural anaesthesia in children. *Clinical and Haemodynamic Implications* 1441
MURPHY, D. F. *see* MCSHANE, A. J. 1035

MUSGRAVE, N. *see* GRAY, W. M., (*ARS*) 1325P

NAGASHIMA, H. *see* VIZI, E. S. 226
NAGUIB, M., FARAG, H. and MAGBAGBEOLA, J. A. O. Effect of pretreatment with lysine acetyl salicylate on suxamethonium-induced myalgia 606
NAGUIB, M., HASSAN, M., FARAG, H., BODMAN, R. I. and ABSOOD, G. H. Cannulation of the radial and dorsalis pedis arteries 482
NAPIER, J. A. F. AIDS and blood transfusion, (*E*) 669
NAVARATNARAJAH, M. *see* HENEGHAN, C. P. H. 277
NEILL, R. S. *see* MARTIN, J. 1425
NEILSON, J. W. *see* PUGH, G. C. (*ARS*) 658P
NELSON, T. E., FLEWELLEN, E. H., BELT, M. W., KENNAMER, D. L., WINSETT, O. E. and BEE, D. E. Calcium and magnesium content of skeletal muscle. *Studies in Subjects Undergoing Diagnostic Testing for Malignant Hyperthermia* 730
NEUBERGER, J. *see* KENNA, J. G. 1286
NEVILLE, W. K. *see* SEBEL, P. S. 1492
NEWFIELD, P. and COTTRELL, J. E., (editors). *Handbook of Neuroanaesthesia: Clinical and Physiologic Essentials*, (*R*) 947
NEWTON, I. *see* LOGAN, M. R. 288
NIBLETT, D. J. *see* SANDHAR, B. K., (*ARS*) 931P
NICHOLLS, J. *see* CHARLTON, J. E., (*ARS*) 127P
NIGROVIC, V. and SMITH, S. Involvement of nucleophiles in the inactivation of atracurium 617
NILSSON, A. *see* PERSSON, P. 548
NIMMO, W. S. *see* BAMBER, P. A., (*ARS*) 1331P; DUTHIE, D. J. R. 61; ROWBOTHAM, D. J. 536; WYLD, R., (*ARS*) 1329P
NISSEN, L. R. *see* CHRISTENSEN, P. A., (*C*) 523
NOBLE, D. W., SMITH, K. J. and DUNDAS, C. R. Effects of H-2 antagonists on the elimination of bupivacaine 735
NOCHOMOVITZ and CHERNIAK, (editors). *Non-Invasive Respiratory Monitoring*, (*R*) 138
NOORDUIN, H. *see* DONADONI, R. 1523; VAN STEENBERGE, A. 1518
NORMAN, J., (editor). *Clinics in Anaesthesiology*. Volume 3. No. 2: *Neuromuscular Blockade*, (*R*) 273; Education in anaesthetic safety; *see* SMITH, G., (*E*) 813
NORNES, H. *see* LUNDAR, T. 1204
NORRIS, J. C. and HUME, A. S. *In vivo* release of cyanide from sodium nitroprusside 236
NORRIS, M. C. and DEWAN, D. M. Effect of gravity on the spread of extradural anaesthesia for Caesarean section 338
NOVELLI, G. P. and URSINI, F., (editors) *Oxygen Free Radicals in Shock*, (*R*) 1480
NUNN, J. F. Clinical aspects of the interaction between nitrous oxide and vitamin B_{12} 3; The Stoker Report (*C*) 388; *see* ALAGESAN, K. 1070; KONIECZKO, K. M. 449
NYMAN, G., FROSTELL, C., HEDENSTIERNA, G., FUNKQUIST, B., KVART, C. and BLOMQVIST, H. Selective mechanical ventilation of dependent lung regions in the anaesthetized horse in dorsal recumbency 1027

ØBERG, B. *see* BJERRING, P. 648
O'BOYLE, C. A., HARRIS, D., BARRY, H., MCCREARY, C., BEWLEY, A. and FOX, E. Comparison of midazolam by mouth and diazepam i.v. in outpatient oral surgery 746
ODGERS, C. L. *see* PHILLIPS, G. D., (*R*) 946
O'DRISCOLL, K. and MEAGHER, D. *Active Management of Labour*, 2nd Edn, (*R*) 946
O'GRIOFA, P. *see* WREN, W. S. 399
O'KEEFFE, D. *see* WREN, W. S. 399
OLSSON, A.-K. *see* LINDAHL, S. G. E. 410
ORDMAN, A. J. and PAYNE, J. P. Spontaneous breathing after complete tetanic block by atracurium, (*ARS*) 1320P
ORR, I. A. *see* BELL, P. F., (*ARS*) 934P; FERRES, C. J. 305; MATHEWS, H. M. L., (*ARS*) 939P; 557
ORTON, J. *see* KAY, B., (*ARS*) 1327P
O'SULLIVAN, G. *see* APS, C. 265
O'SULLIVAN, J. *see* GRAY, W. M., (*ARS*) 1325P
O'TOOLE, D. P. *see* MILLIGAN, K. R., (*ARS*) 134P; 1111
OTREMSKI, S. *see* ARGIRAS, E., (*ARS*) 124P; 1278
OTRIDGE, B. W. *see* MCSHANE, A. J. 1035
OUTHRED, A. *see* FISHER, M. McD. 690
OWEN, H., MATHER, L. E., RUNCIMAN, W. B., CARAPETIS, R. J. and UPTON, R. N. The lockout interval in patient-controlled analgesia: a rational basis for choice, (*ARS*) 1328P
OWEN, H. *see* ALSTON R. P., (*ARS*) 1326P; PURDY, G. 319

PAES, M. L. General anaesthesia for carbon dioxide laser surgery within the airway. *A Review* 1610
PAES, M. L. and CONACHER, I. D. A ventilator for carbon dioxide laser bronchoscopy, (*C*) 663
PAGE, G., MILLS, K. and MORTON, R. *A Colour Atlas of Cardiopulmonary Resuscitation Techniques*, 1st Edn., (*R*) 1199
PAIN, A. J. *see* MOSS, E. 970
PAIVA, M. *see* ENGEL, L. A., (*R*) 138
PARK, G. R. *see* MANARA, A. R., (*C*) 523; SHELLY, M. P. 800
PATERSON, J. L. *see* LACOUMENTA, S. 713
PATTERSON, C. C. *see* FERRES, C. J. 305
PATTERSON, R. W. *see* KAUFMAN, R. D. 1599; LEE, A. ST J. 1579
PAWAR, D. K. and SINGH, H. Elapid snake bite 385
PAYNE, J. P. and SEVERINGHAUS, J. W., (editors). *Pulse Oximetry*, (*R*) 1063
PAYNE, J. P. *see* ASTLEY, B. A. 206; 983; ORDMAN, A. J., (*ARS*) 1320P; THOMSON, K. D., (*ARS*) 1318P
PEACOCK, J. E. *see* GERRISH, S. P. 1465
PEARSON, H. *see* VICKERS, A. P. 503
PERSSON, P., NILSSON, A., HARTUIG, P. and TAMSEN, A. Pharmacokinetics of midazolam in total i.v. anaesthesia 548
PETTS, H. V. *see* HARPER, N. J. N. 200; PUGH, N. D. 195
PHILLIPS, G. D. and ODGERS, C. L. *Parenteral and Enteral Nutrition, A Practical Guide* (3rd Edn, 1986), (*R*) 946
PHILLIPS, G. D. *see* COUSINS, M. J., (*R*) 811
PIHLAJAMÄKI, K. K. and LINDBERG, R. L. P. Bupivacaine with and without adrenaline in interscalene brachial plexus blockade. *Studies in Patients with Rheumatoid Arthritis* 1420
PINAUD, M. *see* LEPAGE, J. Y. 1004
POLLARD, B. J. Interaction of trimetaphan with different non-depolarizing neuromuscular blockers at the neuromuscular junction, (*ARS*) 130P; Onset and offset – an examination of several neuromuscular blockers, (*ARS*) 931P; *see* HARRISON, M. J., (*R*) 947
POLLOK, A. J., GEMMELL, C. G., CLARK, C. J., CAMPBELL, D. and REID, W. H. Functional status of pulmonary alveolar macrophages following exposure to toxic gases, (*ARS*) 943P
PONTE, J. and SADLER, C. L. Propofol depresses carotid body chemoreceptor discharge in rabbits and cats, (*ARS*) 930P
POWER, C. *see* MCSHANE, A. J. 1035
POWER, S. J., DIAMOND, J. G. and JONES, R. M. Liver function in children undergoing daily nitrous oxide and isoflurane anaesthesia, (*ARS*) 1319P
POWER, S. J. *see* JONES, R. M., (*ARS*) 658P
PRICE, S. L. and HECKER, B. R. Pulmonary oedema following airway obstruction in a patient with Hodgkin's disease 518
PRIOR, P. F. *see* LLOYD-THOMAS, A. R., (*ARS*) 661P
PRYS-ROBERTS, C. Anaesthesia: a practical or impractical

construct?, (*E*) 1341; *see* COCKSHOTT, I. D., (*ARS*) 941P; MONK, C. R. 954; Tackley, R. M., (*ARS*) 935P; TURTLE, M. J. 283; WOODCOCK, T. E., (*ARS*) 1319P
PUGH, G. C., BROWN, D. T., and DRUMMOND, G. B. Effects of nalbuphine hydrochloride and naloxone on the ventilatory response to carbon dioxide in volunteers, (*ARS*) 929P
PUGH, G. C. and DRUMMOND, G. B. A dose–response study with nalbuphine hydrochloride for pain in patients after upper abdominal surgery 1356; Dose–response study with nalbuphine hydrochloride for pain after upper abdominal surgery, (*ARS*) 132P; Comparison of buprenorphine and nalbuphine for pain in patients following abdominal surgery, (*ARS*) 133P
PUGH, G. C., DRUMMOND, G. B., ELTON, R. A. and MACINTYRE, C. C. A. Constant i.v. infusions of nalbuphine or buprenorphine for pain after abdominal surgery 1364
PUGH, G. C., DRUMMOND, G. B. and NEILSON, J. W. An automated method for analysis of ventilatory rate after operation, (*ARS*) 658P
PUGH, N. D., HARPER, N. J. N., HEALY, T. E. J. and PETTS, H. V. Effects of atracurium and vecuronium on the latency and the duration of the negative deflection of the evoked compound action potential of the adductor pollicis 195
PUGH, N. D. *see* HARPER, N. J. N. 200
PUIG, M. M., WARNER, W., TANG, C. K., LAORDEN, M. L. and TURNDORF, H. Effects of temperature on the interaction of morphine with opioid receptors 1459
PURCELL-JONES, G., YATES, A., BAKER, J. R. and JAMES, I. G. Comparison of the induction characteristics of thiopentone and propofol in children 1431
PURDY, G., CURRIE, J. and OWEN, H. Continuous extradural analgesia in labour. *Comparison Between "On Demand" and Regular "Top-up" Injections* 319

QUAYNOR, H. *see* BJÖRKMAN, S. 1541

RAFFO, J. A. *see* CAMPBELL, I. T., (*ARS*) 937P
RAVUSSIN, P. *see* ABOU-MADI, M. 630
RAWAL, N., ARNÉR, S., GUSTAFSSON, L. L. and ALLVIN, R. Present state of extradural and intrathecal opioid analgesia in Sweden. *A Nationwide Follow-up Survey* 791
RAY, D. *see* LEE, A., (*ARS*) 1330P
RAYNAUD, P. *see* MURAT, I. 1441
REDFERN, N., BOWER, S., BULLOCK, R. E. and HULL, C. J. Alfentanil for Caesarean section complicated by severe aortic stenosis 1309
REES, G. A. D. *see* BOGOD, D. G. 325
REFSUM, L. *see* LUNDAR, T. 1208
REHDER, K. *see* COVINO, B. G., (*R*) 273
REICHELT, W. *see* INOUE, K., (*C*) 1475
REID, C. R. G. *see* MALTBY, J. R., (*ARS*) 1329P
REID, J. A. and KENNY, G. N. C. Evaluation of closed-loop control of arterial pressure after cardiopulmonary bypass 247
REID, J. E. *see* LYNAS, A. G. A., (*ARS*) 659P
REID, W. H. *see* POLLOK, A. J., (*ARS*) 943P
REGAN, C. *see* DUCKWORTH, R., (*ARS*) 942P
REVELL, S. P. and TAYLOR, D. H. Isoflurane in a circle system with low gas flow 1219
REYNOLDS, F. Adverse effects of local anaesthetics 78
RIAN, R. *see* LUNDAR, T. 1204
RICHARDSON, J. *see* DERBYSHIRE, D. R., (*ARS*) 1327P
ROBERTS, M. T. S. *see* DAVIS, F. M. 1080
ROBERTSON, E. N. *see* CALDWELL, J. E. 478
ROBINSON, A. *see* SHELLY, M. P. 800
ROBINSON, R. J. S. *see* MAGEE, D. A. 596
RODRIGO, M. R. C. Huntington's chorea: midazolam, a suitable induction agent?, (*C*) 388
ROGERS, M. C. *see* ADAMS, A. P., (*R*) 1063
ROLLY, G. *see* DONADONI, R. 1523
ROSEN, M. and KLEPPER, I. Potency ratio between opioid agonists, and partial agonists (*C*) 810
ROSEN, M. *see* BOGOD, D. G. 325; LATTO, I. P., (*R*) 394; YUKIOKA, H. 581
ROTH, S. *see* MADEJ, T., (*ARS*) 932P
ROTH, S. H. *see* MACIVER, M. B. 369
ROUBY, J. J. *see* BENHAMOU, D. 1257
ROURE, P., JEAN, N., LECLERC, A.-C., CABANEL, N., LEVRON, J.-C. and DUVALDESTIN, P. Pharmacokinetics of alfentanil in children undergoing surgery 1437
ROWBOTHAM, D. J. and NIMMO, W. S. Effect of cisapride on morphine-induced delay in gastric emptying 536
ROWBOTHAM, D. J. *see* BAMBER, P. A., (*ARS*) 1331P
ROWLANDS, D. E. Harmless cutaneous reactions associated with the use of atracurium. *A Report of 1200 Anaesthetics* 693
ROYSTON, D. *see* GROUNDS, R. M. 1098
RUNCIMAN, W. B. *see* OWEN, H., (*ARS*) 1328P
RUSS, W., STICHER, J., SHELD, H. and HEMPELMANN, G. Effects of hypothermia on somatosensory evoked responses in man 1484
RUSSELL, I. F. and HOLMQVIST, E. L. O. Subarachnoid analgesia for Caesarean section. *A Double-Blind Comparison of Plain and Hyperbaric 0.5% Bupivacaine* 347
RUSSELL, I. F. Effect of posture during the induction of subarachnoid analgesia for Caesarean section. *Right v. Left Lateral* 342

SADLER, C. L. *see* PONTE, J., (*ARS*) 930P
SAGE, D. J., CLOSE, A. and BOAS, R. A. Reversal of midazolam sedation with anexate 459
SAGE, D. J. (editor). *International Anesthesiology Clinics. Anaphylactoid Reactions in Anesthesia*, (*R*) 393
SAINT-MAURICE, C. *see* MURAT, I. 1441
SALE, J. P., *see* MALTBY, J. R., (*ARS*) 1329P
SALONEN, M. *see* MANNER, T. 978
SANDHAR, B. K., NIBLETT, D. J., ARGIRAS, E. P., DUNNILL, M. S. and SYKES, M. K. Comparison of the effects of conventional ventilation and high frequency oscillation on hyaline membrane formation in a rabbit model of neonatal respiratory distress syndrome, (*ARS*) 931P
SANFORD, J. *see* DHIRI, A. K. 1140
SANSARRICQ, M. *see* LEYNADIÉR, F. 683
SAPSED-BYRNE, S. *see* CHAKRABARTI, M. K., (*ARS*) 928P
SCANLON, J. W. *Perinatal Anaesthesia. Contemporary Issues in Fetal and Neonatal Medicine 1*, (*R*) 139
SCANLON, P. *see* HANNON, V., (*ARS*) 656P
SCHMITZ, P. I. M. *see* BONKE, B., (*C*) 1333
SCHMULIAN, C. M. *see* COUTINHO, W., (*ARS*) 131P
SCHOU, M. and HIPPUS, H. Guidelines for patients receiving lithium treatment who require major surgery, (*C*) 809
SCHWILDEN, H. and STOECKEL, H. Quantitative EEG analysis during anaesthesia with isoflurane in nitrous oxide at 1.3 and 1.5 MAC 738
SCOTT, D. B. *see* BOWLER, G. M. R. 1412; FAGAN, D. 961
SEAR, J. W. Toxicity of i.v. anaesthetics 24
SEAR, J. W., KAY, B. and KEEGAN, M. Disposition of nalbuphine during anaesthesia, (*ARS*) 132P
SEAR, J. W., KEEGAN, M. and KAY, B. Disposition of nalbuphine in patients undergoing general anaesthesia 572
SEBEL, P. S., ERWIN, C. W. and NEVILLE, W. K. Effects of halothane and enflurane on far and near field somatosensory evoked potentials 1492
SEBEL, P. S. *see* SMITH, C. M., (*ARS*) 1330P; SUGIOKA, K. 1548; YATE, P. M., (*C*) 808

SELMAR, P. *see* LUND, C. 1408
SELWYN CRAWFORD, J. Extradural blockade and intracranial pressure, (*C*) 1478; *see* LEWIS, M. 312
SEN, N. *see* CALLA, S. 437
SERRA, M. *see* BADEN, J. M. 1040
SERRAO, J. M. and GOODCHILD, C. S. Intrathecal midazolam in the rat – evidence for spinally-mediated analgesia, (*ARS*) 125P
SERRAO, J. M. *see* GOODCHILD, C. S. 1563
SEVERINGHAUS, J. W. *see* ASTRUP, P., (*R*) 137; PAYNE, J. P., (*R*) 1063
SHAH, J. L. Effect of positive end-expiratory pressure on extradural pressure, (*ARS*) 940P
SHAH, J. L. and BAGULEY, I. Extradural pressure during labour, (*ARS*) 127P
SHAH, M. V. and LATTO, I. P. Comparison of pressures measured from the proximal external jugular vein and from a central vein, (*C*) 806
SHANKS, C. A. *see* BEHNIA, R. 489
SHELD, H. *see* RUSS, W. 1484
SHELLY, M. P., ROBINSON, A., HESFORD, J. W. and PARK, G. R. Haemodynamic effects following surgical release of increased intra-abdominal pressure 800
SHEPHERD, W. F. I. *see* MIRAKHUR, R. K. 431
SHERRILL, D. L. *see* KLEPPER, I. D. 1147
SHERRY, K. M., WITHINGTON, S. and FENECK, R. O. Assessment of a high frequency ventilator breathing system for use in the operating theatre. *An Experimental and Clinical Study* 510
SHRIBMAN, A. J., SMITH, G. and ACHOLA, K. J. Effect of topical lignocaine on the sympathoadrenal responses to tracheal intubation 295
SIM, A. T. R., WHITE, M. D. and DENBOROUGH, M. A. Effects of adenylate cyclase activitors on porcine skeletal muscle in malignant hyperpyrexia 1557
SIMMONDS, R. J. *see* WARD, S. 697; YATE, P. M. 211
SIMPSON, K. H., HALSALL, P. J., CARR, C. M. E. and STEWART, K. G. Seizure duration after methohexitone or propofol for induction of anaesthesia for electroconvulsive therapy (ECT), (*ARS*) 1323P
SIMPSON, K. H., SMITH, R. J. and DAVIES, L. F. Comparison of the effects of atropine and glycopyrrolate on cognitive function following general anaesthesia 966
SIMPSON, K. H. and STAKES, A. F. Effect of anxiety on gastric emptying in preoperative 540
SIMPSON, K. H. *see* CHATER, S. N., (*ARS*) 941
SIMPSON, P. J. and GOODMAN, N. W. *600MCQs in Anaesthesia: Basic Sciences*, (*R*) 393; *600 MCQs* in *Anaesthesia: Clinical Practice* (*R*) 1064
SINGH, H. *see* PAWA, D. K. 385
SIN-REN, A. C. *see* WASER, P. G. 1044
SLATER, R. M. and MCLAREN, I. D. Effect of salbutamol and suxamethonium on the plasma potassium concentration 602
SLAVIN, B. *see* JONES, J. G. 498
SMITH, B. E. *see* LIN, E. S. 256; (*ARS*) 661P
SMITH, C. L., BARDGETT, D. M. and HUNTER, J. M. Haemodynamic effects of the i.v. administration of cimetidine or ranitidine in the critically ill patient. *A Double-Blind Prospective Study* 1397
SMITH, C. M., CARTER, M., LOUGHNAN, B., MARKS, R., SEBEL, P. S. and YATE, P. M. Effects of general anaesthesia on reaction time in elderly patients undergoing endoscopic urological surgery, (*ARS*) 1330P
SMITH, G. and NORMAN, J. Complications and medico–legal aspects of anaesthesia, (*E*) 813
SMITH, G. *see* BONE, M. E., (*ARS*) 1318P; COLEY, S., (*ARS*) 659P; CRAWFORD, D. C. 707; DERBYSHIRE, D. R. 300; DERRINGTON, M. C. 545; 815; SHRIBMAN, A. J. 295; VICKERS, A. P. 503
SMITH, K. J. *see* NOBLE, D. W. 735
SMITH, R. J. *see* SIMPSON, K. H. 966
SMITH, S. *see* NIGROVIC, V. 617
SNEYD, J. R. Recovery after atracurium, (*C*) 1477
SNOWDON, S. L. *see* KEENS, S. J. 1011
SOMOGYI, G. T. *see* VIZI, E. 226
SONI, N. *see* EARNSHAW, G., (*ARS*) 1331P; MILLAR, S. W., (*ARS*) 930P
SOSIS, M. The Grass FT 03 Transducer should not be used for human experiments, (*C*) 664
SOSIS, M., STINER, A., LARIJANI, G. E. and MARR, A. T. An evaluation of priming with vecuronium 1236
SOURON, R. *see* LEPAGE, J. Y. 1004
SPARGO, P. M., TAIT, A. R., KNIGHT, P. R. and KLING, T. F. Effect of nitroglycerine-induced hypotension on canine spinal cord blood flow 640
SPELINA, K. *see* MONK, C. R. 954
SPENCE, A. A. Antibody to halothane-induced liver antigen, (*E*) 1202; Environmental pollution by inhalation anaesthetics 96; Halothane in the Doldrums (*E*) 529; *see* LEVACK, I. D. 1451; LOGAN, M. R. 179; WEATHERILL, D., (*ARS*) 929P
SPENCE, V. A., MCCOLLUM, P. T., MCRAE, W., WALKER, W. and WILSON, S. B. Quantification of sympathetic blockade by thermography, (*C*) 664
SPIEGELHALTER, D. *see* WILSON, M. E., (*C*) 1333
SPIELVOGEL, C. *see* BENHAMOU, D. 1257
SPOELSTRA, A. J. G. and TAMSMA, T. J. A. High frequency jet ventilation: the influence of gas flow, inspiration time and ventilatory frequency on gas transport in healthy anaesthetized dogs 1298
STAKES, A. F. *see* SIMPSON, K. H. 540
STELL, P. M. *see* CAMPBELL, I. T. 1121
STENLAKE, J. B. and HUGHES, R. *In vitro* degradation of atracurium in human plasma, (*C*) 806
STEWART, K. G. *see* SIMPSON, K. H., (*ARS*) 1323P
STICHER, J. *see* RUSS, W. 1484
STINER, A. *see* SOSIS, M. 1236
STOECKEL, H. *see* SCHWILDEN, H. 738
STOELTING, R. K. and MILLER, R. D. *Basics of Anaesthesia*, (*R*) 811
STOLLERY, B. T. and KEEN, R. I. Cognitive functioning in anaesthetists, (*ARS*) 655P
STONE, J. G. *see* KHAMBATTA, H. J. 1171
STOW, P. J. and WHITE, J. B. Anaesthesia for paediatric tonsillectomy. *Comparison of Spontaneous Ventilation and Intermittent Positive Pressure Ventilation* 419
STRICHATZ, G. *see* COVINO, B. G., (*R*) 273
SUER, A. H. and WALI, F. A. Post-tetanic potentiation at the rat neuromuscular junction partially blocked by atracurium, (*ARS*) 129P
SUER, A. H. *see* DARK, C. H., (*ARS*) 657P; (*ARS*) 933P; HAYTER, A., (*ARS*) 935P; WALI, F. A. 1571
SUGIOKA, K., CATTERMOLE, R. W. and SEBEL, P. S. Arterial oxygen tensions measured continuously in patients breathing 21% oxygen and nitrous oxide or air 1548
SUMNER, E. *see* HATCH, D. J., (*R*) 272
SUTHERLAND, A. D. *see* MALTBY, J. R., (*ARS*) 1329P
SYKES, M. K. Essential monitoring 901; *see* ARGIRAS, E., (*ARS*) 124P; 1278; BLAKELEY, C. R., (*ARS*) 938P; MORTIMER, A. J. 240; Sandhar, B. K., (*ARS*) 931P; Young, J. D., (*ARS*) 937P
SYNNOTT, A. *see* WREN, W. S. 399

TACKLEY, R. M., LEWIS, G. T. R., PRYS-ROBERTS, C., BOADEN, R. W. and HARVEY, J. R. Open loop control of propofol infusions, (*ARS*) 935P
TAIT, A. R. *see* SPARGO, P. M. 640
TAKMAN, B. *see* WILDSMITH, J. A. W., (*ARS*) 127P; 379
TAMILARASAN, A. *see* BONSU, A. K. 1089
TAMSEN, A. *see* PERSSON, P. 548

TAMSMA, T. J. A. *see* SPOELSTRA, A. J. G. 1298
TANG, C. K. *see* PUIG, M. M. 1459
TAYLOR, D. H. *see* REVELL, S. P. 1219
TAYLOR, K. M., (editor). *Cardiopulmonary Bypass. Principles and Management*, (*R*) 1338
TAYLOR, M. B. *see* GROUNDS, R. M. 1098
TAYLOR, P. J. *see* KENEFICK, J. P. 189
THADAKA, R. *see* DAVIS, F. M. 1080
THEUNYNCK, D. *see* KRIVOSIC-HORBER, R. 1554
THOMAS, D. L., VAUGHAN, R. S., VICKERS, M. D. and MAPLESON, W. W. Comparison of temazepam elixir and trimeprazine syrup as oral premedication in children undergoing tonsillectomy and associated procedures 424
THOMAS, D. W. Infusion of alfentanil or pethidine for sedation of ventilated patients in the I.T.U., (*C*) 807
THOMAS, D. W., DEV, V. J. and WHITEHEAD, M. J. Malignant hyperpyrexia and isoflurane. *A Case Report* 1196
THOMPSON, P. W. Safer design of anaesthetic equipment 913
THOMSEN, A. *see* CHRISTENSEN, K. N., (*C*) 389
THOMSON, K. D. and PAYNE, J. P. Effect of oxygen on arterial saturation during induction of anaesthesia with propofol, (*ARS*) 1318P
THORBURN, J. *see* MOIR, D. D., (*R*) 271
THORNTON, C. *see* HENEGHAN, C. P. H. 277
TILLING, S. E. and HAYES, B. Heat and moisture exchangers in artificial ventilation. *An Experimental Study of the Effect of Gas Leakage* 1181
TIMMINS, A. E. *see* ENGLAND, D. W. 1403
TINKER, J. and JONES, S. N. *A Pocket-Book for Intensive Care*, (*R*) 1064
TIPLADY, B. *see* FAGAN, D. 961
TOOTHILL, C. *see* WEBSTER, N. R. 760
TROP, D. *see* ABOU-MADI, M. 630
TURNDORF, H. *see* PUIG, M. M. 1459
TURTLE, M. J., CULLEN, P., PRYS-ROBERTS, C., COATES, D., MONK, C. R. and FAROQUI, M. H. Dose requirements of propofol by infusion during nitrous oxide anaesthesia in man. II: *Patients Premedicated with Lorazepam* 283
TURTLE, M. *see* COCKSHOTT, I. D., (*ARS*) 941P; MONK, C. R. 954

UPTON, R. N. *see* OWEN, H., (*ARS*) 1328P
URSINI, F. *see* NOVELLI, G. P., (*R*) 1480
UTTING, J. E. Pitfalls in anaesthetic practice 877; *see* FOX, M. A. 468; KEENS, S. J. 1011

VANACKER, B., DEKEGEL, D., DIONYS, J., GARCIA, R., VAN EECKHOUTTE, L., DRALANTS, G. and VAN DE WALLE, J. Changes in intraocular pressure associated with the administration of propofol 1514
VAN DER AUWERA, D. *see* VERBORGH, C. 1134
VAN DE WALLE, J. *see* VANACKER, B. 1514
VAN EECKHOUTTE, L. *see* VANACKER, B. 1514
VAN STEENBERGE, A., DEBROUX, H. C. and NOORDUIN, H. Extradural bupivacaine with sufentanil for vaginal delivery 1518
VAUGHAN, R. S. *see* THOMAS, D. L. 424
VENKATARAMANA, J. *see* KALLA, G. N. 1621
VERBORGH, C., VAN DER AUWERA, D. and CAMU, F. Meptazinol for postoperative pain relief in man. *Comparison of Extradural and I.m. Administration* 1134
VERHAGE, F. *see* BONKE, B., (*C*) 1333
VERMEULEN, H. *see* DONADONI, R. 1523
VERNERSSON, E. *see* LINDBLAD, A. 1265
VERMEYEN, K. M., ERPELS, F. A., JANSSEN, L. A., BEECKMAN, C. P. and HANEGREEFS, G. H. Propofol–fentanyl anaesthesia for coronary bypass surgery in patients with good left ventricular function 1115
VESEY, C. J. *see* COLE, P. V. 531
VIARS, P. *see* BENHAMOU, D. 1257; CHAUVIN, M. 1250
VIBY-MOGENSEN, J. *see* BONSU, A. K. 1089
VICKERS, A. P., DERBYSHIRE, D. R., BURT, D. R., BAGSHAW, P. F., PEARSON, H. and SMITH, G. Comparison of the Leicester Micropalliator and the Cardiff Palliator in the relief of postoperative pain 503
VICKERS, M. D. *see* THOMAS, D. L. 424
VIDECOQ, M. *see* DEPOIX, J. P. 167
VIZI, E. S., SOMOGYI, G. T., NAGASHIMA, H., DUNCALF, D., CHAUDRY, I. A., KOBAYASHI, O., GOLDINER, P. L. and FOLDES, F. F. Tubocurarine and pancuronium inhibit evoked release of acetylcholine from the mouse hemidiaphragm preparation 226
VLACHONIKOLIS, I. G. *see* EVANS, J. M. 1346
VOURCH, G. and FISCHLER, M. A ventilator for carbon dioxide laser bronchoscopy, (*C*) 663

WALFORD, A. *see* MOSTAFA, S. M., (*ARS*) 942P
WALI, F. A. and SUER, A. M. Effect of verapamil on Ca^{2+} influx to rat phrenic nerve–diaphragm preparation 1571
WALI, F. A. *see* DARK, C. H., (*ARS*) 657P; HAYTER, A., (*ARS*) 935P; SUER, A. H., (*ARS*) 129P
WALKER, W. *see* SPENCE, V. A., (*C*) 664
WARD, J. B. *see* CHAPPLE, D. J. 218
WARD, S., BOHEIMER, N., WEATHERLEY, B. C., SIMMONDS, R. J. and DOPSON, T. A. Pharmacokinetics of atracurium and its metabolites in patients with normal renal function, and in patients with renal failure 697
WARDLEY-SMITH, B. *see* HUNTER, A. B., (*ARS*) 128P
WARNER, W. *see* PUIG, M. M. 1459
WARREN, S. J. *see* MILLAR, C. D., (*ARS*) 1325P
WASER, P. G., WIEDERKEHR, H., SIN-REN, A. C. and KAISER-SCHÖNENBERGER, E. Distribution and kinetics of ^{14}C-vecuronium in rats and mice 1044
WATKINS, J. Investigation of allergic and hypersensitivity reactions to anaesthetic agents 104
WATNEY, G. C. G., JORDAN, C. and HALL, L. W. Effect of halothane, enflurane and isoflurane on bronchomotor tone in anaesthetized ponies 1022
WAY, J. *see* BAXTER, A. D. 162
WEATHERILL, D. and SPENCE, A. A. Low-flow N_2O/O_2 and N_2/O_2 circle systems, (*ARS*) 929P
WEATHERLEY, B. C. *see* WARD, S. 697; YATE, P. M. 211
WEBSTER, N. R., TOOTHILL, C. and COWEN, P. N. Tissue responses to hypoxia. *Biochemistry and Pathology* 760
WEILLER, R. *see* FINEGAN, B. A., (*ARS*) 655P
WEIR, P. M. *see* BLACK, A. M. S., (*ARS*) 660P
WELCHEW, E. *see* HOSKING, J., (*R*) 392
WELLER, R. M. *see* ZORAB, J. S. M., (*R*) 269; 270
WELLS, E. *see* DAVIS, F. M. 561
WELLS, J. C. D. *see* HARDY, P. A. J., (*ARS*) 933P
WELLS, J. E. *see* DAVIS, F. M. 725
WERNER, O. *see* LARSSON, A. 585
WETCHLER, B. V., (editor). *Anaesthesia for Ambulatory Surgery*, (*R*) 270
WHEATLEY, P. L. *see* CHAPPLE, D. J. 218
WHITE, E. *see* CHARLTON, J. E., (*ARS*) 127P
WHITE, J. B. *see* STOW, P. J. 419
WHITE, M. *see* COCKSHOTT, I. D. 1103
WHITE, M. D. *see* SIM, A. T. R. 1557
WHITEHEAD, M. J. *see* THOMAS, D. W. 1196
WHITTAKER, M. *Cholinesterase: Monographs in Human Genetics*, Vol. II, (*R*) 811
WHITTAKER, M. and BRITTEN, J. J. Phenotyping of individuals sensitive to suxamethonium. *The Cholinesterase Research Unit at the Royal Postgraduate Medical School* 1052; Analysis of suxamethonium sensitivity following termination of pregnancy 1157
WHITWAM, J. G. *see* CHAKRABARTI, M. K., (*ARS*) 928P
WIEDERKEHR, H. *see* WASER, P. G. 1044

WILDSMITH, J. A. W. A British footnote to the life of Horace Wells, (*E*) 1067; Intracranial hypertension and caudal anaesthesia, (*C*) 1479; Intrathecal or extradural: which approach for surgery?, (*E*) 397; *see* DUGGAN, J., (*ARS*) 128P; LEE, A., (*ARS*) 1330P
WILDSMITH, J. A. W., GISSEN, A. J., TAKMAN, B. and COVINO, B. G. Differential nerve blockade: esters *v.* amides, (*ARS*) 127P; Differential nerve blockade: esters *v.* amides and the influence of pK_a 379
WILKINSON, A. *see* DAVIS, F. M. 1080
WILKINSON, D. J. Pretreatment with ranitidine, (*C*) 665
WILLATT, D. J. *see* CAMPBELL, I. T. 1121
WILLIAMS, R., (editor). *Liver Failure*, (*R*) 1063; *see* KENNA, J. G. 1286
WILLIS, B. A. *see* LATTO, I. P., (*ARS*) 651P
WILLIS, N., CLAPHAM, M. C. C. and MAPLESON, W. W. Additional blood-gas variables for the rational control of oxygen therapy. *With Allowance for Shifts of the Oxygen Dissociation Curve* 1160
WILLIS, N. *see* CLAPHAM, M. C. C. 232; MAPLESON, W. W., (*ARS*) 126P
WILSON, A. *see* HARPER, N. J. N., (*ARS*) 932P
WILSON, C. M. *see* GHALY, R. G., (*ARS*) 136P
WILSON, I. H. *see* LAMBERTY, J. M. 1214
WILSON, M. E. and SPIEGELHALTER, D. Unconscious perception during general anaesthesia, (*C*) 1333
WILSON, S. B. *see* SPENCE, V. A., (*C*) 664
WINDSOR, C. W. O. *see* ENGLAND, D. W. 1403
WINSETT, O. E. *see* NELSON, T. E. 730
WITHINGTON, P. S. *see* CHAPPLE, D. J., (*ARS*) 1321P; Dodd, P., (*ARS*) 1324P
WITHINGTON, S. *see* SHERRY, K. M. 510
WOODCOCK, T. E., MILLARD, R. K., DIXON, J. and PRYS-ROBERTS, C. Clonidine premedication potentiates isoflurane-induced hypotension, (*ARS*) 1319P
WOOLNER, D. F. *see* DAVIS, F. M. 1080
WREN, W. S., ALLEN, P., SYNNOTT, A., O'KEEFFE, D. and O'GRIOFA, P. Effects of halothane, isoflurane and enflurane on ventilation in children 399
WREN, W. S. *see* MACDONALD, N. J. 672
WYLD, R. and NIMMO, W. S. Do patients fasting before and after surgery receive their prescribed medication? (*ARS*) 1329P
WYLLIE, M. G. *see* DHIRI, A. K. 1140

YACOUB, O. F., BACALING, J. H. and KELLY, M. Monitoring of axillary arterial pressure in a patient with Buerger's disease requiring clipping of an intracerebral aneurysm 1056
YATE, P. M., FLYNN, P. J., ARNOLD, R. W., WEATHERLY, B. C., SIMMONDS, R. J. and DOPSON, T. Clinical experience and plasma laudanosine concentrations during the infusion of atracurium in the intensive therapy unit 211
YATE, P. M. and SEBEL, P. S. Abnormal alfentanil pharmacokinetics, (*C*) 808
YATE, P. M. *see* CHAPPLE, D. J., (*ARS*) 1321P; DODD, P., (*ARS*) 1324P; SMITH, C. M., (*ARS*) 1330P
YATES, A. P., HARRIES, A. J. and HATCH, D. J. Estimation of nasotracheal tube length in infants and children, (*C*) 524
YATES, A. P., LINDAHL, S. G. E. and HATCH, D. J. Pulmonary ventilation and gas exchange before and after correction of congenital cardiac malformations 170
YATES, A. P. *see* HATCH, D. J. 1533; PURCELL-JONES, G. 1431
YEO, T. H. *see* LACOUMENTA, S. 713
YOUNG, J. D. and SYKES, M. K. Measurement of true tidal volume during jet ventilation, (*ARS*) 937P
YUKIOKA, H., BOGOD, D. G. and ROSEN, M. Recovery of bowell motility after surgery. *Detection of Time of First Flatus from Carbon Dioxide Concentration and Patient Estimate after Nalbuphine and Placebo* 581

ZINDEL, G., MEISELMAN, C. and GAUDY, J. H. Effects of increasing enflurane concentrations on intraocular pressure 440
ZORAB, J. S. M. and WELLER, R. M., (editors). *Lectures in Anaesthesiology, 1985/2, (R)* 269; *Lectures in Anaesthesiology, 1985/1, (R)* 270
ZWAVELING, A. *see* BONKE, B., (*C*) 1333

SUBJECT INDEX

Abdominal decompression, haemodynamic effects following surgical release of increased intra-abdominal pressure, SHELLY, M. P., *et al.* 800

Abdominal muscle activity, changes reflected in intra-abdominal pressure swings during breathing, after abdominal surgery, DUGGAN, J., *et al.*, (*ARS*) 1326P

——, increases after upper abdominal surgery, DUGGAN, J., *et al.*, (*ARS*) 134P

Abdominal surgery, comparison of buprenorphine and nalbuphine for pain in patients following surgery, PUGH, G. G., *et al.*, (*ARS*) 133P

——, constant i.v. infusions of nalbuphine or buprenorphine for pain, PUGH, G. C., *et al.* 1364

——, intra-abdominal pressure swings during breathing reflect changes in abdominal muscle activity after abdominal surgery, DUGGAN, J., *et al.*, (*ARS*) 1326P

——, major, anaesthesia in a patient with myotonia dystophica, CASTANO, J., *et al.* 1629

——, (upper), a dose–response study with nalbuphine hydrochloride for pain in patients after surgery, PUGH, G. C., *et al.* 1356

——, upper or lower, effects on diaphragmatic function, DUPEUIL, B., *et al.* 1230

Accidents, human factors, ALLNUTT, M. F. 856

Active Management of Labour, 2nd Edn, O'DRISCOLL, K., *et al.*, (*R*) 946

Acetylcholine, tubocurarine and pancuronium inhibit evoked release of acetylcholine from the mouse hemidiaphragm preparation, VIZI, E. S., *et al.* 226

ACTH, β-endorphin and glucoregulatory hormonal response to surgery, effect of fentanyl, LACOUMENTA, S., *et al.* 713

A Colour Atlas of Cardiopulmonary Resuscitation Techniques, 1st Edn, PAGE, G., *et al.*, (*R*) 1199

Acoustic model, of the patient undergoing artificial ventilation, LIN, E. S., *et al.* 256

Acupuncture, also reduces the emetic effects of pethidine, GHALY, R. G., *et al.*, (*ARS*) 135P

——, manual and electro, anti-emetic action compared that of cyclizine and metoclopramide, FITZPATRICK, K. T. J., *et al.*, (*ARS*) 936P

Acute dilatation, of the stomach during general anaesthesia. *A Case Report*, KUMAR, C. M., *et al.* 1192

Acute Pain Management, COUSINS, M. J., *et al.*, (editors), (*R*) 811

Adductor pollicis muscle, and the diaphragm in humans, potency of atracurium and vecuronium, LAYCOCK, J. R. D., *et al.*, (*ARS*) 1321P

ADE anaesthetic system, fresh gas flow requirements for Caesarean section, DUNCAN, P. W., *et al.* 360

Adenylate cyclase activators, effects on porcine skeletal muscle in malignant hyperpyrexia, SIM, A. T. R., *et al.* 1557

Adrenaline, influence as an adjuvant on analgesic and respiratory effects of extradural sufentanil in volunteers, KLEPPER, I. D., *et al.* 1147

——, interaction with neostigmine and tubocurarine at the skeletal neuromuscular junction, DRURY, P. J., *et al.* 784

Adrenoceptor activity, and changes in plasma potassium concentration after suxamethonium administration in dogs, GOLDHILL, D. R., *et al.* 611

Adverse effects, of drugs used in anaesthesia, HALSEY, M. J., (*E*)

——, of local anaesthetics, REYNOLDS, F. 78

Adverse effects, of neuromuscular blocking drugs, HUNTER, J. M. 46

——, of opioid analgesic drugs. DUTHIE, D. J. R., *et al.* 61

——, of volatile anaesthetics, BROWN, B. R. jr, *et al.* 14

AIDS, and blood transfusion, NAPIER, J. A. F., (*E*) 669

Airway carbon dioxide laser surgery, using general anaesthesia. *A Review*, PAES, M. L. 1610

Airway obstruction, resulting in pulmonary oedema in a patient with Hodgkin's disease, PRICE, S. L., *et al.* 518

Alcuronium, combined with atracurium, BLACK, A. M. S., *et al.*, (*ARS*) 660P

——, pancuronium or vecuronium for fixed dose precurarization, side effects and changes in pulmonary function, MOTSCH, J., *et al.* 1528

——, recovery of respiration after neuromuscular blockade, ASTLEY, B. A., *et al.* 206

Alfentanil, abnormal pharmacokinetics, YATE, P. M., *et al.*, (*C*) 808

——, compared with halothane for recovery after minor surgery, ROSS, E., *et al.* 970

——, effects on the pressor and catecholamine responses to tracheal intubation, CRAWFORD, D. C., *et al.* 707

——, followed by sinus arrest, MARYNIAK, J. K., *et al.*, (*C*) 390

——, for Caesarean section complicated by severe aortic stenosis. *A Case Report*, REDFERN, N., *et al.* 1309

——, for extradural analgesia during labour, HEYTENS, L., *et al.* 331

——, maternal and neonatal responses to alfentanil administered before induction of general anaesthesia for Caesarean section, DANN, W. L., *et al.* 1392

——, or pethidine infusion, for sedation of ventilated patients in the I.T.U., THOMAS, D. W., *et al.*, (*C*) 807

——, pharmacokinetics in children undergoing surgery, ROURE, P., *et al.* 1437

——, to attenuate palmar sweat and heart rate changes during stress response, MARYNIAK, J. K., *et al.*, (*ARS*) 133P

Alfentanil plus etomidate, compared with fentanyl plus thiopentone for anaesthesia for evacuation of retained products of conception, KESTIN, I. G., *et al.* 364

Allergic history, can it be used to predict clinical anaphylaxis to anaesthetic drugs?, FISHER, M. McD., *et al.* 690

Allergic reactions, and hypersensitivity reactions to anaesthetic agents, investigation, WATKINS, J. 104

Alveolar deadspace, in cyanotic heart disease in children, FLETCHER, R., (*ARS*) 928P

Amides, *v.* esters and the influence of pK_a on differential nerve blockade, WILDSMITH, J. A. W., *et al.* 379

——, *v.* esters: differential nerve blockade, WILDSMITH, J. A. W., *et al.*, (*ARS*) 127P

Amino acid infusion, renal perfusion during amino acid infusion in the pig, KIPLING, R., *et al.*, (*ARS*) 1332P

Aminophylline, and salbutamol, prophylactic effect on histamine-induced brochoconstriction, JONES, J. G., *et al.* 498

Anaesthesia, a practical or impractical construct?, PRYS-ROBERTS, C., (*E*) 1341

——, and USA law, CHENEY, F. W. 891

——, for uterine evacuation. *Comparison Between Alfentanil plus Etomidate and Fentanyl plus Thiopentone*, KESTIN, I. G., *et al.* 364

Anaesthesia for Ambulatory Surgery, WETCHLER, B. V., (editor), (*R*) 270

Anaesthesia Review 3, KAUFMAN, L., (*R*) 59
Anaesthetic breathing systems, analysis of costs, CHRISTENSEN, K. N., *et al.*, (*C*) 389
Anaesthetic complications, and medico–legal aspects, SMITH, G., *et al.*, (*E*) 813
Anaesthetic dangers, in Munchausen's syndrome, FRATER, R. A. S., *et al.* 1472
Anaesthetic equipment, safer design, THOMPSON, P. W. 913
Anaesthetic Management, A Rule-Based Guide, HARRISON, M. J., *et al.*, (*R*) 947
Anaesthetic morbity, risk and mortality, a review of studies, DERRINGTON, M. C., *et al.* 815
Anaesthetic mortality, in New South Wales, HOLLAND, R. 834
——, morbidity and risk, a review of studies, DERRINGTON, M. C., *et al.* 815
Anaesthetic pitfalls, pitfalls in anaesthetic practice, UTTING, J. E. 877
Anaesthetic risk, morbidity and mortality, a review of studies, DERRINGTON, M. C., *et al.* 815
Anaesthetic safety, NORMAN, J. 922
Anaesthetists, and surgeons, heart rate changes, HANNON, V., *et al.*, (*ARS*) 656P
——, cognitive functioning, STOLLERY, B. T., *et al.*, (*ARS*) 655P
Analgesic component, of balanced anaesthesia, use of simple tests to determine the residual effects, MANNER, T., *et al.* 978
Analgesic effects, and respiratory effects of extradural sufentanil in volunteers and the influence of adrenaline as an adjuvant, KLEPPER, I. D., *et al.* 1147
Anaphylatoxin responses, and complement responses to cross-clamping of the aorta. *Studies During General Anaesthesia With or Without Extradural Blockade*, BENGTSON, A., *et al.* 1093
Anaphylaxis, can clinical anaphylaxis to anaesthetic drugs be predicted from allergic history? FISHER, M. McD., *et al.* 690
——, prick tests in the diagnosis of anaphylaxis to general anaesthetics, LEYNADIER, F., *et al.* 683
Anexate, for reversal of midazolam sedation, SAGE, D. J., *et al.* 459
Anti-emetic, in cancer chemotherapy, P6 acupuncture, an effective non-toxic anti-emetic, DUNDEE, J. W., *et al.*, (*ARS*) 1322P
Anti-emetic action, of manual and electro acupuncture compared with that of cyclizine and metoclopramide, FITZPATRICK, K. T. J., *et al.*, (*ARS*) 936P
——, of propofol, MCCOLLUM, J. S. C., *et al.*, (*ARS*) 654P
Anxiety, effect on gastric emptying in preoperative patients, SIMPSON, K. H., *et al.* 540
——, preoperative, measurement in relation to anaesthesia, BISHOP, V. A., *et al.*, (*ARS*) 653P
Aortic stenosis, severe, alfentanil for Caesarean section complicated by severe aortic stenosis. *A Case Report*, REDFERN, N., *et al.* 1309
A Pocket-Book for Intensive Care, TINKER, J., *et al.*, (*R*) 1064
Arterial oxygenation, after major head and neck surgery involving tracheotomy, CAMPBELL, I. T., *et al.* 1121
Arterial oxygen tensions, measured continuously in patients breathing 21 % oxygen and nitrous oxide or air, SUGIOKA, K., *et al.* 1548
Arterial P_{CO_2}, estimation during high frequency jet ventilation. *Studies in the Dog*, MORTIMER, A. J., *et al.* 240
Arterial pressure, evaluation of closed-loop control after cardiopulmonary bypass, REID, J. A., *et al.* 247
Arterial saturation, effect of oxygen on arterial saturation during induction of anaesthesia with propofol, THOMPSON, K. D., *et al.*, (*ARS*) 1318P
Artificial ventilation, an acoustic model of the patient undergoing artificial ventilation, LIN, E. S., *et al.* 256
Artificial ventilation, and heat and moisture exchangers. *An Experimental Study of the Effect of Gas Leakage*, TILLING, S. E., *et al.* 1181
ASA III patients, comparison of the haemodynamic responses to induction of anaesthesia with either propofol or thiopentone, BONE, M. E., *et al.*, (*ARS*) 1318P
Astrocytes, effects of diazepam, ketamine, morphine and naloxone on the uptake of potassium into astrocytes, FINEGAN, B. A., *et al.*, (*ARS*) 655P
Atelectasis, and anaesthesia: the role of V_{TAB} and the chest wall, JONES, J. G., (*E*) 949
Atracurium, and gallamine compared: the "priming principle", COUTINHO, W., *et al.*, (*ARS*) 131P
——, and its metabolites, pharmacokinetics in patients with normal renal function, and in patients in renal failure, WARD, S., *et al.* 697
——, and suxamethonium-induced neuromuscular blockade, onset and recovery with simultaneous train-of-four and single twitch stimulation, CURRAN, M. J., *et al.* 989
——, and vecuronium antagonized by neostigmine or edrophonium administered at 5 % twitch height recovery, CALDWELL, J. E., *et al.* 478
——, and vecuronium, effects on the latency and the duration of the negative deflection on the evoked compound action potential of the adductor pollicis, PUGH, N. D., *et al.* 195
——, and vecuronium given in divided doses, onset and duration of paralysis following atracurium and vecuronium, BRADY, M. M., *et al.*, (*ARS*) 657P
——, and vecuronium in patients with end-stage renal failure. *A Comparative Study*, LEPAGE, J. Y., *et al.* 1004
——, and vecuronium, potency at the diaphragm and adductor pollicis muscles in humans, LAYCOCK, J. R. D., *et al.*, (*ARS*) 1321P
——, antagonized by neostigmine, FOX, M. A., *et al.* 468
——, associated with harmless cutaneous reactions. *A Report of 1200 Anaesthetics*, ROWLANDS, D. E. 693
——, combined with alcuronium, BLACK, A. M. S., *et al.*, (*ARS*) 660P
——, factors influencing atracurium-induced cutaneous reactions, LYNAS, A. G. A., *et al.*, (*ARS*) 659P
——, inducing blockade in the muscles of the face, onset of the orbicularis oculi and adductor pollicis compared, HARPER, N. J. N., *et al.*, (*ARS*) 932P
——, infusion, clinical experience and plasma laudanosine concentration in the intensive therapy unit, YATE, P. M., *et al.* 211
——, *in vitro* degradation in human plasma, STENLAKE, J. B., *et al.*, (*C*) 806
——, involvement of nucleophiles in the inactivation of atracurium, NIGROVIC, V., *et al.* 617
——, or vecuronium antagonized by edrophonium, shorter acting than neostigmine, HENNIS, P. J., *et al.* (*ARS*) 651P
——, recovery after, HARROP-GRIFFITHS, A. W., (*C*) 1477
——, relationship of post-tetanic count and train-of-four response during intense neuromuscular blockade by atracurium, BONSU, A. K., *et al.* 1089
——, tetanic fade during neuromuscular blockade produced by atracurium in the rat diaphragm preparation, DARK, C. H., *et al.*, (*ARS*) 933P
——, to partially block post-tetanic potentiation at the rat neuromuscular junction, SUER, A. H., *et al.*, (*ARS*) 129P
——, to produce a complete tetanic block and subsequent spontaneous breathing, ORDMAN, A. J., *et al.*, (*ARS*) 1320P
——, vecuronium and pancuronium, haemodynamic effects in patients with coronary artery disease, FERRES, C. J., *et al.* 305
——, vecuronium and pancuronium in end-stage renal

failure. Dose–response properties and interactions with azathioprine, GRAMSTAD, L. 995
Atropine, and glycopyrrolate comparative effects on cognitive function following general anaesthesia, SIMPSON, K. H., *et al.* 966
——, and muscarinic agonists, facilitation and inhibition of neuromuscular transmission at the rat neuromuscular junction, DARK, C. H., *et al.*, (*ARS*) 657P
Auditory evoked response, effect of isoflurane in man, HENEGHAN, C. P. H., *et al.* 277
Automatic control, of general anaesthesia, towards, ASBURY, A. J., *et al.*, (*ARS*) 938P
Autotransfusion, quality of blood prepared with a red blood cell processing device, MCSHANE, A. J., *et al.* 1035
Axillary arterial pressure, monitoring in a patient with Buerger's disease requiring clipping of an intracerebral aneurysm, YACOUB, O. F., *et al.* 1056
Azathioprine, interactions and dose–response properties of atracurium, vecuronium and pancuronium in end-stage renal failure, GRAMSTAD, L. 995

Balanced anaesthesia, use of simple tests to determine the residual effects of the analgesic component of balanced anaesthesia, MANNER, T. *et al.* 978
Baricity, subarachroid anaesthesia with solutions of differing baricity, LEE, A., *et al.*, (*ARS*) 1330P
Basics of Anaesthesia, STOELTING, R. K., *et al.*, (*R*) 811
Benzodiazepines, pressure reversal of sedation produced by benzodiazepines, HUNTER, A. B., *et al.*, (*ARS*) 128P
Blocked ear, after extradural injection, GORDON, A. G., (*C*) 666
Blood-gas tensions, derivations of $\dot{V}A/\dot{Q}$ distribution from bloodgas tensions, KAUFMAN, R. D., *et al.* 1599
Blood-gas variables, additional, for the rational control of oxygen therapy. *With Allowance for Shifts of the Oxygen Dissociation Curve*, WILLIS, N., *et al.* 1168
Blood loss, influence of variations in blood haemoglobin concentration on the calculation of blood loss and volumetric irrigating fluid balance during transurethral resection of the prostate, HAHN, R. G., *et al.* 1223
Blood sampling, valid, minimum volume of discard from indwelling arterial cannulae, CLAPHAM, M. C. C., *et al.* 232
Blood transfusion, and AIDS, NAPIER, J. A. F., (*E*) 669
Body volume changes, associated with the induction of anaesthesia, stereophotogrammetric analysis, LOGAN, M. R, *et al.* 288
Book Reviews
A Colour Atlas of Cardiopulmonary Resuscitation Techniques, 1st Edn, PAGE, G., *et al.*, (*R*) 1199
Active Management of Labour, 2nd Edn, O'DRISCOLL, K., *et al.*, (*R*) 946
Acute Pain Management, COUSINS, M. J., *et al.*, (editors), (*R*) 811
Anaesthesia for Ambulatory Surgery, WETCHLER, B. V., (editor), (*R*) 270
Anaesthesia Review 3, KAUFMAN, L., (*R*) 137
Anaesthetic Management, A Rule-Based Guide, HARRISON, M. J., *et al.*, (*R*) 947
A Pocket-Book for Intensive Care, TINKER, J., *et al.*, (*R*) 1064
Basics of Anaesthesia, STOELTING, R. K., *et al.*, (*R*) 811
Cardiopulmonary Bypass. Principles and Management, TAYLOR, K. M., (editor), (*R*) 1338
Cardiotonic Drugs. A Clinical Survey, LEIER, C. V., (editor), (*R*) 947
Cholinesterase: Monographs in Human Genetics. Vol. II, WHITTAKER, M., (*R*) 811
Classical Anaesthesia Files, LITTLE, D. M. jr, (*R*) 1481
Clinics in Anaesthesiology. Volume 3, No. 2: *Neuromuscular Blockade*, NORMAN, J., (editor), (*R*) 273
Current European Anaesthesiology—The Yearbook of the European Academy of Anaesthesiologists—Vol 2, 1986, JONES, R. M., (editor), (*R*) 1065
Current European Anaesthesiology, Vol. 1 (Yearbook of the European Academy of Anaesthesiology), JONES, R. M., (editor-in-chief), (*R*) 137
Difficulties in Tracheal Intubation, LATTO, I. P., *et al.*, (editors), (*R*) 394
Emergencies in Clinical Medicine, KENNEDY, H. J., (editor), (*R*) 270
Emergency Anaesthesia, ADAMS, A. P., *et al.*, (editors), (*R*) 1063
Effects of Anesthesia. Clinical Physiology Series, COVINO, B. G., *et al.*, (editors), (*R*) 273
F.F.A.R.C.S. Part 1 Practice Exams, AVELING, W., *et al.*, (*R*) 1338
Gas Mixing and Distribution in the Lung. Lung Biology in Health and Disease Series, Vol. 25, ENGEL, L. A., *et al.*, (editors), (*R*) 138
Guidelines in Clinical Anaesthesia, HUTTON, P., *et al.*, (*R*) 271
Handbook of Local Anaesthesia, MALAMED, S. F., (*R*) 1064
Handbook of Neuroanaesthesia : Clinical and Physiologic Essentials, NEWFIELD, P., *et al.*, (editors), (*R*) 947
Head Injury and the Anaesthetist. Monographs in Anaesthesiology No. 14, FITCH, W., *et al.*, (editors), (*R*) 1481
International Anesthesiology Clinics. Anaphylactoid Reactions in Anesthesia, SAGE, D. J., (editor), (*R*) 393
Lectures in Anaesthesiology, 1986/1, ZORAB, J. S. M., *et al.*, (Editors), (*R*) 270
Lectures in Anaesthesiology, 1985/2, ZORAB, J. S. M., *et al.*, (editors), (*R*) 269
Liver Failure, WILLIAMS, R., (editor), (*R*) 1063
600 MCQs in Anaesthesia : Basic Sciences, SIMPSON, P. J., *et al.*, (*R*) 393
600 MCQs in Anaesthesia : Clinical Practice, SIMPSON, P. J., *et al.*, (*R*) 1064
Muscle Relaxants. Basic and Clinical Aspects, KATZ, R. L., (editor), (*R*) 392
Muscle Relaxants : Side Effects and a Rational Approach to Selection, AZAR, I., (editor), (*R*) 1481
Neonatal Anaesthesia and Perioperative Care, 2nd Edn. *Current Topics in Anaesthesia*, series 5, HATCH, D. J., *et al.*, (*R*) 272
Non-Invasive Respiratory Monitoring, NOCHOMOVITZ *et al.*, (editors), (R) 138
Obstetric Anaesthesia and Analgesia, 3rd Edn, MOIR, D. D., *et al.*, (*R*) 271
Orofacial Pains : Classification, Diagnosis, Management, 3rd Edn, BELL, W. E., (*R*) 139
Oxygen Free Radicals in Shock, NOVELLI, G. P., *et al.*, (editors), (*R*) 1480
Pain Relief in Labour. A Handbook for Midwives, 5th Edn, MOIR, D. D., (*R*) 140
Parenteral and Enteral Nutrition, A Practical Guide (3rd Edn, 1986), PHILLIPS, G. D., *et al.*, (*R*) 946
Perinatal Anaesthesia. Contemporary Issues in Fetal and Neonatal Medicine 1, SCANLON, J. W., (*R*) 139
Postoperative Pain : Understanding its Nature and How to Treat It, HOSKING, J., *et al.* 392
Problems in Obstetric Anaesthesia (Perinatal Practice, Vol. 3), MORGAN, B., (editor), (*R*) 1480
Pulse Oximetry, PAYNE, J. P., *et al.*, (editors), (*R*) 1063
Spinal Opioids and the Relief of Pain, BESSON, J. M., *et al.*, (editors) (*R*) 392
The History of Blood Gases, Acids and Bases, ASTRUP, P., *et al.*, (*R*) 137
The Management of Postoperative Pain. Current Topics in Anaesthesia, No. 8, DODSON, M. E., (*R*) 272
Year-Book of Anaesthesia 1985, MILLER, R. D., (editor), (*R*) 269

Bowel motility, recovery, after surgery. *Detection of Time of First Flatus from Carbon Dioxide Concentration and Patient Estimate after Nalbuphine and Placebo*, YUKIOKA, H., *et al.* 581
Brain slice preparation, *in vitro* studies of enflurane-induced burst firing of hippocampal CA 1 neurones, MACIVER, M. B., *et al.* 369
Breathing, naloxone does not influence breathing during isoflurane anaesthesia, DRUMMOND, G. B., *et al.* 444
Bronchoconstriction, histamine-induced, prophylactic effect of aminophylline and salbutamol, JONES, J. G., *et al.* 498
Bronchomotor tone, effect of halothane, enflurane and isoflurane in anaesthetized ponies, WATNEY, G. C. G., *et al.* 1022
Bronchoscopy, a ventilator for carbon dioxide laser b onchoscopy, VOURC'H, G., *et al.*, (*C*) 663
Buerger's disease, monitoring of axillary arterial pressure in a patient with Buerger's disease requiring clipping of an intracerebral aneurysm, YACOUB, O. F., *et al.* 1056
Buprenorphine, compared with nalbuphine, constant i.v. infusions, for pain after abdominal surgery, PUGH, G. C., *et al.* 1364
——, compared with nalbuphine for pain in patients following abdominal surgery, PUGH, G. C., *et al.*, (*ARS*) 133P
Bupivacaine, 0.5%, a double-blind comparison of plain and hyperbaric bupivacaine to produce subarachnoid analgesia for Caesarean section, RUSSELL, I. F., *et al.* 347
——, elimination, effects of H-2 antagonists, NOBLE, D. W., *et al.* 735
——, extradural infusion of 0.125% at 10 ml h^{-1} to women during labour, BOGOD, D. G., *et al.* 325
——, extradural, or i.v. diamorphine, effect on calf blood flow in patients after surgery, BOWLER, G. M. R. *et al.* 1412
——, injection, effect of dose, volume and concentration on extradural blockade, DUGGAN, J., *et al.*, (*ARS*) 128P
——, i.p., analgesic effects, ALSTON, R. P., *et al.*, (*ARS*) 1326P
——, to produce stellate ganglion blockade: effect of volume on extent of sympathetic blockade, HARDY, P. A. J., *et al.*, (*ARS*) 933P
——, venous plasma (total), concentrations following lower abdominal field block, MARTIN, J., *et al.* 1425
——, with or without adrenaline in interscalene brachial plexus blockade. *Studies in Patients with Rheumatoid Arthritis*, PIHLAJAMÄKI, K. K., *et al.* 1420
——, with sufentanil extradurally for vaginal delivery. *A Double-Blind Trial*, VAN STEENBERGE, A., *et al.* 1518
Burns, electromyographic responses to small doses of suxamethonium in children after burns, BROWN, T. C. K., *et al.* 1017
Burns patients, effect of diazepam on potassium flux in burns patients following the administration of suxamethonium, EARNSHAW, G., *et al.*, (*ARS*) 1331P
Burst firing, of hippocampal CA 1 neurones induced by enflurane. In Vitro *Studies Using a Brain Slice Preparation*, MACIVER, M. B., *et al.* 369

Caesarean delivery, isoflurane as a supplement to nitrous oxide compared with halothane for Caesarean delivery, GHALY, R. G., *et al.* (*ARS*) 136P
Caesarean section, double-blind comparison of the efficacy of extradural diamorphine, extradural phenoperidine and i.m. diamorphine following Caesarean section, MACRAE, D. J., *et al.* 354
——, maternal and neonatal responses to alfentanil administered before induction of general anaesthesia, DANN, W. L., *et al.* 1392
Caesarean section, complicated by severe aortic stenosis, using alfentanil. *A Case Report*, REDFERN, N., *et al.* 1309
——, effect of gravity on the spread of extradural anaesthesia for Caesarean section, NORRIS, M. C., *et al.* 338
——, effect of posture during the induction of subarachnoid analgesia for Caesarean section, *Right* v. *Left Lateral*, RUSSELL, I. F. 342
——, fresh gas flow requirements using the ADE anaesthetic system for Caesarean section, DUNCAN, P. W., *et al.* 360
——, with subarachnoid analgesia. *A Double-Blind Comparison of Plain and Hyperbaric* 0.5% *Bupivacaine*, RUSSELL, I. F. 347
Calcium, and magnesium content of skeletal muscle. *Studies in Subjects Undergoing Diagnostic Testing for Malignant Hyperthermia*, NELSON, T. E., *et al.* 730
——, reverses verapamil–halothane induced regional myocardial dysfunction, LEONE, B. J., *et al.*, (*ARS*) 652P
Calcium channel blockers, nimodipine, nitrendipine and nifedipine interaction with ethanol in the rat isolated vas deferens preparation, HAYTER, A., *et al.*, (*ARS*) 935P
Calcium influx, (Ca^{2+}), to rat phrenic nerve–diaphragm, effect of verapamil, WALI, F. A., *et al.* 1571
Calf blood flow, in patients after surgery, effect of extradural bupivacaine or i.v. diamorphine, BOWLER, G. M. R., *et al.* 1412
Cancer chemotherapy, P6 acupuncture, an effective non-toxic anti-emetic in cancer chemotherapy, DUNDEE, J. W., *et al.*, (*ARS*) 1322P
Cannulation, of the radial and dorsalis pedis arteries, NAGUIB, M., *et al.* 482
Carbon dioxide laser, bronchoscopy, a ventilator for, VOURC'H, G., *et al.*, (*C*) 663
Carbon dioxide laser surgery, within the airway, using general anesthesia. *A Review*, PAES, M. L. 1610
Carbon dioxide rebreathing, in awake and anaesthetized subjects, inter-relations of the volume and timing components of ventilation during carbon dioxide rebreathing, GOODMAN, N. W., *et al.* 1504
Cardiac arrest, following i.v. verapamil combined with halothane anaesthesia, MØLLER, I. W., (*C*) 522
Cardiac malformations, congenital, pulmonary ventilation and gas exchange before and after open heart surgery in children, DEPOIX, J. P. *et al.* 170
Cardiac surgery, adult, oral intubation *v.* nasal intubation, DEPOIX, J. P., *et al.* 167
——, and continuous intercostal blockade, BAXTER, A. D., *et al.* 162
——, and myasthenia gravis. *A Case Report*, APS, C., *et al.* 265
Cardiff Cuff Controller, LATTO, I. P., *et al.*, (*ARS*) 651P
Cardiff Palliator, compared with the Leicester Micropalliator in the relief of postoperative pain, VICKERS, A. P., *et al.* 503
Cardiopulmonary bypass, evaluation of closed-loop control of arterial pressure after cardiopulmonary bypass, REID, J. A., *et al.* 247
Cardiopulmonary Bypass. Principles and Management, TAYLOR, K. M., (editor), (*R*) 1338
Cardiotonic Drugs. A Clinical Survey, LEIER, C. V., (editor), (*R*) 947
Cardiovascular changes, and palmar sweat changes in patients undergoing cystoscopy, MARYNIAK, J. K., *et al.*, (*ARS*) 654P
Cardiovascular effects, and neurological effects of laudanosine. *Studies in Mice and Rats, and in Conscious and Anaesthetized Dogs*, CHAPPLE, D. J., *et al.* 218
Cardiovascular response, and catecholamine response to

laryngoscopy with and without tracheal intubation, SHRIBMAN, A. J., *et al.* 295
Cardiovascular response, to laryngoscopy and intubation, not attenuated by lignocaine, MILLER, C. D., *et al.*, (*ARS*) 1325P
Carotid body chemoreceptor discharge, depressed by propofol in rabbits and cats, PONTE, J., *et al.*, (*ARS*) 930P
Carotid sinus nerve, contralateral, blockade enhances ipsilateral nerve action potentials under halothane anaesthesia, BEHNIA, R., *et al.* 489
Catecholamine, plasma and circulatory, responses during cholecystectomy: high and low dose fentanyl anaesthesia, KLINGSTEDT, J. P., *et al.* 184
Catecholamine response, and cardiovascular response to laryngoscopy with and without tracheal intubation, SHRIBMAN, A. J., *et al.* 295
——, and pressor responses to tracheal intubation, effects of alfentanil, CRAWFORD, D. C., *et al.* 707
Cats, propofol depresses carotid body chemoreceptor discharge in rabbits and cats, PONTE, J., *et al.*, (*ARS*) 930P
Caudal anaesthesia, and intracranial hypertension, ABOULEISH, E., *et al.*, (*C*) 1478
Cerebral aneurysms, cerebral blood flow and metabolism during isoflurane-induced hypotension in patients subjected to surgery for cerebral aneurysms, MADSEN, J. B., *et al.* 1204
Cerebral blood flow and metabolism during isoflurane-induced hypotension in patients subjected to surgery for cerebral aneurysms, MADSEN, J. B., *et al.* 1204
Cerebral metabolic rate, and cerebral blood flow during isoflurane-induced hypotension in patients subjected to surgery for cerebral aneurysms, MADSEN, J. B., *et al.* 1204
Cerebrospinal fluid flow, variations through spinal needles, GERRISH, S. P., *et al.* 1465
Cerebrovascular effects, of isoflurane in man. *Intracranial Pressure and Middle Cerebral Artery Flow Velocity*, LUNDAR, T., *et al.* 1208
Child, massive intraoperative pulmonary embolism, GOODMAN, N. W., *et al.* 1059
——, treatment of thyroid storm with dantrolene, CHRISTENSEN, P. A., *et al.*, (*C*) 523
Children, and infants, estimation of nasotracheal tube length, YATES, A. P., *et al.*, (*C*) 524
——, comparison of the induction characteristics of thiopentone and propofol, PURCELL-JONES, G., *et al.* 1431
——, congenital heart malformations and ventilatory efficiency. *Effects of Lung Perfusion During Halothane Anaesthesia and Spontaneous Breathing*, LINDAHL, S. G. E., *et al.* 410
——, continuous extradural anaesthesia. *Clinical and Haemodynamic Implications*, MURAT, I., *et al.* 1441
——, effects of fasting and oral premedication on the pH and volume of gastric aspirate, MEAKIN, G., *et al.* 678
——, effects of halothane, isoflurane and enflurane on ventilation in children, WREN, W. S., *et al.* 399
——, electromyographic responses to small doses of suxamethonium after burns, BROWN, T. C. K., *et al.* 1017
——, isoflurane in dental anaesthesia, BLACK, G. W., (*C*) 522
——, liver function in children undergoing daily nitrous oxide and isoflurane anaesthesia, POWER, S. J., *et al.*, (*ARS*) 1319P
——, pharmacokinetics of i.v. and rectal methohexitone in children, BJÖRKMAN, S., *et al.* 1541
——, undergoing surgery, pharmacokinetics of alfentanil, ROURE, P., *et al.* 1437
Chlormethiazole, or thiopentone, effects on human placental stem villous arteries, ALLEN, J., *et al.* 1273
Cholinesterase: Monographs in Human Genetics, Vol. II, WHITTAKER, M., (*R*) 811
Cholinesterase Research Unit, at the Royal Postgraduate Medical School, WHITTAKER, M., *et al.* 1052
Cimetidine or ranitidine, haemodynamic effects of the i.v. administration in the critically ill patient. *A Double-Blind Prospective Study*, SMITH, C. L., *et al.* 1397
Circle systems, low-flow nitrous oxide/oxygen and nitrogen/oxygen, WEATHERILL, D., *et al.*, (*ARS*) 929P
Circle system, with low gas flow, isoflurane in a circle system, REVELL, S. P., *et al.* 1219
Cisapride, effect on morphine-induced delay in gastric emptying, ROWBOTHAM, D. J., *et al.* 536
——, is more effective than metoclopramide in preventing morphine-induced delay in gastric emptying, BAMBER, P. A., *et al.*, (*ARS*) 1331P
Classical Anaesthesia Files, LITTLE, D. M. JR, (*R*) 1481
Clinics in Anaesthesiology. Volume 3, No. 2: *Neuromuscular Blockade*, NORMAN, J., (editor), (*R*) 273
Clonidine premedication, potentiates isoflurane-induced hypotension, WOODCOCK, T. E., *et al.*, (*ARS*) 1319P
Closed-loop control, of arterial pressure after cardiopulmonary bypass, evaluation, REID, J. A., *et al.* 247
Cognitive function, following general anaesthesia, comparison of the effects of atropine and glycopyrrolate, SIMPSON, K. H., *et al.* 966
——, in anaesthetists, STOLLERY, B. T., *et al.*, (*ARS*) 655P
Complement responses, and anaphylatoxin responses to cross-clamping of the aorta. *Studies During General Anaesthesia With or Without Extradural Blockade*, BENGTSON, A., *et al.* 1093
Compressed air generators, and vacuum systems in the cross-infection in the ICU, BJERRING, P., *et al.* 648
Computerized tomography, used to study anterior and lateral approaches to the sciatic nerve, CHARLTON, J. E., *et al.*, (*ARS*) 127P
Congenital heart malformations, and ventilatory efficiency in children. *Effects of Lung Perfusion During Halothane Anaesthesia and Spontaneous Breathing* LINDAHL, S. G. E., *et al.* 410
Continuous extradural analgesia, in labour. *Comparison Between "On Demand" and Regular "Top-Up" Injections*, PURDY, G., *et al.* 319
Continuous intercostal blockade, after cardiac surgery, BAXTER, A. D., *et al.* 162
Control of oxygen therapy, rational, a proposal for additional blood-gas variables, MAPLESON, W. W., *et al.*, (*ARS*) 126P
Core temperature, changes during anaesthesia for varicose vein surgery, MOSTAFA, S. M., *et al.*, (*ARS*) 942P
Coronary artery bypass grafting, comparison of fentanyl and sufentanil anaesthesia for patients undergoing coronary artery bypass grafting, MATHEWS, H. M. L., *et al.*, (*ARS*) 939P
Coronary bypass surgery, using propofol–fentanyl anaesthesia in patients with good left ventricular function, VERMEYEN, K. M., *et al.* 1115
Creatinine kinase, and myoglobin serum concentrations, LAURENCE, A. S., (*ARS*) 939P
——, changes, myoglobin changes and suxamethonium-induced myalgia, all reduced by dantrolene, McKean, J. E., *et al.*, (*ARS*) 129P
Cross-infection, in the ICU, possible role of vacuum systems and compressed air generators, BUERRING, P., *et al.* 648
Cuffed tracheal tubes, comparison of physical and flow characteristics of "streamline" and "normal" cuffed tracheal tubes, KALLA, G. N., *et al.* 1621
Current European Anaesthesiology—The Yearbook of the

European Academy of Anaesthesiologists—Vol. 2, 1986, JONES, R. M., (editor), (*R*) 1065
Current European Anaesthesiology, Vol. 1 (Yearbook of the European Academy of Anaesthesiology), JONES, R. M. (editor-in-chief), (*R*) 137
Cutaneous reactions, harmless, associated with the use of atracurium. *A Report of 1200 Anaesthetics*, ROWLANDS, D. E. 693
——, induced by atracurium and factors influencing, LYNAS, A. G. A., *et al.*, (*ARS*) 659P
^{14}C-vecuronium, distribution and kinetics in rats and mice, WASER, P. G., *et al.* 1044
Cyanide, *in vitro* release from sodium nitroprusside, NORRIS, J. C., *et al.* 236
Cyanotic heart disease, in children, alveolar deadspace, FLETCHER, R., (*ARS*) 928P
Cyclizine, and metoclopramide, anti-emetic action compared with that of manual and electro acupuncture, FITZPATRICK, K. T. J., *et al.*,(*ARS*) 936P
Cystoscopy, cardiovascular and palmar sweat changes in patients undergoing cystoscopy, MARYNIAK, J. K., *et al.*, (*ARS*) 654P

Dantrolene, reduces suxamethonium-induced myalgia, myoglobin and creatinine kinase changes, MCKEAN, J. E., *et al.*, (*ARS*) 129P
——, treatment of thyroid storm in a child with dantrolene, CHRISTENSEN, P. A., *et al.*, (*C*) 523
Day-stay patients, influence of fasting on postoperative headache, BELL, P. F., *et al.*, (*ARS*) 934P
Degradation, *in vitro* of atracurium in human plasma, STENLAKE, J. B., *et al.*, (*C*) 806
Dental anaesthesia, using isoflurane for children, BLACK, G. W., (*C*) 522
Dental surgery, outpatient, with single-shot i.v. anaesthesia. *Comparison of 2,6 Di-isopropyl Phenol and Methohexitone*, LOGAN, M. R., *et al.* 179
Depolarization, effects of atracurium and vecuronium, PUGH, N. D., *et al.* 195
Diamorphine, extradural, phenoperidine extradural, and diamorphine i.m., double-blind comparison of the efficacy following Caesarean section, MACRAE, D. J., *et al.* 354
——, i.m. and extradural and extradural phenoperidine, double-blind comparison of the efficacy following Caesarean section, MACRAE, D. J., *et al.* 354
——, i.v., or extradural bupivacaine, effect on calf blood flow in patients after surgery, BOWLER, G. M. R., *et al.* 1412
Diaphragm, and adductor pollicis muscle in humans, potency of atracurium and vecuronium, LAYCOCK, J. R. D., *et al.*, (*ARS*) 1321P
Diaphragmatic contraction, monitoring during anaesthesia, DERRINGTON, M. C., *et al.*, (*ARS*) 660P
Diaphragmatic function, effects of upper or lower abdominal surgery on diaphragmatic function, DUREUIL, B., *et al.* 1230
Diazemuls, i.v., acute (type 1) hypersensitivity to diazemuls, DEARDON, D. J., *et al.*, (*C*) 391
Diazepam, effect on potassium flux in burns patients following the administration of suxamethonium, EARNSHAW, G., *et al.*, (*ARS*) 1331P
——, i.v. compared with midazolam by mouth in outpatient oral surgery, O'BOYLE, C. A., *et al.* 746
——, ketamine, morphine and naloxone, effects on the uptake of potassium into astrocytes, FINEGAN, B. A., *et al.*, (*ARS*) 655P
Differential nerve blockade, esters *v.* amides and the influence of pK_a, WILDSMITH, J. A. W., *et al.* 379
Difficulties in Tracheal Intubation, LATTO, I. P., *et al.*, (editors), (*R*) 394
Diffusive samplers, use to monitor occupational exposure to waste anaesthetic gases, GRAY, W. M., *et al.*, (*ARS*) 1325P
2,6 Di-isopropyl phenol, compared with methohexitone. Single-shot i.v. anaesthesia for outpatient dental surgery, LOGAN, M. R., *et al.* 179
Dilatation, acute, of the stomach during general anaesthesia. *A Case Report*, KUMAR, C. M., *et al.* 1192
Discard volume, minimum, for valid blood sampling from indwelling arterial cannulae, CLAPHAM, M. C. C., *et al.* 232
Disopyramide, non-competitive effects at the neuromuscular junction: evidence for endplate ion channel block, JONES, S. V. P., *et al.* 776
Dog, requirements for neuromuscular blocking agents during prolonged anaesthesia in the dog, CHAPPLE, D. J., *et al.*, (*ARS*) 1321P
——, studies of estimation of arterial P_{CO_2} DURING HIGH FREQUENCY JET VENTILATION, MORTIMER, A. J., *et al.* 240
Dogs, a study at various Pa_{CO_2} tensions; does a bolus of mannitol initially aggravate intracranial hypertension?, ABOU-MADI, M., *et al.* 630
——, conscious and anaesthetized, mice, and rats, studies of cardiovascular and neurological effects of laudanosine, CHAPPLE, D. J., *et al.* 218
——, healthy anaesthetized, high frequency jet ventilation: the influence of gas flow, inspiration time and ventilatory frequency on gas transport, SPOELSTRA, A. J. G., *et al.* 1298
Dopamine, metabolic effects, DUCKWORTH, R., *et al.*, (*ARS*) 942P
Dorsalis pedis artery, and radial artery, cannulation, NAGUIB, M., *et al.* 482
Dorsal recumbency, selective mechanical ventilation of dependent lung regions in the anaesthetized horse in dorsal recumbency, NYMAN, G., *et al.* 1027
Dose, and response relation for suxamethonium, CHESTNUT, R. J., *et al.*, (*ARS*) 1322P
Dose–response study, with nalbuphine hydrochloride for pain in patients after upper abdominal surgery, PUGH, G. C., *et al.* 1356
Drug interactions, in anaesthesia, HALSEY, M. J. 112

Edrophonium, and glycopyrrolate in different combinations, heart rate responses, DODD, P., *et al.*, (*ARS*) 1324P
——, compared with neostigmine administered at 5% twitch height recovery, antagonized by vecuronium and atracurium, CALDWELL, J. E., *et al.* 478
——, is shorter acting than neostigmine when antagonizing vecuronium or atracurium, HENNIS, P. J., *et al.* 651P
——, or neostigmine to antagonize neuromuscular blockade with vecuronium, electrical and mechanical responses, ASTLEY, B. A., *et al.* 983
——, or neostigmine to antagonize vecuronium-induced neuromuscular blockade, MIRAKHUR, R. K., *et al.* 473
EEG analysis, quantitative, during anaesthesia with isoflurane in nitrous oxide at 1.3 and 1.5 MAC, SCHWILDEN, H., *et al.* 738
EEG depression, by trimetaphan-induced hypotension in man, prevented by isoflurane, LLOYD-THOMAS, A. R., *et al.*, (*ARS*) 661P
Effects of Anesthesia. Clinical Physiology Series. COVINO, B. G., *et al.*, (editors), (*R*) 273
Elapid snake bite, PAWAR, D. K., *et al.* 385
Elderly patients, undergoing endoscopic urological surgery, effects of general anaesthesia on reaction time, SMITH, C. M., *et al.*, (*ARS*) 1330P
Electroconvulsive therapy, (ECT), seizure duration after methohexitone or propofol for induction of anaesthesia for ECT, SIMPSON, K. H., *et al.*, (*ARS*) 1323P
——, investigation of the effect of passive hyperventilation

on seizure duration in patients having ECT, CHATER, S. N., *et al.*, (*ARS*) 941P
Electromyographic responses, to small doses of suxamethonium in children after burns, BROWN, T. C. K., *et al.* 1017
Emergencies in Clinical Medicine, KENNEDY, H. J., (editor), (*R*) 270
Emergency Anaesthesia, ADAMS, A. P., *et al.*, (editors), (*R*) 1063
Emetic effects, of pethidine reduced by acupuncture, GHALY, R. G., *et al.*, (*ARS*) 135P
Endocrine metabolic responses, and pain after surgery, effect of i.v. lignocaine, BIRCH, K., *et al.* 721
β-Endorphin, ACTH and glucoregulatory hormonal response to surgery, effect of fentanyl, LACOUMENTA, S., *et al.* 713
Endoscopic urological surgery, effects of general anaesthesia on reaction time in elderly patients undergoing surgery, SMITH, C. M., *et al.*, (*ARS*) 1330P
Energy expenditure, and heat production following surgery, CARLI, F., (*ARS*) 657P
Enflurane, anaesthesia, plasma glutathione S-transferase concentrations in man after enflurane anaesthesia, ALDRIDGE, L. M., *et al.*, (*ARS*) 1319P
——, effect of increasing concentrations on intraocular pressure, ZINDEL, G., *et al.* 440
——, halothane and isoflurane, effect on bronchomotor tone in anaesthetized ponies, WATNEY, G. C. G., *et al.* 1022
——, halothane and isoflurane, effects on ventilation in children, WREN, W. S., *et al.* 399
——, halothane and isoflurane to potentiate neuromuscular blockade produced by alcuronium, KEENS, S. J., *et al.* 1011
Enflurane-induced burst firing of hippocampal CA1 neurones. In Vitro *Studies Using a Brain Slice Preparation*, MACIVER, M. B., *et al.* 369
Environmental pollution, by inhalation anaesthetics, SPENCE, A. A. 96
Essential monitoring, SYKES, M. K. 901
Esters, *v.* amides and the influence of pK_a on differential nerve blockade, WILDSMITH, J. A. W., *et al.* 379
——, *v.* amides, differential nerve blockade, WILDSMITH, J. A. W., *et al.*, (*ARS*) 127P
Ethanol, effects on psychomotor performance, FAGAN, D., *et al.* 961
——, interaction with calcium channel blockers, nimodipine, nitrendipine and nifedipine in the rat isolated vas deferens preparation, HAYTER, A., *et al.*, (*ARS*) 935P
Etomidate, compared with thiopentone effects on intraocular pressure, CALLA, S., *et al.* 437
——, fentanyl and vecuronium, combination may cause severe vagotonic state, INOUE, K., *et al.*, (*C*) 1475
Etomidate plus alfentanil, compared with fentanyl plus thiopentone for anaesthesia for uterine evacuation, KESTIN, I. G., *et al.* 364
Extradural, and intrathecal opioid analgesia in Sweden. *A Nationwide Follow-up Survey*, RAWAL, N., *et al.* 791
——, or intrathecal: which approach for surgery? WILDSMITH, J. A. W., (*E*) 397
Extradural anaesthesia, continuous, in children. *Clinical and Haemodynamic Implications*, MURAT, I., *et al.* 1441
——, effects on human fetal blood flow *in utero*. *Comparison of Three Local Anaesthetic Solutions*, LINDBLAD, A., *et al.* 1265
——, spread affected by gravity for Caesarean section, NORRIS, M. C., *et al.* 338
Extradural analgesia, continuous, in labour. *Comparison Between "On Demand" and Regular "Top-Up" Injections*, PURDY, G., *et al.* 319
——, during labour using alfentanil, HEYTENS, L., *et al.* 331
Extradural blockade, and intracranial pressure, SELWYN CRAWFORD, J., (*C*) 1478
——, effect of dose, volume and concentration of bupivacaine injection, DUGGAN, J., *et al.*, (*ARS*) 128P
Extradural bupivacaine, or i.v. diamorphine, effect on calf blood flow in patients after surgery, BOWLER, G. M. R., *et al.* 1412
——, with sufentanil for vaginal delivery. *A Double-Blind Trial*, VAN STEENBERGE, A., *et al.* 1518
Extradural infusion, of 0.125% bupivacaine at 10 ml h^{-1} to women during labour, BOGOD, D. G., *et al.* 325
Extradural injection, resulting in blocked ear, GORDON, A. G., (*C*) 666
Extradural morphine, effect on somatosensory evoked potentials to dermatomal stimulation, LUND, C., *et al.* 1408
Extradural pressure, during labour, SHAH, J. L., *et al.*, (*ARS*) 127P
——, effect of positive end-expiratory pressure, (PEEP), SHAH, J. L., (*ARS*) 940P
Extradural space, a model, and a reappraisal of the extradural space pressure, HARRISON, G. R. 1177
Extradural space pressure, a reappraisal, and a model of the extradural space, HARRISON, G. R. 1177
Extradural sufentanil, and intraperitoneal, in the rat: analgesia, antagonism and plasma drug concentrations, MADEJ, T., *et al.*, (*ARS*) 932P

Facial muscles, orbicularis oculi and adductor pollicis compared, onset of atracurium-induced blockade, HARPER, N. J. N., *et al.*, (*ARS*) 932P
Fasciculations, and myalgia induced by suxamethonium, effect of stretch exercises, MAGEE, D. A., *et al.* 596
Fast response analyser, a simple method for determining the appropriate correction for transit and response time, BLAKELEY, C. R., *et al.*, (*ARS*) 938P
Fasting, and oral premedication, effects on the pH and volume of gastric aspirate in children, MEAKIN, G., *et al.* 678
——, do patients fasting before and after surgery receive their prescribed medication?, WYLD, R., *et al.*, (*ARS*) 1329P
——, influence on postoperative headache in day-stay patients, BELL, P. F., *et al.*, (*ARS*) 934P
——, the obstetric patient, can one risk fasting for less than 4 hours?, LEWIS, M., *et al.* 312
Feed-back control, of neuromuscular block, CLUTTON-BROCK, T. H., *et al.*, (*ARS*) 135P
Fentanyl, and sufentanil anaesthesia compared for patients undergoing coronary artery bypass grafting, MATHEWS, H. M. L., *et al.*, (*ARS*) 939P
——, and the β-endorphin, ACTH and glucoregulatory hormonal response to surgery, LACOUMENTA, S., *et al.* 713
——, etomidate and vecuronium combination may cause severe vagotonic state, INOUE, K., *et al.*, (*C*) 1475
——, nitrous oxide and their combination, reproductive and teratogenic effects in Sprague–Dawley rats, MAZZE, R. I., *et al.* 1291
Fentanyl anaesthesia, high and low dose: circulatory and plasma catecholamine responses during cholecystectomy, KLINGSTEDT, C., *et al.* 184
Fentanyl–droperidol, supplementation of rapid sequence induction in the presence of severe pregnancy-induced and pregnancy-aggravated hypertension, LAWES, E. G., *et al.* 1381
Fentanyl plus thiopentone, compared with alfentanil plus etomidate for anaesthesia for uterine evacuation, KESTIN, I. G., *et al.* 364
Fetal blood flow, *in utero*, human, effects of extradural

anaesthesia. *Comparison of Three Local Anaesthetic Solutions*, LINDBLAD, A., *et al.* 1265
Fetal methionine synthase, rat, inhibition by nitrous oxide. *An* In Vitro *Study* BADEN, J. M., *et al.* 1040
Fetotoxic potential, of general anaesthesia in relation to pregnancy, KONIECZKO, K. M., *et al.* 449
F.F.A.R.C.S. Part 1 Practice Exams, AVELING, W., *et al.*, (*R*) 1338
Flow requirements, and rebreathing during mechanically controlled ventilation in a T-piece (Mapleson E) system, HATCH, D. J., *et al.* 1533
Flow–volume loops in the evaluation of patients for thyroidectomy, CUNNINGHAM, A. J., *et al.*, (*ARS*) 652P
Fluorocarbon emulsions, for prior haemodilution for prophylactic treatment of myocardial ischaemia, FAITHFULL, N. S., *et al.*, (*ARS*) 124P
Fresh gas flow requirements, using the ADE anaesthetic system for Caesarean section, DUNCAN, P. W., *et al.* 360

Gallamine, and atracurium compared; the "priming principle", COUTINHO, W., *et al.*, (*ARS*) 131P
Gas exchange, and pulmonary ventilation before and after correction of congenital cardiac malformations, YATES, A. P., *et al.* 170
Gas leakage, an experimental study of the effect of gas leakage on heat and moisture exchangers in artificial ventilation, TILLING, S. E., *et al.* 1181
Gas Mixing and Distribution in the Lung. Lung Biology in Health and Disease Series, Vol. 25, ENGEL, L. A., *et al.*, (editors), (*R*) 138
Gas transport, the influence of gas flow, inspiration time and ventilatory frequency on gas transport in healthy anaesthetized dogs: high frequency jet ventilation, SPOELSTRA, A. J. G., *et al.* 1298
Gastric aspirate, pH and volume, effects of fasting and oral premedication on gastric aspirate in children, MEAKIN, G., *et al.* 678
Gastric emptying, a study to compare the effects of intrathecal morphine and intramuscular papaveretum analgesia, ENGLAND, D. W., *et al.* 1403
——, cisapride is more effective than metoclopramide in preventing morphine-induced delay in gastric emptying, BAMBER, P. A., *et al.*, (*ARS*) 1331P
——, delayed by morphine, effect of cisapride, ROWBOTHAM, D. J., *et al.* 536
——, effect of anxiety in preoperative patients, SIMPSON, K. H., *et al.* 540
Gastric insufflation, inflation pressure and rapid sequence induction, LAWES, E. G., *et al.* 315
Gauge, spinal needles and headache, HOEL, T. M., *et al.*, (*C*) 808
General anaesthesia, acute dilation of the stomach during general anaesthesia. *A Case Report*, KUMAR, C. M., *et al.* 1192
——, and spinal anaesthesia, influence on haemostasis during total hip arthroplasty, DAVIS, F. M., *et al.* 561
——, disposition of nalbuphine in patients undergoing general anesthesia, SEAR, J. W., *et al.* 572
——, effects on reaction time in elderly patients undergoing endoscopic urological surgery, SMITH, C. M., *et al.*, (*ARS*) 1330P
——, fetotoxic potential in relation to pregnancy, KONIECZKO, K. M., *et al* 449
——, for Caesarean section, maternal and neonatal responses to alfentanil before induction, DANN, W. L., *et al.* 1392
——, for carbon dioxide laser surgery within the airway. *A Review*, PAES, M. L. 1610
——, in mothers with severe pre-eclampsia/eclampsia, CONNELL, H., *et al.* 1375
——, or hypobaric subarachnoid anaesthesia, metabolic response to total hip arthroplasty, DAVIS, F. M., *et al.* 725
General anaesthesia, prospective, multi-centre trial of mortality following general or spinal anaesthesia for hip fracture surgery in the elderly, DAVIS, F. M., *et al.* 1080
——, relationship between lower oesophageal contractility, clinical signs and halothane concentration during general anaesthesia, and surgery in man, EVANS, J. M., *et al.* 1346
——, unconscious perception during general anaesthesia, WILSON, M. E., *et al.*, (*C*) 1333
Glucoregulatory hormonal response, to surgery, β-endorphin and ACTH, effect of fentanyl, LACOUMENTA, S., *et al.* 713
Glycopyrrolate, and atropine, comparative effects on cognitive function following general anaesthesia, SIMPSON, K. H., *et al.* 966
——, and edrophonium in different combinations, heart rate responses, DODD, P., *et al.*, (*ARS*) 1324P
——, and neostigmine, evaluation of combined effects on the lower oesophageal sphincter, DERRINGTON, M. C., *et al.* 545
Grass FT03 transducer, should not be used for human experiments, SOSIS, M., (*C*) 664
Gravity, effect on the spread of extradural anaesthesia for Caesarean section, NORRIS, M. C., *et al.* 338
Guidelines in Clinical Anaesthesia, HUTTON, P., *et al.*, (*R*) 271
Gynaecological surgery, minor, comparison of nalbuphine, pethidine and placebo as premedication, CHESTNUTT, W. N., *et al.* 576

H-2 antagonists, effects on the elimination of bupivacaine, NOBLE, D. W., *et al.* 735
Haematological changes, caused by nitrous oxide. *Cause for Concern?*, GILLMAN, M. A., (*E*) 143
Haemodilution, prior, with fluorocarbon emulsions for prophylactic treatment of myocardial ischaemia, FAITHFULL, N. S., *et al.*, (*ARS*) 124P
Haemodynamic disturbances, during anaesthesia in a patient receiving verapamil, LEWIS, G. B. H., (*C*) 1337
Haemodynamic effects, of prolonged infusion of propofol as a supplement to nitrous oxide anaesthesia. *Studies in Association with Peripheral Arterial Surgery*, MONK, C. R., *et al.* 954
——, of the i.v. administration of cimetidine or ranitidine in the critically ill patient. *A Double-Blind Prospective* Study, SMITH, C. L., *et al.* 1397
——, following surgical release of increased intra-abdominal pressure, SHELLY, M. P., *et al.* 800
——, of vecuronium, pancuronium and atracurium in patients with coronary artery disease, FERRES, C. J., *et al.* 305
Haemodynamic responses, comparison of propofol and thiopentone for induction of anaesthesia in ASA III patients, BONE, M. E., *et al.*, (*ARS*) 1318P
Haemostasis, influence of spinal and general anaesthesia during total hip arthroplasty, DAVIS, F. M., *et al.* 561
Halothane, anaesthesia, blockade of contralateral carotid sinus nerve enhances ipsilateral nerve action potential under halothane anaesthesia, BEHNIA, R., *et al.* 489
——, and isoflurane, comparison of the ventilatory depressant effects in routine surgery, ALAGESAN, K., *et al.* 1070
——, combined with i.v. verapamil anaesthesia resulting in cardiac arrest, MØLLER, I. W., (*C*) 522
——, compared with isoflurane as a supplement to nitrous oxide for Caesarean delivery, GHALY, R. G., *et al.*, (*ARS*) 136P
——, enflurane and isoflurane on bronchomotor tone in anaesthetized ponies, WATNEY, G. C. G., *et al.* 1022
——, enflurane and isoflurane to potentiate neuromuscular blockade produced by alcuronium, KEENS, S. J., *et al.* 1011

——, in the Doldrums, SPENCE, A. A., (*E*) 529
Halothane, isoflurane and enflurane, effects on ventilation in children, WREN, W. S., *et al.* 399
——, or alfentanil, comparison of recovery for minor surgery, MOSS, E., *et al.* 970
Halothane-associated hepatitis, specific antibodies to halothane-induced liver antigens, KENNA, J. G., *et al.* 1286
Halothane concentration, relationship with lower oesophageal contractility and clinical signs during general anaesthesia and surgery in man, EVANS, J. M., *et al.* 1346
Halothane-induced liver antigen, antibody to, SPENCE, A. A., (*E*) 1202
Handbook of Local Anaesthesia, MALAMED, S. F., (*R*) 1064
Handbook of Neuroanaesthesia : Clinical and Physiologic Essentials, NEWFIELD, P., *et al.*, (editors), (*R*) 947
Headache, postoperative, influence of fasting in day-stay patients, BELL, P. F., *et al.*, (*ARS*) 934P
——, spinal needles and gauge, HOEL, T. M., *et al.*, (*C*) 808
Head and neck surgery, major, involving tracheotomy, arterial oxygenation after head and neck surgery, CAMPBELL, I. T., *et al.* 1121
Head Injury and the Anaesthetist. Monographs in Anaesthesiology , No. 14, FITCH, W., *et al.*, (editors), (*R*) 1481
Heart disease, cyanotic, in children, alveolar deadspace, FLETCHER, R., (*ARS*) 928P
Heart rate changes, and palmar sweat during stress response attenuation with alfentanil, MARYNIAK, J. K., *et al.*, (*ARS*) 133P
——, in anaesthetists and surgeons, HANNON, V., *et al.*, (*ARS*) 656P
Heart rate responses, to different combinations of edrophonium and glycopyrrolate, DODD, P., *et al.*, (*ARS*) 1324P
Heat and moisture exchangers, in artificial ventilation. *An Experimental Study of the Effect of Gas Leakage*, TILLING, S. E., *et al.* 1181
Heat production, and energy expenditure following surgery, CARLI, F., (*ARS*) 657P
Hepatitis, halothane-associated, specific antibodies to halothane-induced liver antigens, KENNA, J. G., *et al.* 1286
High frequency jet ventilation, estimation of arterial P_{CO_2} in the dog, MORTIMER, A. J., *et al.* 240
——, the influence of different methods of injection on respiratory parameters, BENHAMOU, D., *et al.* 1257
——, the influence of gas flow, inspiration time and ventilatory frequency on gas transport in healthy anaesthetized dogs, SPOELSTRA, A. J. G., *et al.* 1298
High frequency oscillation, compared with conventional ventilation, effects on hyaline membrane formation in a rabbit model of neonatal respiratory distress syndrome, SANDHAR, B. K., *et al.*, (*ARS*) 931P
High frequency ventilation, frequency dependence of the mechanical response of the ventilatory system to high frequency ventilation, LIN, E. S., *et al.*, (*ARS*) 661P
High frequency ventilator, breathing system, assessment for use in the operating theatre. *An Experimental and Clinical Study*, SHERRY, K. M., *et al.* 510
Hip arthroplasty, total, metabolic response under hypobaric subarachnoid or general anaesthesia, DAVIS, F. M., *et al.* 725
Hip fracture surgery, in the elderly, prospective, multi-centre trial of mortality following spinal or general anaesthesia for hip fracture surgery, DAVIS, F. M., *et al.* 1080
Hodgkin's disease, pulmonary oedema following airway obstruction in a patient with Hodgkin's disease, PRICE, S. L., *et al.* 518
Horace Wells, a British footnote to the life of Horace Wells, WILDSMITH, J. A. W., (*E*) 1067
Horse, anaesthetized in dorsal recumbency, selective mechanical ventilation of dependent lung regions, NYMAN, G., *et al.* 1027
Human factors, in accidents, ALLNUTT, M. F. 856
Hunger, and thirst, effect of preoperative oral fluid, MALTBY, J. R., *et al.*, (*ARS*) 1329P
Huntington's chorea, is midazolam a suitable induction agent?, RODRIGO, M. R. C., (*C*) 388
Hyaline membrane formation, decreased by high PEEP in surfactant deficient lungs, ARGIRAS, E. P., *et al.* 1278
——, in a rabbit model of neonatal respiratory distress syndrome, comparison of the effects of conventional ventilation and high frequency oscillation, SANDHAR, B. K., *et al.*, (*ARS*) 931P
——, reduction by the use of high PEEP, ARGIRAS, E., *et al.*, (*ARS*) 124P
Hypersensitivity, acute (type 1) to i.v. diazemuls, DEARDON, D. J., *et al.*, (*C*) 391
Hypersensitivity reactions, and allergic reactions of anaesthetic agents, investigation, WATKINS, J. 104
Hypertension, postoperative, continuous i.v. infusion of labetalol for hypertension. *Haemodynamic Effects and Plasma Kinetics*, CHAUVIN, M., *et al.* 1250
——, severe, pregnancy-induced and hypertension-aggravated, fentanyl–droperidol supplementation of rapid sequence induction, LAWES, E. G., *et al.* 1381
Hyperventilation, passive, investigation of the effect on seizure duration in patients having electroconvulsive therapy, CHATER, S. N., *et al.*, (*ARS*) 941P
Hypotension, induced, as a measure of opiate requirement, BOLISTON, T. A., (*ARS*) 131P
——, induced by nitroglycerine, effect on canine spinal cord blood flow, SPARGO, P. M., *et al.* 640
——, induced by trimetaphan in man, causing EEG depression, prevented by isoflurane, LLOYD-THOMAS, A. R., *et al.*, (*ARS*) 661P
——, isoflurane-induced, cerebral blood flow and metabolism during hypotension in patients subjected to surgery for cerebral aneurysms, MADSEN, J. B., *et al.* 1204
——, isoflurane-induced, potentiated by clonidine premedication, WOODCOCK, T. E., *et al.*, (*ARS*) 1319P
Hypothermia, effects on somatosensory evoked responses in man, RUSS, W., *et al.* 1484
Hypoxia, propanolol increases oxygen utilization during hypoxia, KHAMBATTA, H. J., *et al.* 1171
——, tissue responses to. *Biochemistry and Pathology*, WEBSTER, N. R., *et al.* 760

IHFV, Interrupted high frequency ventilation, CHAKRABARTI, M. K., *et al.*, (*ARS*) 928P
Inductance plethysmography, studies of acute ventilatory changes during i.v. induction of anaesthesia with thiopentone or propofol in man, GROUNDS, R. M., *et al.* 1098
Indwelling arterial cannulae, minimum volume of discard for valid blood sampling, CLAPHAM, M. C. C., *et al.* 232
Infants, and children, estimation of nasotracheal tube length, YATES, A. P., *et al.*, (*C*) 524
Inflation pressure, gastric insufflation and rapid sequence induction, LAWES, E. G., *et al.* 315
Inhalation anaesthetics, causing environmental pollution, SPENCE, A. A. 96
Injection methods, influence of different methods on respiratory parameters using high frequency jet ventilation, BENHAMOU, D., *et al.* 1257
Intensive care unit, possible role of vacuum systems and compressed air generators, BJERRING, P., *et al.* 648
Intensive therapy unit, clinical experience and plasma

laudanosine concentrations during the infusion of atracurium, YATE, P. M., *et al.* 211
Intercostal nerve blockade, radiographic study in healthy volunteers, CROSSLEY, A. W. A., *et al.* 149
International Anesthesiology Clinics. Anaphylactoid Reactions in Anesthesia, SAGE, D. J., (editor), (*R*) 393
Interrupted high frequency ventilation (IHFV), CHAKRABARTI, M. K., *et al.*, (*ARS*) 928P
Intra-abdominal pressure swings, during breathing reflect changes in abdominal muscle activity after abdominal surgery, DUGGAN, J., *et al.*, (*ARS*) 1326P
Intracerebral aneurysm, monitoring of axillary arterial pressure in a patient with Buerger's disease requiring clipping of an intracerebral aneurysm, YACOUB, O. F., *et al.* 1056
Intracranial hypertension, and caudal anaesthesia, ABOULEISH, E., *et al.*, (*C*) 1478
——, is it aggravated initially by a bolus of mannitol? *A Study at Various* Pa_{CO_2} *Tensions in Dogs*, ABOU-MADI, M., *et al.* 630
Intracranial pressure, and extradural blockade, SELWYN CRAWFORD, J., (*C*) 1478
——, and systemic arterial pressure in traumatic coma, influence of bolus doses of phenoperidine, BINGHAM, R. M., *et al.* 592
Intraocular pressure, changes associated with the administration of propofol, VANACKER, B., *et al.* 1514
——, comparison of the effects of etomidate and thiopentone, CALLA, S., *et al.* 437
——, effects of propofol and thiopentone associated with induction of anaesthesia and tracheal intubation (facilitated with suxamethonium) MIRAKHUR, R. K., *et al.* 431
Intraoperative pulmonary embolism, massive, in a child, GOODMAN, N. W., *et al.* 1059
Intraperitoneal sufentanil, and extradural, in the rat: analgesia, antagonism and plasma drug concentrations, MADEJ, T., *et al.*, (*ARS*) 932P
Intrathecal, and extradural opioid analgesia in Sweden. *A Nationwide Follow-up Survey*, RAWAL, N., *et al.* 791
——, or extradural: which approach for surgery? WILDSMITH, J. A. W., (*E*) 397
Intrathecal midazolam, in the rat: evidence for spinally-mediated analgesia, GOODCHILD, C. S., *et al.* 1563
Intrathecal sufentanil, as a supplement to subarachnoid anaesthesia with lignocaine, DONADONI, R., *et al.* 1523
Intubating forceps, a new design, BURTLES, R., (*C*) 1475
Intubation, lignocaine fails to attenuate the cardiovascular response to laryngoscopy and intubation, MILLER, C. D., *et al.*, (*ARS*) 1325P
——, oral *v.* nasal, in adult cardiac surgery, DEPOIX, J. P., *et al.* 167
——, rapid sequence, vecuronium or suxamethonium, which is better?, MARTIN, C., *et al.* 1240
Isoflurane, and halothane, comparison of the ventilatory depressant in routine surgery, ALAGESAN, K., *et al.* 1070
——, and malignant hyperpyrexia. *A Case Report*, THOMAS, D. W., *et al.* 1196
——, and nitrous oxide anaesthesia, liver function in children undergoing daily anaesthesia, POWER, S. J., *et al.*, (*ARS*) 1319P
——, as a supplement to nitrous oxide for Caesarean delivery: comparison with halothane, GHALY, R. G., *et al.*, (*ARS*) 136P
——, cerebrovascular effects in man. *Intracranial Pressure and Middle Cerebral Artery Flow Velocity*, LUNDARY, T., *et al.* 1208
——, compared with propofol maintenance in a study of recovery from outpatient anaesthesia, MILLIGAN, K. R., *et al.*, (*ARS*) 134P
——, effect on the auditory evoked response in man, HENEGHAN, C. P. H., *et al.* 277
Isoflurane, halothane and enflurane, effect on bronchomotor tone in anaesthetized ponies, WATNEY, G. C. G., *et al.* 1022
——, halothane and enflurane, effects on ventilation in children, WREN, W. S., *et al.* 399
——, halothane and enflurane, to potentiate the neuromuscular blockade produced by alcuronium, KEENS, S. J., *et al.* 1011
——, in a circle system with low gas flow, REVELL, S. P., *et al.* 1219
——, in dental anaesthesia for children, BLACK, G. W., (*C*) 522
——, in nitrous oxide at 1.3 and 1.5 MAC, anaesthesia for quantitative EEG analysis, SCHWILDEN, H., *et al.* 738
——, laparoscopy, blood-gas values and minor sequelae associated with three techniques based on isoflurane, KENEFICK, J. P., *et al.* 189
——, prevents EEG depression by trimetaphan-induced hypotension in man, LLOYD-THOMAS, A. R., *et al.*, (*ARS*) 661P
——, single breath induction of anaesthesia with isoflurane, LAMBERTY, J. M., *et al.* 1214
Isoflurane anaesthesia, naloxone does not influence breathing during isoflurane anaesthesia, DRUMMOND, G. B., *et al.* 444
Isoflurane-induced hypotension, cerebral blood flow and metabolism during hypotension in patients subjected to surgery for cerebral aneurysms, MADSEN, J. B., *et al.* 1204
——, potentiated by clonidine premedication, WOODCOCK, T. E., *et al.*, (*ARS*) 1319P
I.V. anaesthetics, toxicity, SEAR, J. W. 24

Jet ventilation, measurement of true tidal volume during jet ventilation, YOUNG, J. D., *et al.*, (*ARS*) 937P

Ketamine, diazepam, morphine and naloxone, effects on the uptake of potassium into astrocytes, FINEGAN, B. A., *et al.*, (*ARS*) 655P

Labetalol, continuous i.v. infusion for postoperative hypertension. *Haemodynamic Effects and Plasma Kinetics*, CHAUVIN, M., *et al.* 1250
Labour, continuous extradural analgesia. *Comparison Between "On Demand" and Relgular "Top-up" Injections*, PURDY, G., *et al.* 319
——, extradural analgesia using alfentanil during labour, HEYTENS, L., *et al.* 331
——, extradural infusion of 0.125% bupivacaine at 10 ml h^{-1} to women during labour, BOGOD, D. G., *et al.* 325
——, extradural pressure during, SHAH, J. L., *et al.*, (*ARS*) 127P
Lack anaesthetic breathing system, compared with the Magill system in anaesthetized patients, MILLAR, S. W., *et al.*, (*ARS*) 930P
Laparoscopy, blood-gas values and minor sequelae associated with three techniques based on isoflurane, KENEFICK, J. P., *et al.* 189
Laryngoscopy, and intubation, lignocaine fails to attenuate the cardiovascular response to laryngoscopy and intubation, MILLER, C. D., *etal.*, (*ARS*) 1325P
——, with and without tracheal intubation, cardiovascular and catecholamine responses, SHRIBMAN, A. J., *et al.* 295
Laudanosine, cardiovascular and neurological effects in mice, rats, conscious and anaesthetized dogs, CHAPPLE, D. J., *et al.* 218
——, clinical experience and plasma concentration during the infusion of atracurium in the intensive therapy unit, YATE, P. M., *et al.* 211
Law and anaesthesia, the North American experience, CHENEY, F. W. 891

Lectures in Anaesthesiology, 1986/1, ZORAB, J. S. M., *et al.*, (editors), (*R*) 270
Lectures in Anaesthesiology, 1985/2, ZORAB, J. S. M., *et al.*, (editors), (*R*) 269
Legal obligations, and responsibilities of the medical practitioner, FINCH, J. D. 870
Leicester Micropalliator, compared with the Cardiff Palliator in the relief of postoperative pain, VICKERS, A. P., *et al.* 503
Lignocaine, i.v., effect on pain and the endocrine metabolic responses after surgery, BIRCH, K., *et al.* 721
——, i.v., fails to attenuate the cardiovascular response to laryngoscopy and intubation, MILLER, C. D., *et al.*, (*ARS*) 1325P
——, supplemented with intrathecal sufentanil for subarachnoid anaesthesia, DONADONI, R., *et al.* 1523
——, topical, effect on the sympathoadrenal responses to tracheal intubation, DERBYSHIRE, D. R., *et al.* 300
Lithium treatment, guidelines for patients receiving lithium treatment who require major surgery, SCHOU, M., *et al.*, (*C*) 809
Liver antigen, antibody to halothane-induced liver antigen, SPENCE, A. A., (*E*) 1202
Liver Failure, WILLIAMS, R., (editor), (*R*) 1063
Liver function, in children undergoing daily nitrous oxide and isoflurane anaesthesia, POWER, S. J., *et al.*, (*ARS*) 1319P
Local anaesthetics, adverse effects, REYNOLDS, F. 78
Lockout interval, in patient-controlled analgesia: a rational basis for choice? OWEN, H., *et al.*, (*ARS*) 1328P
Lorazepam, for premedication, dose requirements of propofol by infusion during nitrous oxide anaesthesia in man, TURTLE, M. J., *et al.* 283
Lower abdominal field block, and venous plasma (total) bupivacaine concentrations, MARTIN, J., *et al.* 1425
Lower oesophageal contractility, relationship with clinical signs and halothane concentration during general anaesthesia and surgery in man, EVANS, J. M., *et al.* 1346
Lower oesophageal sphincter, evaluation of the combined effects of glycopyrrolate and neostigmine on the lower oesophageal sphincter, DERRINGTON, M. C., *et al.* 545
Low-flow circle systems, nitrous oxide/oxygen and nitrogen/oxygen, WEATHERILL, D., *et al.*, (*ARS*) 929P
Lumbar sympathectomy, spread of radiopharmaceuticals following a single-needle technique, GOUCKE, C. R., *et al.*, (*C*) 944
Lung function, during reduced pulmonary perfusion, FLETCHER, R., (*ARS*) 652P
Lung perfusion, effects during halothane anaesthesia and spontaneous breathing. Congenital heart malformations and ventilatory efficiency in children, LINDAHL, S. G. E., *et al.* 410
Lysine acetyl salicylate, pre-treatment, effect on suxamethonium-induced myalgia, NAGUIB, M., *et al.* 606

Magill anaesthetic breathing system, compared with the lack system in anaesthetized patients, MILLAR, S. W., *et al.*, (*ARS*) 930P
Magnesium, and calcium content of skeletal muscle. *Studies in Subjects Undergoing Diagnostic Testing for Malignant Hyperthermia*, NELSON, T. E., *et al.* 730
Malignant hyperpyrexia, and isoflurane. *A Case Report*, THOMAS, D. W., *et al.* 1196
——, effects of adenylate cyclase activators on porcine skeletal muscle in malignant hyperpyrexia, SIM, A. T. R., *et al.* 1557
Malignant hyperpyrexia susceptible (MHS) individuals, work capacity, CAMPBELL, I. T., *et al.*, (*ARS*) 937P
Malignant hyperthermia, and neuroleptic malignant syndrome. In Vitro *Comparison with Halothane and Caffeine Contracture Tests*, KRIVOSIC-HORBER, R., *et al.* 1554
Malignant hyperthermia, calcium and magnesium content of skeletal muscle in subjects undergoing diagnostic testing for MH, NELSON, T. E., *et al.* 730
Mannitol, bolus, does it initially aggravate intracranial hypertension? *A Study of Various* Pa_{CO_2} *Tensions in Dogs*, ABOU-MADI, M., *et al.* 630
Maternal mortality, anaesthetic contribution, MORGAN, M. 842
600 MCQs in Anaesthesia: Basic Sciences, SIMPSON, P. J., *et al.*, (*R*) 393
600 MCQs in Anaesthesia: Clinical Practice, SIMPSON, P. J., *et al.*, (*R*) 1064
Mechanical ventilation, selective, of dependent lung regions in the anaesthetized horse in dorsal recumbency, NYMAN, G., *et al.* 1027
Medico–legal aspects, and complications of anaesthesia, SMITH, G., *et al.*, (*E*) 813
Meptazinol, and pethidine, ventilatory effects in anaesthetized patients, LEE, A., *et al.* 1127
——, disposition and pharmacokinetics in the CSF. *Studies after Intrathecal Administration in the Non-Human* Primate Erythrocebus patas, DHIRI, A. K., *et al.* 1140
——, for postoperative pain relief in man. *Comparison of Extradural and I.m. Administration*, VERBORGH, C., *et al.* 1134
Metabolic effects, of dopamine, DUCKWORTH, R., *et al.*, (*ARS*) 942P
Methionine synthase, rat fetal, inhibition by nitrous oxide. *An* In Vitro *Study*, BADEN, J. M., *et al.* 1040
Methohexitone, and 2,6 di-isopropyl phenol compared. Single-shot i.v. anaesthesia for outpatient dental surgery, LOGAN, M. R., *et al.* 179
——, and thiopentone, effect of low dose sufentanil pretreatment on the induction dose and characteristics, FURNESS, G., *et al.*, (*ARS*) 935P
——, i.v. and rectal, pharmacokinetics in children, BJÖRKMAN, S., *et al.* 1541
——, or propofol, seizure duration after induction of anaesthesia for electroconvulsive therapy (ECT), SIMPSON, K. H., *et al.*, (*ARS*) 1323P
Metabolic blood-gas tensions, relationships among ventilation–perfusion distribution and multiple inert gas methodology, LEE, A. ST. J., *et al.* 1579
Metabolic response, to total hip arthroplasty under hypobaric subarachnoid or general anaesthesia, DAVIS, F. M., *et al.* 725
Metoclopramide, and cyclizine, anti-emetic action compared with that of manual and electro acupuncture, FITZPATRICK, K. T. J., *et al.*, (*ARS*) 936P
——, is less effective than cisapride in preventing morphine-induced delay in gastric emptying, BAMBER, P. A., *et al.*, (*ARS*) 1331P
Mice, and rats, distribution and kinetics of ^{14}C-vecuronium, WASER, P. G., *et al.* 1044
——, rats, conscious and anaesthetized dogs, studies of cardiovascular and neurological effects of laudanosine, CHAPPLE, D. J., *et al.* 218
Midazolam, by mouth, compared with diazepam i.v. in outpatient oral surgery, O'BOYLE, C. A., *et al.* 746
——, double-blind study of the reversal of midazolam-supplemented general anaesthesia with Ro 15-1788, ALON, E., *et al.* 455
——, influence of volatile anaesthetic agents on the pharmacokinetics of midazolam, HEWITT, A. J., *et al.*, (*ARS*) 1324P
——, infusion, pharmacokinetics following open heart surgery in paediatric patients, MATHEWS, H. M. L., *et al.*, (*ARS*) 934P
——, intrathecal, in the rat: evidence for spinally-mediated analgesia, GOODCHILD, C. S., *et al.* 1563

Midazolam, intrathecal, in the rat, evidence for spinally-mediated analgesia, SERRAO, J. M., *et al.*, (*ARS*) 125P
——, is it a suitable induction agent in Huntington's chorea, RODRIGO, M. R. C., (*C*) 388
——, pharmacokinetics in total i.v. anaesthesia, PERSSON, P., *et al.* 548
——, sedation following open heart surgery, MATHEWS, H. M. L., *et al.* 557
——, sedation, reversal with anexate, SAGE, D. J., *et al.* 459
Monitoring, bane or blessing? HANNING, C. D., (*E*) 1201
——, essential, SYKES, M. K. 901
Morphine, diazepam, ketamine and naloxone, effects on the uptake of potassium into astrocytes, FINEGAN, B. A., *et al.*, (*ARS*) 655P
——, effects of temperature on the interaction of morphine with opioid receptors, PUIG, M. M., *et al.* 1459
——, extradural, effects on somatosensory evoked potentials to dermatomal stimulation, LUND, C., *et al.* 1408
——, induced delay in gastric emptying, effect of cisapride, ROWBOTHAM, D. J., *et al.* 536
——, intrathecal compared with intramuscular papaveretum analgesia, a study of the effects on gastric emptying, ENGLAND, D. W., *et al.* 1403
Mortality, prospective, multi-centre trial of mortality following general or spinal anaesthesia for hip fracture surgery in the elederly, DAVIS, F. M., *et al.* 1080
Mouse hemidiaphragm preparation, tubocurarine and pancuronium inhibit evoked release of acetylcholine, VIZI, E. S., *et al.* 226
Multiple inert gas methodology, relationships with ventilating–perfusion distribution and metabolic blood-gas tensions, LEE, A. ST J., *et al.* 1579
Munchausen's syndrome, and dangers of anaesthesia, FRATER, R. A. S., *et al.* 1472
Muscarinic agonists, and atropine, inhibition and facilitation of neuromuscular transmission at the rat neuromuscular function, DARK, C. H., *et al.*, (*ARS*) 657P
Muscle Relaxants. Basic and Clinical Aspects, KATZ, R. L., (editor), (*R*) 392
Muscle Relaxants: Side Effects and a Rational Approach to Selection, AZAR, I., (editor), (*R*) 1481
Mutagenicity, of the combination of a volatile anaesthetic and nitrous oxide, BADEN, J. M., *et al.* 772
Myalgia and fasciculations, induced by suxamethonium, effect of stretch exercises, MAGEE, D. A., *et al.* 596
——, suxamethonium-induced, effect of pre-treatment with lysine acetyl salicylate, NAGUIB, M., *et al.* 606
——, (suxamethonium-induced), myoglobin and creatinine kinase changes all reduced by dantrolene, MCKEAN, J. E., *et al.*, (*ARS*) 129P
Myasthenia gravis, and cardiac surgery. *A Case Report*, APS, C., *et al.* 265
Myocardial dysfunction, regional, induced by verapamil–halothane, reversed by calcium, LEONE, B. J., *et al.*, (*ARS*) 652P
Myocardial ischaemia, prophylactic treatment by prior haemodilution with flurorocarbon emulsions, FAITHFULL, N. S., *et al.*, (*ARS*) 124P
Myoglobin, and creatinine kinase serum concentrations following surgery, LAURENCE, A. S., (*ARS*) 939P
Myoglobin changes, creatinine kinase changes and suxamethonium-induced myalgia, all reduced by dantrolene, MCKEAN, J. E., *et al.*, (*ARS*) 129P
Myotonica dystrophica, anaesthesia for major abdominal surgery in a patient with myotonica dystrophica, CASTANO, J., *et al.* 1629

Nalbuphine, compared with buprenorphine, constant i.v. infusions for pain after abdominal surgery, PUGH, G. C., *et al.* 1364
——, compared with buprenorphine for pain in patients following abdominal surgery, PUGH, G. G., *et al.*, (*ARS*) 133P
Nalbuphine, compared with pethidine and placebo as premedication for minor gynaecological surgery, CHESTNUTT, W. N., *et al.* 576
——, disposition during anaesthesia, SEAR, J. W., *et al.*, (*ARS*) 132P
——, disposition in patients undergoing general anaesthesia, SEAR, J. W., *et al.* 572
——, oral, pharmacokinetics in postoperative patients, KAY, B., *et al.*, (*ARS*) 1327P
Nalbuphine hydrochloride, a dose–response study for pain in patients after upper abdominal surgery, PUGH, G. C., *et al.* 1356
——, and naloxone, effects on the ventilatory response to carbon dioxide in volunteers, PUGH, G. C., *et al.*, (*ARS*) 929P
——, dose–response study for pain after upper abdominal surgery, PUGH, G. C., *et al.*, (*ARS*) 132P
Naloxone, and nalbuphine hydrochloride, effects on the ventilatory response to carbon dioxide in volunteers, PUGH, G. C., *et al.*, (*ARS*) 929P
——, diazepam, ketamine and morphine, effects on the uptake of potassium into astrocytes, FINEGAN, B. A., *et al.*, (*ARS*) 655P
——, does not influence breathing during isoflurane anaesthesia, DRUMMOND, G. B., *et al.* 444
Nasal mucociliary clearance, effect of nasotracheal intubation, ELWANY, S., *et al.* 755
Nasotracheal intubation, effect on nasal mucociliary clearance, ELWANY, S., *et al.* 755
Nasotracheal tube length, estimation in infants and children, YATES, A. P., *et al.*, (*C*) 524
Neonatal respiratory distress syndrome, a rabbit model, comparison of the effects of conventional ventilation and high frequency oscillation on hyaline membrane formation, SANDHAR, B. K., *et al.*, (*ARS*) 931P
Neostigmine, and tubocurarine, interaction with adrenaline at the skeletal neuromuscular junction, DRURY, P. J., *et al.* 784
——, compared with edrophonium administered at 5% twitch height recovery, antagonized by vecuronium and atracurium, CALDWELL, J. E., *et al.* 478
——, in the antagonism of the action of atracurium, FOX, M. A., *et al.* 468
——, or edrophonium to antagonize the vecuronium-induced neuromuscular blockade, MIRAKHUR, R. K., *et al.* 473
——, use in the antagonism of residual neuromuscular blockade produced by vecuronium, JONES, J. E., *et al.* 1454
Neonatal Anaesthesia and Perioperative Care, 2nd Edn. *Current Topics in Anaesthesia*, series 5, HATCH, D. J. *et al.*, (*R*) 272
Neostigmine, and glycopyrrolate, evaluation of the combined effects on the lower oesophageal sphincter, DERRINGTON, M. C., *et al.* 545
——, is longer acting than edrophonium when antagonizing vecuronium or atracurium, HENNIS, P. J., *et al.*, (*ARS*) 651P
——, or edrophonium to antagonize neuromuscular blockade produced by vecuronium, electrical and mechanical responses, ASTLEY, B. A., *et al.* 983
Nerve blockade, differential, esters *v.* amides, WILDSMITH, J. A. W., *et al.*, (*ARS*) 127P
Neuroleptic malignant syndrome and malignant hyperthermia. In Vitro *Comparison with Halothane and Caffeine Contracture Tests*, KRIVOSIC-HORBER, R., *et al.* 1554
Neurological effects, and cardiovascular effects of laudanosine. *Studies in Mice and Rats, and in Conscious and Anaesthetized Dogs*, CHAPPLE, D. J., *et al.* 218

Neuromuscular block, non-depolarizing, comparison of fade of train-of-four during onset of neuromuscular block, GIBSON, F. M., *et al.*, (*ARS*) 659P
——, simple feed-back control of, CLUTTON-BROCK, T. H., *et al.*, (*ARS*) 135P
Neuromuscular blockade, factors influencing evoked-reversal, JONES, R. M., *et al.*, (*ARS*) 658P
——, induced by atracurium and suxamethonium, onset and recovery with simultaneous train-of-four and single twitch stimulation, CURRAN, M. J., *et al.* 989
——, induced by vecuronium antagonized with edrophonium or neostigmine, MIRAKHUR, R. K., *et al.* 473
——, intense, caused by atracurium, relationship of post-tetanic count and train-of-four response, BONSU, A. K., *et al.* 1089
——, produced by alcuronium, potentiation with halothane, enflurane and isoflurane, KEENS, S. J., *et al.* 1011
——, produced by atracurium tetanic fade, in the rat diaphragm preparation, DARK, C. H., *et al.*, (*ARS*) 933P
——, residual, produced by vecuronium, use of neostigmine in the antagonism of neuromuscular blockade, JONES, J. E., *et al.* 1454
——, with alcuronium, recovery of respiration after, ASTLEY, B. A., *et al.* 206
——, with vecuronium, electrical and mechanical responses, and subsequent antagonism with neostigmine or edrophonium, ASTLEY, B. A., *et al.* 983
Neuromuscular blockers, an examination of several, onset and offset, POLLARD, B. J., (*ARS*) 931P
——, different non-depolarizing, interaction with trimetaphan at the neuromuscular junction, POLLARD, B. J., (*ARS*) 130P
Neuromuscular blocking agents, requirements for during prolonged anaesthesia in the anaesthetized dog, CHAPPLE, D. J., *et al.*, (*ARS*) 1321P
Neuromuscular blocking drugs, adverse effects, HUNTER, J. M. 46
Neuromuscular blocking effects, comparison of vecuronium, pancuronium, Org 6368 and suxamethonium in the anaesthetized domestic pig, MUIR, A. W. *et al.* 622
——, non-competitive, of disopyramide: evidence for endplate ion channel block, JONES, S. V. P., *et al.* 776
Neuromuscular effects, of the interaction of adrenaline with neostigmine and tubocurarine, DRURY, P. J., *et al.* 784
Neuromuscular transmission, at the rat neuromuscular junction, facilitated and inhibited by atropine and muscarinic agonists, DARK, C. H., *et al.*, (*ARS*) 657P
Neurosurgical anaesthesia, and nitrous oxide, BARKER, J., (*E*) 146
New South Wales, anaesthetic mortality, HOLLAND, R. 834
New Zealand, no fault compensation for personal injury: some implications for anaesthetists, GIBBS, J. M. 865
Nifedipine, nimodipine, nitrendipine and calcium channel blockers, interaction with ethanol in the rat isolated vas deferens preparation, HAYTER, A., *et al.*, (*ARS*) 935P
Nimodipine, nitrendipine, nifedipine and calcium channel blockers, interaction with ethanol in the rat isolated vas deferens preparation, HAYTER, A., *et al.*, (*ARS*) 935P
Nitrendipine, nimodipine, nifedipine and calcium channel blockers, interaction with ethanol in the rat isolated vas deferens preparation, HAYTER, A., *et al.*, (*ARS*) 935P
Nitroglycerine, induced hypotension, effect on canine spinal cord blood flow, SPARGO, P. M., *et al.* 640
Nitrous oxide anaesthesia in man, dose requirements of propofol by infusion. II: *Patients Premedicated with Lorazepam*, TURTLE, M. J., *et al.* 283
——, supplemented by prolonged infusion of propofol, haemodynamic effects. *Studies in Association with Peripheral Arterial Surgery*, MONK, C. R., *et al.* 954
Nitrous oxide anaesthesia, and isoflurane anaesthesia, liver function in children undergoing daily anaesthesia, POWER, S. J., *et al.*, (*ARS*) 1319P
——, and vitamin B_{12} clinical aspects of the interaction, NUNN, J. F. 3
——, causing haematological changes. *Cause for Concern?*, GILLMAN, M. A., (*E*) 143
——, fentanyl and their combination, reproductive and teratogenic effects in Sprague–Dawley rats, MAZZE, R. I., *et al.* 1291
——, in neurosurgical anaesthesia, BARKER, J., (*E*) 146
——, supplemented with isoflurane or halothane for Caesarean delivery, GHALY, R. G., *et al.*, (*ARS*) 136P
——, to inhibit rat fetal methionine synthase. *An* In Vitro *Study*, BADEN, J. M., *et al.* 1040
No fault compensation, for personal injury in New Zealand: some implications for anaesthetists, GIBBS, J. M. 865
Non-depolarizing neuromuscular blocking agents, influence of "priming" on the potency, BRADY, M. M., *et al.* 1245
Non-Invasive Respiratory Monitoring, NOCHOMOVITZ, *et al.* (editors), (*R*) 138
"Normal" cuffed tracheal tubes, compared with "streamline" cuffed tracheal tubes, physical and flow characteristics, KALLA, G. N., *et al.* 1621
Nucleophiles, involvement in the inactivation of atracurium, NIGROVIC, V., *et al.* 617

Obstetric Anaesthesia and Analgesia, 3rd Edn, MOIR, D. D., *et al.*, (*R*) 271
Obstetric patient, can one risk fasting for less than 4 hours? LEWIS, M., *et al.* 312
Obstetrics, towards safer anaesthesia, HUNTER, A. R., (*E*) 275
Occupational exposure, to waste anaesthetic gases, use of diffusive samplers for monitoring, GRAY, W. M., *et al.*, (*ARS*) 1325P
Open heart surgery, in paediatric patients, pharmacokinetics of midazolam infusion following open heart surgery, MATHEWS, H. M. L., *et al.*, (*ARS*) 934P
——, midazolam sedation following open heart surgery, MATHEWS, H. M. L., *et al.* 557
Open loop control, of propofol infusions, TACKLEY, R. M., *et al.*, (*ARS*) 935P
Opiate requirement, measured by induced hypotension, BOLISTON, T. A., (*ARS*) 131P
Opioid agonists and partial agonists, potency ratio, KAY, B., (*C*) 810
Opioid analgesia, extradural and intrathecal, present state in Sweden. *A Nationwide Follow-up Survey*, RAWAL, N., *et al.* 791
Opioid analgesic drugs, adverse effects, DUTHIE, D. J. R., *et al.* 61
Opioid receptors, interaction with morphine and the effect of temperature, PUIG, M. M., *et al.* 1459
Oral nalbuphine, pharmacokinetics in postoperative patients, KAY, B., *et al.*, (*ARS*) 1327P
Oral premedication, and fasting, effects on the pH and volume of gastric aspirate in children 678
Oral surgery, outpatient, comparison of midazolam by mouth and diazepam i.v., O'BOYLE, C. A., *et al.* 746
Org 6368, vecuronium, pancuronium and suxamethonium, comparison of the neuromuscular blocking effects in the anaesthetized domestic pig, MUIR, A. W., *et al.* 622
Orofacial Pains: Classification, Diagnosis, Management, 3rd Edn., BELL, W. E., (*R*) 139
Outpatient anaesthesia, recovery from, comparison of propofol and isoflurane maintenance, MILLIGAN, K. R., *et al.*, (*ARS*) 134P
——, recovery in a comparison of incremental propofol and propofol–isoflurane, MILLIGAN, K. R., *et al.* 1111

Oxygen, effect on arterial saturation during induction of anaesthesia with propofol, THOMSON, K. D., *et al.*, (*ARS*) 1318P
Oxygen (21%) and nitrous oxide, or air, arterial oxygen tensions measured continuously in patients breathing N_2O/O_2 or air, SUGIOKA, K., *et al.* 1548
Oxygen Free Radicals in Shock, NOVELLI, G. P., *et al.* (editors), (*R*) 1480
Oxygen therapy, additional blood-gas variables for the rational control of oxygen therapy. *With Allowance for Shifts of the Oxygen Dissociation Curve*, WILLIS, N., *et al.* 1160
——, a proposal for additional blood-gas variables for the rational control of oxygen therapy, MAPLESON, W. W., *et al.* 126P
Oxygen utilization, increased by propanolol during hypoxia, KHAMBATTA, H. J., *et al.* 1171
Oxygenation, arterial, after major head and neck surgery involving tracheotomy, CAMPBELL, I. T., *et al.* 1121

Pa_{CO_2} tensions, a study at various Pa_{CO_2} tensions in dogs; does a bolus of mannitol initially aggravate intracranial hypertension?, ABOU-MADI, M., *et al.* 630
P6 acupuncture, an effective non-toxic anti-emetic in cancer chemotherapy, DUNDEE, J. W., *et al.*, (*ARS*) 1322P
Paediatric patients, pharmacokinetics of midazolam infusion following open heart surgery, MATHEWS, H. M. L., *et al.*, (*ARS*) 934P
Pain, after upper abdominal surgery, dose–response study with nalbuphine hydrochloride, PUGH,G. C., *et al.*, (*ARS*) 132P
——, in patients following abdominal surgery, comparison of buprenorphine and nalbuphine, PUGH, G. G., *et al.*, (*ARS*) 133P
Pain Relief in Labour. A Handbook for Midwives, 5th Edn, MOIR, D. D., (*R*) 140
Pain relief, postoperative, metazinol for pain relief in man. *Comparison of Extradural and I.m. Administration*, VERBORGH, C., *et al.* 1134
Palmar sweat, and heart rate changes during stress response attenuation with alfentanil, MARYNIAK, J. K., *et al.*, (*ARS*) 133P
Palmar sweat changes, and cardiovascular changes in patients undergoing cystoscopy, MARYNIAK, J. K., *et al.*, (*ARS*) 654P
Pancuronium, alcuronium or vecuronium for fixed dose precurarization, side effects and changes in pulmonary function, MOTSCH, J., *et al.* 1528
——, and tubocurarine inhibit evoked release of acetylcholine from the mouse hemidiaphragm preparation, VIZI, E. S., *et al.* 226
——, atracurium and vecuronium in end-stage renal failure. Dose–response properties and interactions with azathioprine, GRAMSTAD, L. 995
——, vecuronium and atracurium, haemodynamic effects in patients with coronary artery disease, FERRES, C. J., *et al.* 305
——, vecuronium, Org 6368 and suxamethonium, comparison of the neuromuscular blocking effects in the anaesthetized domestic pig, MUIR, A. W., *et al.* 622
Papaveretum, intramuscular, compared with intrathecal morphine analgesia, a study of the effects on gastric emptying, ENGLAND, D. W., *et al.* 1403
Paralysis, onset and duration after atracurium and vecuronium given in divided doses, BRADY, M. M., *et al.*, (*ARS*) 657P
Parenteral and Enteral Nutrition, A Practical Guide (3rd Edn, 1986), PHILLIPS, G. D., *et al.*, (*R*) 946
Partial agonists and opioid agonists, potency ratio, KAY, B., (*C*) 810
Passive hyperventilation, investigation of the effect on seizure duration in patients having electroconvulsive therapy, CHATER, S. N., *et al.*, (*ARS*) 941P
Patient-controlled anaesthesia, and a speech-synthesizer, HODSMAN, N., *et al.*, (*ARS*) 126P
——, and the lockout interval: a rational basis for choice?, OWEN, H., *et al.*, (*ARS*) 1328P
PEEP, high, decreases hyaline membrane formation in surfactant deficient lungs, ARGIRAS, E. P., *et al.* 1278
——, high, used to reduce the formation of hyaline membrane, ARGIRAS, E., *et al.*, (*ARS*) 124P
Perinatal Anaesthesia. Contemporary Issues in Fetal and Neonatal Medicine 1, SCANLON, J. W., (*R*) 139
Perioperative analgesic supplement, voltarol (diclofenac), DERBYSHIRE, D. R., *et al.*, (*ARS*) 1327P
Peripheral arterial surgery, studies of haemodynamic effects of prolonged infusion of propofol as a supplement to nitrous oxide anaesthesia, MONK, C. R., *et al.* 954
Personal injury, no fault compensation in New Zealand: some implications for anaesthetists, GIBBS, J. M. 865
Pethidine, and meptazinol, ventilatory effects in anaesthetized patients, LEE, A., *et al.* 1127
——, compared with nalbupine and placebo as premedication for minor gynaecological surgery, CHESTNUTT, W. N., *et al.* 576
——, emetic effects reduced by acupuncture, GHALY, R. G., *et al.*, (*ARS*) 135P
——, or alfentanil infusion, for sedation of ventilated patients in the I.T.U., THOMAS, D. W., (*C*) 807
Pharmacokinetics, and disposition of meptazinol in the CSF. *Studies after Intrathecal Administration in the Non-Human Primate* Erythrocebus patas, DHIRI, A. K., *et al.* 1140
——, of atracurium and its metabolites in patients with normal renal function, and in patients in renal failure, WARD, S., *et al.* 697
——, of i.v. and rectal methohexitone in children, BJÖRKMAN, S., *et al.* 1541
——, of midazolam, influence of volatile anaesthetic agents, HEWITT, A. J., *et al.*, (*ARS*) 1324P
——, of midazolam infusion following open heart surgery in paediatric patients, MATHEWS, H. M. L., *et al.*, (*ARS*) 934P
——, of midazolam in total i.v. anaesthesia, PERSSON, P., *et al.* 548
——, of oral nalbuphine in postoperative patients, KAY, B., *et al.*, (*ARS*) 1327P
——, of propofol during and after i.v. infusion in man, COCKSHOTT, I. D., *et al.*, (*ARS*) 941P
——, of propofol in female patients. *Studies Using Single Bolus Injections*, COCKSHOTT, I. D., *et al.* 1103
Phenoperidine, bolus doses, influence on intracranial pressure and systemic arterial pressure in traumatic coma, BINGHAM, R. M., *et al.* 592
——, extradural, diamorphine, extradural and i.m., double-blind comparison of the efficacy following Caesarean section, MACRAE, D. J., *et al.* 354
Phenotyping, of individuals sensitive to suxamethonium. *The Cholinesterase Research Unit at the Royal Postgraduate Medical School*, WHITTAKER, M., *et al.* 1052
pH paper, which?, CHAFFE, A. 1189
Phrenic nerve–diaphragm preparation, rat, effect of verapamil on calcium influx, WALI, F. A., *et al.* 1571
Pig, anaesthetized domestic, comparative neuromuscular blocking effects of vecuronium, pancuronium, Org 6368 and suxamethonium, MUIR, A. W., *et al.* 622
——, renal perfusion during amino acid infusion in the pig, KIPLING, R., *et al.*, (*ARS*) 1332P
Placental stem villous arteries, human, effects of thiopentone or chlormethiazole, ALLEN, J., *et al.* 1273
Plasma drug concentrations, analgesia and antagonism,

extradural and intraperitoneal sulfentanil in the rat, MADEJ, T., *et al.*, (*ARS*) 932P
Plasma glutathione S-transferase concentrations, in man after enflurane anaesthesia, ALDRIDGE, L. M., *et al.*, (*ARS*) 1319P
Ponies, anaesthetized, effect of halothane, enflurane and isoflurane on bronchomotor tone, WATNEY, G. C. G., *et al.* 1022
Positive end-expiratory pressure, (PEEP), effect on extradural pressure, SHAH, J. L., (*ARS*) 940P
Postoperative headache, influence of fasting in day-stay patients, BELL, P. F., *et al.*, (*ARS*) 934P
Postoperative hypertension, continuous i.v. infusion of labetalol for hypertension. *Haemodynamic Effects and Plasma Kinetics*, CHAUVIN, M., *et al.* 1250
Postoperative pain, a dose–response study with nalbuphine hydrochloride in patients after upper abdominal surgery, PUGH, G. C., *et al.* 1356
——, and the endocrine metabolic responses after surgery, effect of i.v. lignocaine, BIRCH, K., *et al.* 721
——, comparison of the Leicester Micropalliator and the Cardiff Palliator in the relief of postoperative pain, VICKERS, A. P., *et al.* 503
——, constant i.v. infusions of nalbuphine or buprenorphine for pain after abdominal surgery, PUGH, G. C., *et al.* 1364
Postoperative Pain: Understanding its Nature and How to Treat It, HOSKING, J., *et al.*, (*R*) 392
Postoperative paravertebral blocks, for thoracic surgery. *A Radiological Appraisal*, CONACHER, I. D., *et al.* 155
Postoperative patients, pharmacokinetics of oral nalbuphine in postoperative patients, KAY, B., *et al.*, (*ARS*) 1327P
Post-tetanic count, relationship with train-of-four response during intense neuromuscular blockade caused by atracurium, BONSU, A. K., *et al.* 1089
Post-tetanic potentiation, at the rat neuromuscular junction partially blocked by atracurium, SUER, A. H., *et al.*, (*ARS*) 129P
Posture, effect during the induction of subarachnoid analgesia for Caesarean section. *Right* v. *Left Lateral*, RUSSELL, I. F. 342
Potassium, uptake into astrocytes, effects of diazepam, ketamine, morphine and naloxone, FINEGAN, B. A., *et al.*, (*ARS*) 655P
Potassium concentration, plasma, changes in, and adrenoceptor activity after suxamethonium administration in dogs, GOLDHILL, D. R., *et al.* 611
——, plasma, effect of salbutamol and suxamethonium, SLATER, R. M., *et al.* 602
Potassium flux, effect of diazepam on potassium flux in burns patients following the administration of suxamethonium, EARNSHAW, G., *et al.*, (*ARS*) 1331P
Potency, influence of "priming" on the potency of non-depolarizing neuromuscular blocking agents, BRADY, M. M., *et al.* 1245
Potency ratio, between opioid agonists and partial agonists, KAY, B., (*C*) 810
Power spectrum, of the evoked compound action potential of the adductor pollicis with the onset of neuromuscular blockade, HARPER, N. J. N., *et al.* 200
Precurarization, fixed dose, with alcuronium, pancuronium or vecuronium, side effects and changes in pulmonary function, MOTSCH, J., *et al.* 1528
Pre-eclampsia/eclampsia, severe, general anaesthesia in mothers with pre-eclampsia/eclampsia, CONNELL, H., *et al.* 1375
Pregnancy, fetotoxic potential of general anaesthesia, KONIECZKO, K. M., *et al.* 449
Pregnancy-induced hypertension, and pregnancy-aggravated hypertension, severe, fentanyl–droperidol supplementation of rapid sequence induction, LAWES, E. G., *et al.* 1381
Premedication, comparison of nalbuphine, pethidine and placebo for minor gynaecological surgery, CHESTNUTT, W. N., *et al.* 576
Preoperative anxiety, effect on gastric patients, SIMPSON, K. H., *et al.* 540
——, measurement in relation to anaesthesia, BISHOP, V. A., *et al.*, (*ARS*) 653P
Preoperative oral fluid, effect on hunger and thirst, MALTY, J. R., *et al.*, (*ARS*) 1329P
Prescribed medication, do patients fasting before and after surgery receive their prescribed medication, WYLD, R., *et al.*, (*ARS*) 1329P
Pressor response, and catecholamine response to tracheal intubation, effects of alfentanil, CRAWFORD, D. C., *et al.* 707
Pressure reversal, of sedation produced by benzodiazepines? HUNTER, A. B., *et al.*, (*ARS*) 128P
Pretreatment, with ranitidine, WILKINSON, D. J., (*C*) 665
Prick tests, in the diagnosis of anaphylaxis to general anaesthetics, LEYNADIER, F., *et al.* 683
"Priming", influence on the potency of non-depolarizing neuromuscular blocking agents, BRADY, M. M., *et al.* 1245
"Priming Principle", gallamine and atracurium compared, COUTINHO, W., *et al.*, (*ARS*) 131P
Problems in Obstetric Anaesthesia (*Perinatal Practice*, Vol. 3), MORGAN, B., (editor), (*R*) 1480
Prolonged anaesthesia, requirements for neuromuscular blocking agents during prolonged anaesthesia in the dog, CHAPPLE, D. J., *et al.*, (*ARS*) 1321P
Propranolol, increases oxygen utilization during hypoxia, KHAMBATTA, H. J., *et al.* 1171
Propofol, and thiopentone, comparison of the induction characteristics in children, PURCELL-JONES, G., *et al.* 1431
——, as a supplement to nitrous oxide anaesthesia, haemodynamic effects of prolonged infusion. *Studies in Association with Peripheral Arterial Surgery*, MONK, C. R., *et al.* 954
——, changes in intraocular pressure associated with the administration of propofol, VANACKER, B., *et al.* 1514
——, compared with isoflurane maintenance in a study of recovery from outpatient anaesthesia, MILLIGAN, K. R., *et al.*, (*ARS*) 134P
——, depresses carotid body chemoreceptor discharge in rabbits and cats, PONTE, J., *et al.*, (*ARS*) 930P
——, dose requirements by infusion during nitrous oxide anaesthesia in man. II: *Patients Premedicated with Lorazepam*, TURTLE, M. J., *et al.* 283
——, effect of oxygen on arterial saturation during induction of anaesthesia with propofol, THOMSON, K. D., *et al.* (*ARS*) 1318P
——, has it an anti-emetic action?, MCCOLLUM, J. S. C., *et al.*, (*ARS*) 654P
——, incremental, compared with propofol–isoflurane in recovery from outpatient anaesthesia, MILLIGAN, K. R., *et al.* 1111
——, infusions, open loop control, TACKLEY, R. M., *et al.*, (*ARS*) 935P
——, or methohexitone, seizure duration after induction of anaesthesia for electroconvulsive therapy (ECT), SIMPSON, K. H., *et al.*, (*ARS*) 1323P
——, or thiopentone, comparison of the haemodynamic responses for induction of anaesthesia in ASA III patients, BONE, M. E., *et al.*, (*ARS*) 1318P
——, or thiopentone: effects on intraocular pressure associated with induction of anaesthesia and tracheal intubation (facilitated with suxamethonium), MIRAKHUR, R. K., *et al.* 431
——, or thiopentone for i.v. induction of anaesthesia in

man, acute ventilatory changes. *Studies Using Inductance Plethysmography*, GROUNDS, R. M., *et al.* 1098
Propofol, pharmacokinetics during and after i.v. infusion in man, COCKSHOTT, I. D., *et al.*, (*ARS*) 941P
——, pharmacokinetics in female patients. *Studies Using Single Bolus Injections*, COCKSHOTT, I. D., *et al.* 1103
——, sympathoadrenal responses to tracheal intubation after propofol or thiopentone, COLEY, S., *et al.*, (*ARS*) 659P
——, ventilatory effects of propofol as sole anaesthetic agent, GOODMAN, N. W., *et al.* 1497
Propofol–fentanyl, anaesthesia for coronary bypass surgery in patients with good left ventricular function, VERMEYEN, K. M., *et al.* 1115
Propofol–isoflurane, compared with incremental propofol in recovery from outpatient anaesthesia, MILLIGAN, K. R., *et al.* 1111
Psychomotor performance, effects of ethanol, FAGAN, D., *et al.* 961
Pulmonary alveolar macrophages, functional status following exposure to toxic gases, POLLOK, A. J., *et al.*, (*ARS*) 943P
Pulmonary embolism, massive intraoperative, in a child, GOODMAN, N. W., *et al.* 1059
Pulmonary function, side effects and changes after fixed dose precurarization with alcuronium, pancuronium or vecuronium, MOTSCH, J., *et al.* 1528
——, variations in lung volume and compliance during pulmonary surgery, LARSSON, A., *et al.* 585
Pulmonary oedema, following airway obstruction in a patient with Hodgkin's disease, PRICE, S. L., *et al.* 518
Pulmonary perfusion, lung function during reduced pulmonary perfusion, FLETCHER, R., (*ARS*) 652P
Pulmonary surgery, variations in lung volume and compliance during pulmonary surgery, LARSSON, A., *et al.* 585
Pulmonary ventilation, and gas exchange before and after correction of congenital cardiac malformations, YATES, A. P., *et al.* 170
Pulse Oximetry, PAYNE, J. P., *et al.*, (editors), (*R*) 1063
Pyloric stenosis, congenital hypertrophic, anaesthesia for. *A Review of 350 Patients*, MACDONALD, N. J., *et al.* 672

Rabbit model, of neonatal respiratory distress syndrome, comparison of the effects of conventional ventilation and high frequency oscillation on hyaline membrane formation in a rabbit model, SANDHAR, B. K., *et al.*, (*ARS*) 931P
Rabbits, and cats, propofol depresses carotid body chemoreceptor discharge in rabbits and cats, PONTE, J., *et al.* (*ARS*) 930P
Radial artery, and dorsalis pedis artery, cannulation, NAGUIB, M., *et al.* 482
Radiographic study, of intercostal nerve blockade in healthy volunteers, CROSSLEY, A. W. A., *et al.* 149
Radiological appraisal, of postoperative paravertebral blocks for thoracic surgery, CONACHER, I. D., *et al.* 155
Radiopharmaceutical spread, lumbar sympathectomy using a single-needle technique, GOUCKE, C. R., *et al.*, (*C*) 944
Ranitidine, or cimetidine, haemodynamic effects of the i.v. administration in the critically ill patient. *A Double-Blind Prospective Study*, SMITH, C. L., *et al.* 1397
Rapid sequence induction, inflation pressure and gastric insufflation, LAWES, E. G., *et al.* 315
Ranitidine, pretreatment, WILKINSON, D. J., (*C*) 665
Rat, extradural and intraperitoneal sufentanil: analgesia, antagonism and plasma drug concentrations, MADEJ, T., *et al.*, (*ARS*) 932P
——, isolated vas deferens preparation, interaction of ethanol with calcium channel blockers, nimodipine, nitrendipine and nifedipine, HAYTER, A., *et al.*, (*ARS*) 935P
Rat diaphragm preparation, tetanic fade during neuromuscular blockade produced by atracurium, DARK, C. H., *et al.*, (*ARS*) 933P
Rat phrenic nerve–diaphragm preparation, effect of verapamil on Ca^{2+} influx, WALI, F. A., *et al.* 1571
Rats, and mice, distribution and kinetics of ^{14}C-vecuronium, WASER, P. G., *et al.* 1044
——, mice, conscious and anaesthetized dogs, studies of cardiovascular and neurological effects of laudanosine, CHAPPLE, D. J., *et al.* 218
Reaction time, in elderly patients undergoing endoscopic urological surgery, effects of general anaesthesia, SMITH, C. M., *et al.*, (*ARS*) 1330P
Rebreathing, and flow requirements during mechanically controlled ventilation in a T-piece (Mapleson E) system, HATCH, D. J., *et al.* 1533
Recovery, after atracurium, HARROP-GRIFFITHS, A. W., (*C*) 1477
——, from outpatient anaesthesia: a comparison of incremental propofol and propofol–isoflurane, MILLIGAN, K. R., *et al.* 1111
Rectal methohexitone, and i.v. methohexitone, pharmacokinetics in children, BJORKMAN, S., *et al.* 1541
Red cell processing device, quality of blood prepared, autotransfusion, MCSHANE, A. J., *et al.* 1035
Regional myocardial dysfunction, induced by verapamil–halothane, reversed by calcium, LEONE, B. J., *et al.*, (*ARS*) 652P
Renal failure, end-stage, a comparative study of vecuronium and pancuronium, LEPAGE, J. Y., *et al.* 1004
——, end-stage, dose–response properties of atracurium, vecuronium and pancuronium and interactions with azathioprine, GRAMSTAD, L. 995
——, pharmacokinetics of atracurium and its metabolites in patients with normal renal function, and in patients in renal failure. WARD, S., *et al.* 697
Renal perfusion, during amino acid infusion in the pig, KIPLING, R., *et al.*, (*ARS*) 1332P
Respiration recovery, after neuromuscular blockade with alcuronium, ASTLEY, B. A., *et al.* 206
Respiratory effects, and analgesic effects of extradural sufentanil in volunteers and the influence of adrenaline as an adjuvant, KLEPPER, I. D., *et al.* 1147
Respirometers, a comparison, DUNPHY, J. A., *et al.*, (*ARS*) 1323P
Response, and dose relation for suxamethonium, CHESTNUT, R. J., *et al.*, (*ARS*) 1322P
Rheumatoid arthritis, studies of bupivacaine with or without adrenaline in interscalene brachial plexus blockade, PIHLAJAMÄKI, K. K., *et al.* 1420
Ro 15-1788, double-blind study of the reversal of midazolam-supplemented general anaesthesia, ALON, E., *et al.* 455

Safer anaesthesia, in obstetrics, HUNTER, A. R., (*E*) 275
Safer design, of anaesthetic equipment, THOMPSON, P. W. 913
Salbutamol, and aminophylline, prophylactic effect on histamine-induced bronchoconstriction, JONES, J. G., *et al.* 498
——, and suxamethonium, effect on the plasma potassium concentration, SLATER, R. M., *et al.* 602
Sciatic nerve, anterior and lateral approaches: a study using computerized tomography, CHARLTON, J. E., *et al.*, (*ARS*) 127P
Sedation, pressure reversal produced by benzodiazepines?, HUNTER, A. B., *et al.*, (*ARS*) 128P
Seizure duration, after methohexitone or propofol for

induction of anaesthesia for electroconvulsive therapy (ECT), SIMPSON, K. H., *et al.* (*ARS*) 1323P
Seizure duration, in patients having electroconvulsive therapy, investigation of the effect of passive hyperventilation on seizure during, CHATER, S. N., *et al.*, (*ARS*) 941P
Single breath induction, of anaesthesia with isoflurane, LAMBERTY, J. M., *et al.* 1214
Single twitch stimulation, with simultaneous train-of-four, onset and recovery of atracurium and suxamethonium-induced neuromuscular blockade, CURRAN, M. J., *et al.* 989
Sinus arrest, after alfentanil, MARYNIAK, J. K., *et al.*, (*C*) 390
Snake bite, elapid, PAWAR, D. K., *et al.* 385
Sodium nitroprusside, *in vivo* release of cyanide, NORRIS, J. C., *et al.* 236
——, sodium thiosulphate decreases blood cyanide concentrations after the infusion of sodium nitroprusside, COLE, P. V., *et al.* 531
Sodium thiosulphate, decreases blood cyanide concentrations after the infusion of sodium nitroprusside, COLE, P. V., *et al.* 531
Somatosensory evoked potentials, to dermatomal stimulation, effect of extradural morphine, LUND, C., *et al.* 1408
Somatosensory evoked responses, in man, effects of hypothermia, RUSS, W., *et al.* 1484
Speech-synthesizer, and patient-controlled anaesthesia (PCA), HODSMAN, N., *et al.*, (*ARS*) 126P
Spinal anaesthesia, and general anaesthesia, influence on haemostasis during total hip arthroplasty, DAVIS, F. M., *et al.* 561
——, or general anaesthesia for hip fracture surgery in the elderly, prospective, multi-centre trial of mortality, DAVIS, F. M., *et al.* 1080
Spinal cord blood flow, canine, effect of nitroglycerine-induced hypotension, SPARGO, P. M., *et al.* 640
Spinally-mediated analgesia, evidence from intrathecal midazolam in the rat, SERRAO, J. M., *et al.*, (*ARS*) 125P
——, intrathecal midazolam in the rat: evidence for spinal analgesia, GOODCHILD, C. S., *et al.* 1563
Spinal needles, causing variations in the flow of cerebrospinal fluid through spinal needles, GERRISH, S. P., *et al.* 1465
——, gauge and headache, MOEL, T. M., *et al.*, (*C*) 808
Spinal Opioids and the Relief of Pain, BESSON, J. M., *et al.*, (editors) (*R*) 392
Spontaneous breathing, after complete tetanic block by atracurium, ORDMAN, A. J., *et al.*, (*ARS*) 1320P
Sprague–Dawley rats, reproductive and teratogenic effects of nitrous oxide, fentanyl and their combination in S–D rats, MAZZE, R. I., *et al.* 1291
Stellate ganglion blockade, with bupivacaine: effect of volume on extent of sympathetic blockade, HARDY, P. A. J., *et al.*, (*ARS*) 933P
Stereophotogrammetric analysis, of changes in body volume associated with the induction of anaesthesia, LOGAN, M. R., *et al.* 288
Stoker Report, NUNN, J. F., (*C*) 388
"Streamline" cuffed tracheal tubes, compared with "normal" cuffed tracheal tubes, physical and flow characteristics, KALLA, G. N., *et al.* 1621
Stress response, attenuation with alfentanil, palmar sweat and heart rate changes during stress response, MARYNIAK, J. K., *et al.*, (*ARS*) 133P
Stretch exercises, effect on suxamethonium induced fasciculations and myalgia, MAGEE, D. A., *et al.* 596
Subarachnoid anaesthesia, hypobaric, or general anaesthesia, metabolic response to total hip arthroplasty, DAVIS, F. M., *et al.* 725
——, with lignocaine supplemented with intrathecal sufentanil, DONADONI, R., *et al.* 1523
Subarachnoid anaesthesia, with solutions of differing baricity, LEE, A., *et al.*, (*ARS*) 1330P
Subarachnoid analgesia, effect of posture during induction of analgesia for Caesarean section. *Right* v. *Left Lateral*, RUSSELL, I. F. 342
——, for Caesarean section. *A Double-Blind Comparison of Plain and Hyperbaric* 0·5% *Bupivacaine*, RUSSELL, I. F. 347
Sufentanil, and fentanyl anaesthesia compared for patients undergoing coronary artery bypass grafting, MATHEWS, H. M. L., (*ARS*) 939P
——, effect of low dose pretreatment on the induction dose and characteristics of two barbiturates, FURNESS, G., *et al.*, (*ARS*) 935P
——, extradural, analgesic and respiratory effects in volunteers and the influence of adrenaline as an adjuvant, KLEPPER, I. D., *et al.*, 1147
——, extradural and intraperitoneal, in the rat: analgesia, antagonism and plasma drug concentrations, MADEJ, T., *et al.*, (*ARS*) 932P
——, intrathecal, as a supplement to subarachnoid anaesthesia with lignocaine, DONADONI, R., *et al.* 1523
Surfactant deficient lungs, high PEEP decreases hyaline membrane formation in surfactant deficient lungs, ARGIRAS, E. P., *et al.* 1278
Surgeons, and anaesthetists, heart rate changes, HANNON, V., *et al.*, (*ARS*) 656P
Surgery, resulting in heat production and energy expenditure, CARLI, F., (*ARS*) 657P
Scalene muscle activity, influence of thiopentone sedation and anaesthesia, DRUMMOND, G. B., (*ARS*) 652P
Suxamethonium, administration in dogs, beta-adrenoceptor blockade, alpha-stimulation and changes in plasma potassium concentration, GOLDHILL, D. R., *et al.* 611
——, analysis of sensitivity following termination of pregnancy, WHITTAKER, M., *et al.* 1157
——, and atracurium-induced neuromuscular blockade, onset and recovery with simultaneous train-of-four and single twitch stimulation, CURRAN, M. J., *et al.* 989
——, and salbutamol, effect on the plasma potassium concentration, SLATER, R. M., *et al.* 602
——, effect of diazepam on potassium flux in burns patients following the administration of suxamethonium, EARNSHAW, G., *et al.*, (*ARS*)
——, electromyographic responses to small doses in children after burns, BROWN, T. C. K., *et al.* 1017
——, induced fasiculations and myalgia, effect of stretch exercises, MAGEE, D. A., *et al.* 596
——, induced myalgia, effect of pre-treatment with lysine acetyl salicylate, NAGUIB, M., *et al.* 606
——, or vecuronium for rapid sequence intubation: which is better, MARTIN, C., *et al.* 1240
——, phenotyping of sensitive individuals. *The Cholinesterase Research Unit at the Royal Postgraduate Medical School*, WHITTAKER, M., *et al.* 1052
——, the relation between dose and response, CHESTNUT, R. J., *et al.*, (*ARS*) 1322P
——, vecuronium, pancuronium and Org 6368, comparison of the neuromuscular blocking effects in the anaesthetized domestic pig, MUIR, A. W., *et al.* 622
Sweden, present state of extradural and intrathecal opioid analgesia in Sweden. *A Nationwide Follow-up Survey*, RAWAL, N., *et al.* 791
Sympathetic blockade, effect of volume on extent of blockade: stellate ganglion blockade with bupivacaine, HARDY, P. A. J., *et al.*, (*ARS*) 933P
——, quantification by thermography, HARDY, P. A. J., (*C*) 664
Sympathoadrenal responses, to tracheal intubation, effect of topical lignocaine, DERBYSHIRE, D. R., *et al.* 300

Sympathoadrenal responses, to tracheal intubation after thiopentone or propofol, COLEY, S., *et al.*, (*ARS*) 659P
Systemic arterial pressure, and intracranial pressure in traumatic coma, influence of bolus doses of phenoperidine, BINGHAM, R. M., *et al.* 592

Temazepam, i.v.: theoretical and clinical consideration, HALLIDAY, N. J., *et al.* 465
Temperature, effects on the interaction of morphine with opioid receptors, PUIG, M. M., *et al.* 1459
Teratogenic effects, and reproductive effects of nitrous oxide, fentanyl and their combination in Sprague–Dawley rats, MAZZE, R. I., *et al.* 1291
Termination of pregnancy, analysis of suxamethonium sensitivity following termination of pregnancy, WHITTAKER, M., *et al.* 1157
Tetanic block, spontaneous breathing after complete tetanic block by atracurium, ORDMAN, A. J., *et al.*, (*ARS*) 1320P
Tetanic fade, during neuromuscular blockade produced by atracurium in the rat diaphragm preparation, DARK, C. H., *et al.*, (*ARS*) 933P
The History of Blood Gases, Acids and Bases, ASTRUP, P., *et al.* (*R*) 137
The Management of Postoperative Pain. Current Topics in Anaesthesia, No. 8, DODSON, M. E., (*R*) 272
Thermography, for quantification of sympathetic blockade, HARDY, P. A. J., (*C*) 664
Thiopentone, and methohexitone, effect of low dose sufentanil pretreatment on the induction dose and characteristics, FURNESS, G., *et al.*, (*ARS*) 935P
——, and propofol, comparison of the induction characteristics in children, PURCELL-JONES, G., *et al.* 1431
——, compared with etomidate, effects on intraocular pressure, CALLA, S., *et al.* 437
——, does injection of non-depolarizing neuromuscular blockers before thiopentone affect their speed of onset? *A Study of Tubocurarine and Vecuronium*, LEVACK, I. D., *et al.* 1451
——, influence on upper airway muscles, DRUMMOND, G. B., (*ARS*) 1320P
——, or chlormethiazole, effects on human placental stem villous arteries, ALLEN, J., *et al.* 1273
——, or propofol, comparison of the haemodynamic responses to induction of anaesthesia in ASA III patients, BONE, M. E., *et al.*, (*ARS*) 1318P
——, or propofol: effects on intraocular pressure associated with induction of anaesthesia and tracheal intubation (facilitated with suxamethonium), MIRAKHUR, R. K., *et al.* 431
——, or propofol for i.v. induction of anaesthesia in man, acute ventilatory changes. *Studies Using Inductance Plethysmography*, GROUNDS, R. M., *et al.* 1098
——, or propofol, sympathoadrenal responses to tracheal intubation after thiopentone or propofol, COLEY, S., *et al.* (*ARS*) 659P
——, sedation and anaesthesia, influence on scalene muscle activity, DRUMMOND, G. B., (*ARS*) 652P
Thiopentone plus fentanyl, compared with alfentanil plus etomidate for anaesthesia for uterine evacuation, KESTIN, I. G., *et al.* 364
Thirst, and hunger, the effect of preoperative oral fluid, MALTBY, J. R., *et al.* (*ARS*) 1329P
Thoracic surgery, and postoperative paravertebral blocks. *A radiological appraisal*, CONACHER, I. D., *et al.* 155
Thyroidectomy, flow volume loops in the evaluation of patients for thyroidectomy, CUNNINGHAM, A. J., *et al.*, (*ARS*) 652P
Thyroid storm, treatment in a child with dantrolene, CHRISTENSEN, P. A., *et al.*, (*C*) 523
Tidal volume, true, measurement during jet ventilation, YOUNG, J. D., *et al.*, (*ARS*) 937P
Tissue responses, to hypoxia. *Biochemistry and Pathology*, WEBSTER, N. R., *et al.* 760
Total hip arthroplasty, influence of spinal and general anaesthesia on haemostasis during total hip arthroplasty, DAVIS, F. M., *et al.* 561
Toxic gases, functional status of pulmonary alveolar macrophages following exposure to toxic gases, POLLOK, A. J., *et al.*, (*ARS*) 943P
Toxicity, of i.v. anaesthetics, SEAR, J. W. 24
T-piece (Mapleson E) System, flow requirements and rebreathing during mechanically controlled ventilation in a T-piece system, HATCH, D. J. *et al.* 1533
Tracheal intubation, effects of alfentanil on the pressor and catecholamine responses to tracheal intubation, CRAWFORD, D. C., *et al.* 707
——, effects of topical lignocaine on the sympathoadrenal responses to tracheal intubation, DERBYSHIRE, D. R., *et al.* 300
——, sympathoadrenal responses after thiopentone or propofol, COLEY, S., *et al.*, (*ARS*) 659P
——, with and without, cardiovascular and catecholamine responses to laryngoscopy, SHRIBMAN, A. J., *et al.* 295
Tracheal toilet, long term use of the Vocalaid tracheostomy tube, MANARA, A. R., *et al.*, (*C*) 523
Tracheomalacia, management in association with congenital tracheo–oesophageal fistula, CONROY, P. T., *et al.* 1313
Tracheo–oesophageal fistula, congenital, management of tracheomalacia, CONROY, P. T., *et al.* 1313
Tracheotomy, arterial oxygenation after major head and neck surgery involving tracheotomy, CAMPBELL, I. T., *et al.* 1121
Train-of-four, comparison of fade in train-of-four during onset of non-depolarizing neuromuscular block, GIBSON, F. M., *et al.*, (*ARS*) 659P
Train-of-four response, relationship with post-tetanic count during intense neuromuscular blockade caused by atracurium, BONSU, A. K., *et al.* 1089
Train-of-four stimulation, with simultaneous single twitch stimulation, onset and recovery of atracurium and suxamethonium-induced neuromuscular blockade, CURRAN, M. J., *et al.* 989
Transurethral prostatectomy, resulting in visual evoked potential changes, CUNNINGHAM, A. J., *et al.*, (*ARS*) 652P
Transurethral resection of the prostate, influence of variations in blood haemoglobin concentration on the calculation of blood loss and volumetric irrigating fluid balance during TURP, HAHN, R. G. 1223
Traumatic coma, influence of bolus doses of phenoperidine on intracranial pressure and systemic arterial pressure in traumatic coma, BINGHAM, R. M., *et al.* 592
Trimetaphan-induced hypotension in man causing EEG depression prevented by isoflurane, LLOYD-THOMAS, A. R., *et al.*, (*ARS*) 661P
——, interaction with different non-depolarizing neuromuscular blockers at the neuromuscular junction, POLLARD, B. J., (*ARS*) 130P
Tubocurarine, and neostigmine, interaction with adrenaline at the skeletal neuromuscular junction, DRURY, P. J., *et al.* 784
——, and pancuronium inhibit evoked release of acetylcholine from the mouse hemidiaphragm preparation, VIZI, E. S., *et al.* 226
——, and vecuronium, does their injection before thiopentone affect their speed of onset? LEVACK, I. D., *et al.* 1451

Unconscious perception, during general anaesthesia, WILSON, M. E., *et al.*, (*C*) 1333
Upper abdominal surgery, dose–response study with

CONTENTS

JANUARY

EDITORIAL: Adverse effects of drugs used in anaesthesia 1
M. J. Halsey

SYMPOSIUM ON ADVERSE EFFECTS OF DRUGS USED IN ANAESTHESIA

Clinical aspects of the interaction between nitrous oxide and vitamin B_{12} 3
J. F. Nunn

Adverse effects of volatile anaesthetics 14
B. R. Brown Jr and A. J. Gandolfi

Toxicity of i.v. anaesthetics 24
J. W. Sear

Adverse effects of neuromuscular blocking drugs ... 46
J. M. Hunter

Adverse effects of opioid analgesic drugs 61
D. J. R. Duthie and W. S. Nimmo

Adverse effects of local anaesthetics 78
F. Reynolds

Environmental pollution by inhalation anaesthetics 96
A. A. Spence

Investigation of allergic and hypersensitivity reactions to anaesthetic agents 104
J. Watkins

Drug interactions in anaesthesia 12
M. J. Halsey

ABSTRACTS

Proceedings of the Anaesthetic Research Society, Newcastle Meeting, July 4–5, 1986 ..... 124P

BOOK REVIEWS

The History of Blood Gases, Acids and Bases 137
Anaesthesia Review 3 137
Current European Anaesthesiology 137
Gas Mixing and Distribution in the Lung 138
Non-Invasive Respiratory Monitoring 138
Perinatal Anaesthesia, Contemporary Issues in Fetal and Neonatal Medicine 139
Orofacial Pains: Classification, Diagnosis, Management 139
Pain Relief in Labour. A Handbook for Midwives ... 140

FEBRUARY

EDITORIAL: Haematological changes caused by nitrous oxide. *Cause for Concern?* ... 143
M. A. Gillman

Nitrous oxide in neurosurgical anaesthesia 146
J. Barker

CLINICAL INVESTIGATION

Radiographic study of intercostal nerve blockade in healthy volunteers 149
A. W. A. Crossley and H. E. Hosie

Postoperative paravertebral blocks for thoracic surgery. *A. Radiological Appraisal* 155
I. D. Conacher and M. Kokri

Continuous intercostal blockade after cardiac surgery 162
A. D. Baxter, F. O. Jennings, R. S. Harris, J. F. Flynn and J. Way

Oral intubation *v.* nasal intubation in adult cardiac surgery 167
J. P. Depoix, S. Malbezin, M. Videcoq, J. Hazebroucq, G. Barbier-Bohm, R. Gauzit and J. M. Desmonts

Pulmonary ventilation and gas exchange before and after correction of congenital cardiac malformations 170
A. P. Yates, S. G. E. Lindahl and D. J. Hatch

Single-shot i.v. anaesthesia for outpatient dental surgery. *Comparison of 2,6 Di-isopropyl Phenol and Methohexitone* 179
M. R. Logan, J. E. Duggan, I. D. Levack and A. A. Spence

High- and low-dose fentanyl anaesthesia: circulatory and plasma catecholamine responses during cholecystectomy 184
C. Klingstedt, K. Giesecke, B. Hamberger and P.-O. Järnberg

Laparoscopy: blood-gas values and minor sequelae associated with three techniques based on isoflurane 189
J. P. Kenefick, A. Leader, J. R. Maltby and P. J. Taylor

Effects of atracurium and vecuronium on the latency and the duration of the negative deflection of the evoked compound action potential of the adductor pollicis 195
N. D. Pugh, N. J. N. Harper, T. E. J. Healy and H. V. Petts

Changes in the power spectrum of the evoked compound action potential of the adductor pollicis with the onset of neuromuscular blockade 200
N. J. N. Harper, N. D. Pugh, T. E. J. Healy and H. V. Petts

Recovery of respiration after neuromuscular blockade with alcuronium 206
B. A. Astley, R. Hughes and J. P. Payne

Clinical experience and plasma laudanosine concentrations during the infusion of atracurium in the intensive therapy unit 211
P. M. Yate, P. J. Flynn, R. W. Arnold, B. C. Weatherly, R. J. Simmonds and T. Dopson

LABORATORY INVESTIGATION

Cardiovascular and neurological effects of laudanosine. *Studies in Mice and Rats, and in Conscious and Anaesthetized Dogs* 218
D. J. Chapple, A. A. Miller, J. B. Ward and P. L. Wheatley

Tubocurarine and pancuronium inhibit evoked release of acetylcholine from the mouse hemidiaphragm preparation 226
E. S. Vizi, G. T. Somogyi, H. Nagashima, D. Duncalf, I. A. Chaudhry, O. Kobayashi, P. L. Goldiner and F. F. Foldes

Minimum volume of discard for valid blood sampling from indwelling arterial cannulae 232
M. C. C. Clapham, N. Willis and W. W. Mapleson

In vivo release of cyanide from sodium nitroprusside 236
J. C. Norris and A. S. Hume

Estimation of arterial Pco_2 during high frequency jet ventilation. *Studies in the Dog* 240
A. J. Mortimer, D. P. Cannon and M. K. Sykes

APPARATUS

Evaluation of closed-loop control of arterial pressure after cardiopulmonary bypass 247
J. A. Reid and G. N. C. Kenny

SPECIAL ARTICLE

An acoustic model of the patient undergoing artificial ventilation 256
E. S. Lin and B. E. Smith

CASE REPORT

Myasthenia gravis and cardiac surgery. *A Case Report* 265
C. Aps and G. O'Sullivan.

BOOK REVIEWS

Year-Book of Anaesthesia, 1985 269
Lectures in Anaesthesiology, 1985/2 269
Lectures in Anaesthesiology, 1986/1 270
Emergencies in Clinical Medicine 270
Anaesthesia for Ambulatory Surgery 270
Obstetric Anaesthesia and Analgesia 271
Guidelines in Clinical Anaesthesia 271
Neonatal Anaesthesia and Perioperative Care. Current Topics in Anaesthesia 272
The Management of Postoperative Pain. Current Topics in Anaesthesia 272
Effects of Anesthesia. Clinical Physiology Series 273
Clinics in Anaesthesiology. Neuromuscular Blockade . 273

MARCH

EDITORIAL: Towards safer anaesthesia in obstetrics 275
A. R. Hunter

CLINICAL INVESTIGATION

Effect of isoflurane on the auditory evoked response in man 277
C. P. H. Heneghan, C. Thornton, M. Navaratnarajah and J. G. Jones

Dose requirements of propofol by infusion during nitrous oxide anaesthesia in man. *II: Patients Premedicated with Lorazepam* 283
M. J. Turtle, P. Cullen, C. Prys-Roberts, D. Coates, C. R. Monk and M. H. Faroqui

Stereophotogrammetric analysis of changes in body volume associated with the induction of anaesthesia 288
M. R. Logan, D. T. Brown, I. Newton and G. B. Drummond

Cardiovascular and catecholamine responses to laryngoscopy with and without tracheal intubation 295
A. J. Shribman, G. Smith and K. J. Achola

Effect of topical lignocaine on the sympathoadrenal responses to tracheal intubation 300
D. R. Derbyshire, G. Smith and K. J. Achola

Haemodynamic effects of vecuronium, pancuronium and atracurium in patients with coronary artery disease 305
C. J. Ferres, I. W. Carson, S. M. Lyons, I. A. Orr, C. C. Patterson and R. S. J. Clarke

Can one risk fasting the obstetric patient for less than 4 hours? 312
M. Lewis and J. Selwyn Crawford

Inflation pressure, gastric insufflation and rapid sequence induction 315
E. G. Lawes, I. Campbell and D. Mercer

Continuous extradural analgesia in labour. *Comparison Between "On Demand" and Regular "Top-up" Injections* 319
G. Purdy, J. Currie and H. Owen

Extradural infusion of 0.125% bupivacaine at 10 ml h^{-1} to women during labour 325
D. G. Bogod, M. Rosen and G. A. D. Rees

Extradural analgesia during labour using alfentanil 331
L. Heytens, H. Cammu and F. Camu

Effect of gravity on the spread of extradural anaesthesia for Caesarean section 338
M. C. Norris and D. M. Dewan

Effect of posture during the induction of subarachnoid analgesia for Caesarean section. *Right v. Left Lateral* 342
I. F. Russell

Subarachnoid analgesia for Caesarean section. *A Double-Blind Comparison of Plain and Hyperbaric 0.5% Bupivacaine* 347
I. F. Russell and E. L. O. Holmqvist

Double-blind comparison of the efficacy of extradural diamorphine, extradural phenoperidine and i.m. diamorphine following Caesarean section 354
D. J. Macrae, S. Munishankrappa, L. M. Burrow, M. K. Milne and I. S. Grant

Fresh gas flow requirements using the ADE anaesthetic system during late pregnancy 360
P. W. Duncan, E. G. Lawes, B. Bland and J. W. Downing

Anaesthesia for evacuation of retained products of conception. *Comparison Between Alfentanil plus Etomidate and Fentanyl plus Thiopentone* 364
I. G. Kestin and P. Dorje

LABORATORY INVESTIGATION

Enflurane-induced burst firing of hippocampal CA 1 neurones. In Vitro *Studies Using a Brain Slice Preparation* 369
M. B. MacIver and S. H. Roth

Differential nerve blockade: esters *v.* amides and the influence of pK_a 379
J. A. W. Wildsmith, A. J. Gissen, B. Takman and B. G. Covino

CASE REPORT

Elapid snake bite 385
D. K. Pawar and H. Singh

CORRESPONDENCE

The Stoker Report 388
Huntington's chorea: Midazolam, a suitable induction agent? 388
Analysis of costs of anaesthetic breathing systems .. 389
Sinus arrest after alfentanil 390
Acute (Type 1) hypersensitivity to i.v. Diazemuls .. 391

BOOK REVIEWS

Postoperative Pain: Understanding its Nature and How to Treat It 392
Spinal Opioids and the Relief of Pain 392
Muscle Relaxants. Basic and Clinical Aspects 392
International Anesthesiology Clinics. Anaphylactoid Reactions in Anesthesia 393
600 MCQs in Anaesthesia: Basic Sciences 393
Difficulties in Tracheal Intubation 394

APRIL

EDITORIAL: Intrathecal or extradural: which approach for surgery? 397
J. A. W. Wildsmith

CLINICAL INVESTIGATION

Effects of halothane, isoflurane and enflurane on ventilation in children 399
W. S. Wren, P. Allen, A. Synnott, D. O'Keeffe and P. O'Griofa

Congenital heart malformations and ventilatory efficiency in children. *Effects of Lung Perfusion During Halothane Anaesthesia and Spontaneous Breathing* 410
S. G. E. Lindahl and A.-K. Olsson

Anaesthesia for paediatric tonsillectomy. *Comparison of Spontaneous Ventilation and Intermittent Positive Pressure Ventilation* 419
P. J. Stow and J. B. White

Comparison of temazepam elixir and trimeprazine syrup as oral premedication in children undergoing tonsillectomy and associated procedures 424
D. L. Thomas, R. S. Vaughan, M. D. Vickers and W. W. Mapleson

Propofol or thiopentone: effects on intraocular pressure associated with induction of anaesthesia and tracheal intubation (facilitated with suxamethonium) 431
R. K. Mirakhur, W. F. I. Shepherd and W. C. Darrah

Comparison of the effects of etomidate and thiopentone on intraocular pressure 437
S. Calla, A. Gupta, N. Sen and I. P. Garg

Effects of increasing enflurane concentrations on intraocular pressure 440
G. Zindel, C. Meistelman and J. H. Gaudy

Naloxone does not influence breathing during isoflurane anaesthesia 444
G. B. Drummond and D. T. Brown

Fetotoxic potential of general anaesthesia in relation to pregnancy 449
K. M. Konieczko, J. C. Chapple and J. F. Nunn

Double-blind study of the reversal of midazolam-supplemented general anaesthesia with Ro 15-1788 455
E. Alon, L. Baitella and G. Hossli

Reversal of midazolam sedation with anexate 459
D. J. Sage, A. Close and R. A. Boas

I.v. temazepam: theoretical and clinical considerations 465
N. J. Halliday, J. W. Dundee, R. J. T. Carlisle and E. McClean

Neostigmine in the antagonism of the action of atracurium 468
M. A. Fox, S. J. Keens and J. E. Utting

Antagonism of vecuronium-induced neuromuscular blockade with edrophonium or neostigmine 473
R. K. Mirakhur, F. M. Gibson and G. G. Lavery

Antagonism of vecuronium and atracurium: comparison of neostigmine and edrophonium administered at 5% twitch height recovery 478
J. E. Caldwell, E. N. Robertson, W. L. M. Baird

Cannulation of the radial and dorsalis pedis arteries. 482
M. Naguib, M. Hassan, H. Farag, R. I. Bodman and G. H. Absood

LABORATORY INVESTIGATION

Blockade of contralateral carotid sinus nerve enhances ipsilateral nerve action potentials under halothane anaesthesia 489
R. Behnia, E. Koushanpour, C. A. Shanks and W. J. McCarthy

Prophylactic effect of aminophylline and salbutamol on histamine-induced bronchoconstriction 498
J. G. Jones, C. Jordan, B. Slavin and J. R. Lehane

APPARATUS

Comparison of the Leicester Micropalliator and the Cardiff Palliator in the relief of postoperative pain 503
A. P. Vickers, D. R. Derbyshire, D. R. Burt, P. F. Bagshaw, H. Pearson and G. Smith

Assessment of a high frequency ventilator breathing system for use in the operating theatre. *An Experimental and Clinical Study* 510
K. M. Sherry, S. Withington and R. O. Feneck

CASE REPORT

Pulmonary oedema following airway obstruction in a patient with Hodgkin's disease 518
S. L. Price and B. R. Hecker

CORRESPONDENCE

Isoflurane in dental anaesthesia for children 522
Cardiac arrest following i.v. verapamil combined with halothane anaesthesia 522
Treatment of thyroid storm in a child with dantrolene 523
Long term use of the Vocalaid tracheostomy tube for tracheal toilet 523
Estimation of nasotracheal tube length in infants and children 524

MAY

EDITORIAL: Halothane in the Doldrums 529
A. A. Spence

CLINICAL INVESTIGATION

Sodium thiosulphate decreases blood cyanide concentrations after the infusion of sodium nitroprusside 531
P. V. Cole and C. J. Vesey

Effect of cisapride on morphine-induced delay in gastric emptying 536
D. J. Rowbotham and W. S. Nimmo

Effect of anxiety on gastric emptying in preoperative patients 540
K. H. Simpson and A. F. Stakes

Evaluation of the combined effects of glycopyrrolate and neostigmine on the lower oesophageal sphincter 545
M. C. Derrington, N. Hindocha and G. Smith

Pharmacokinetics of midazolam in total i.v. anaesthesia 548
P. Persson, A. Nilsson, P. Hartvig and A. Tamsen

Midazolam sedation following open heart surgery .. 557
H. M. L. Mathews, I. W. Carson, P. S. Collier, J. W. Dundee, K. Fitzpatrick, P. J. Howard, S. M. Lyons and I. A. Orr

Influence of spinal and general anaesthesia on haemostasis during total hip arthroplasty 561
F. M. Davis, E. McDermott, C. Hickton, E. Wells, D. C. Heaton, V. G. Laurenson, W. J. Gillespie and J. Foate

Disposition of nalbuphine in patients undergoing general anaesthesia 572
J. W. Sear, M. Keegan and B. Kay

Comparison of nalbuphine, pethidine and placebo as premedication for minor gynaecological surgery. . 576
W. N. Chestnutt, R. S. J. Clarke and J. W. Dundee

Recovery of bowel motility after surgery. *Detection of Time of First Flatus From Carbon Dioxide Concentration and Patient Estimate after Nalbuphine and Placebo* 581
H. Yukioka, D. G. Bogod and M. Rosen

Variations in lung volume and compliance during pulmonary surgery 585
A. Larsson, G. Malmkvist and O. Werner

Influence of bolus doses of phenoperidine on intracranial pressure and systemic arterial pressure in traumatic coma 592
R. M. Bingham and C. J. Hinds

Effect of stretch exercises on suxamethonium induced fasciculations and myalgia 596
D. A. Magee and R. J. S. Robinson

Effect of salbutamol and suxamethonium on the plasma potassium concentration 602
R. M. Slater and I. D. McLaren

Effect of pre-treatment with lysine acetyl salicylate on suxamethonium-induced myalgia 606
M. Naguib, H. Farag and J. A. O. Magbagbeola

LABORATORY INVESTIGATION

Beta-adrenoceptor blockade, alpha-stimulation and changes in plasma potassium concentration after suxamethonium administration in dogs 611
D. R. Goldhill, J. A. J. Martyn and D. C. Hoaglin

Involvement of nucleophiles in the inactivation of atracurium 617
V. Nigrovic and S. Smith

Comparative neuromuscular blocking effects of vecuronium, pancuronium, Org 6368 and suxamethonium in the anaesthetized domestic pig 622
A. W. Muir and R. J. Marshall

Does a bolus of mannitol initially aggravate intracranial hypertension? *A Study at Various* Pa_{CO_2} *Tension in Dogs* 630
M. Abou-Madi, D. Trop, N. Abou-Madi and P. Ravussin

Effect of nitroglycerine-induced hypotension on canine spinal cord blood flow 640
P. M. Spargo, A. R. Tait, P. R. Knight and T. F. Kling

APPARATUS

Possible role of vacuum systems and compressed air generators in cross-infection in the ICU 648
P. Bjerring and B. Øberg

ABSTRACTS

Proceedings of the Anaesthetic Research Society, London Meeting, November 25, 1986 ..... 651P

CORRESPONDENCE

A ventilator for carbon dioxide laser bronchoscopy. 663
The Grass FT 03 transducer should not be used for human experiments 664
Quantification of sympathetic blockade by thermography 664
Pretreatment with ranitidine 665
Blocked ear after extradural injection 666

JUNE

EDITORIAL: AIDS and blood transfusion 669
J. A. F. Napier

CLINICAL INVESTIGATION

Anaesthesia for congenital hypertrophic pyloric stenosis. *A Review of 350 Patients* 672
N. J. MacDonald, G. J. Fitzpatrick, K. P. Moore, W. S. Wren and M. Keenan

Effects of fasting and oral premedication on the pH and volume of gastric aspirate in children 678
G. Meakin, A. E. Dingwall and G. M. Addison

Prick tests in the diagnosis of anaphylaxis to general anaesthetics 683
F. Leynadier, M. Sansarricq, J. M. Didier and J. Dry

Can clinical anaphylaxis to anaesthetic drugs be predicted from allergic history? 690
M. McD. Fisher, A. Outhred and C. J. Bowey

Harmless cutaneous reactions associated with the use of atracurium. *A Report of 1200 Anaesthetics* 693
D. E. Rowlands

Pharmacokinetics of atracurium and its metabolites in patients with normal renal function, and in patients in renal failure 697
S. Ward, N. Boheimer, B. C. Weatherley, R. J. Simmonds and T. A. Dopson

Effects of alfentanil on the pressor and catecholamine responses to tracheal intubation 707
D. C. Crawford, D. Fell, K. J. Achola and G. Smith

Fentanyl and the β-endorphin, ACTH and gluco-regulatory hormonal response to surgery 713
S. Lacoumenta, T. H. Yeo, J. M. Burrin, S. R. Bloom, J. L. Paterson and G. M. Hall

Effect of i.v. lignocaine on pain and the endocrine metabolic responses after surgery 721
K. Birch, J. Jørgensen, B. Chraemmer-Jørgensen and H. Kehlet

Metabolic response to total hip arthroplasty under hypobaric subarachnoid or general anaesthesia ... 725
F. M. Davis, V. G. Laurenson, J. Lewis, J. E. Wells and W. J. Gillespie

Calcium and magnesium content of skeletal muscle. *Studies in Subjects Undergoing Diagnostic Testing for Malignant Hyperthermia* 730
T. E. Nelson, E. H. Flewellen, M. W. Belt, D. L. Kennamer, O. E. Winsett and D. E. Bee

Effects of H-2 antagonists on the elimination of bupivacaine 735
D. W. Noble, K. J. Smith and C. R. Dundas

Quantitative EEG analysis during anaesthesia with isoflurane in nitrous oxide at 1.3 and 1.5 MAC .. 738
H. Schwilden and H. Stoeckel

Comparison of midazolam by mouth and diazepam i.v. in outpatient oral surgery 746
C. A. O'Boyle, D. Harris, H. Barry, C. McCreary, A. Bewley and E. Fox

Effect of nasotracheal intubation on nasal mucociliary clearance 755
S. Elwany and A. Mekhamer

LABORATORY INVESTIGATION

Tissue responses to hyperoxia. *Biochemistry and Pathology* 760
N. R. Webster, C. Toothill and P. N. Cowen

Mutagenicity of the combination of a volatile anaesthetic and nitrous oxide 772
J. M. Baden and Y. R. Kundomal

Non-competitive effects of disopyramide at the neuromuscular junction: evidence for endplate ion channel block 776
S. V. P. Jones and I. G. Marshall

Interaction of adrenaline with neostigmine and tubocurarine at the skeletal neuromuscular junction 784
P. J. Drury, A. T. Birmingham and T. E. J. Healy

SPECIAL ARTICLE

Present state of extradural and intrathecal opioid analgesia in Sweden. *A Nationwide Follow-up Survey* 791
N. Rawal, S. Arnér, L. L. Gustafsson and R. Allvin

CASE REPORT

Haemodynamic effects following surgical release of increased intra-abdominal pressure 800
M. P. Shelly, A. Robinson, J. W. Hesford and G. R. Park

CORRESPONDENCE

Comparison of pressures measured from the proximal external jugular vein and from a central vein 806
In vitro degradation of atracurium in human plasma 806
Infusion of alfentanil or pethidine for sedation of ventilated patients in the ITU 807
Abnormal alfentanil pharmacokinetics 808
Spinal needles, gauge and headache 808
Guidelines for patients receiving lithium treatment who require major surgery 809
Potency ratio between opioid agonists and partial agonists 810

BOOK REVIEWS

Basics of Anesthesia 811
Cholinesterase: Monographs in Human Genetics 811
Acute Pain Management 811

JULY

EDITORIAL: Complications and medico–legal aspects of anaesthesia 813
G. Smith and J. Norman

SYMPOSIUM ON COMPLICATIONS AND MEDICO–LEGAL ASPECTS OF ANAESTHESIA

A review of studies of anaesthetic risk, morbidity and mortality 815
M. C. Derrington and G. Smith

Anaesthetic mortality in New South Wales 834
R. Holland

Anaesthetic contribution to maternal mortality 842
M. Morgan

Human factors in accidents 856
M. F. Allnutt

No fault compensation for personal injury in New Zealand: some implications for anaesthetists 865
J. M. Gibbs

Legal obligations and responsibilities of the medical practitioner 870
J. D. Finch

Pitfalls in anaesthetic practice 877
J. E. Utting

Anaesthesia and the law: the North American experience 891
F. W. Cheney

Essential monitoring 901
M. K. Sykes

Safer design of anaesthetic equipment 913
P. W. Thompson

Education in anaesthetic safety 922
J. Norman

ABSTRACTS

Proceedings of the Anaesthetic Research Society, Oxford Meeting, March 20–21, 1987 ..... 928P

CORRESPONDENCE

Lumbar sympathectomy: spread of radiopharmaceuticals following a single-needle technique 944

BOOK REVIEWS

Parenteral and Enteral Nutrition, A Practical Guide 946
Active Management of Labour 946
Handbook of Neuroanaesthesia: Clinical and Physiologic Essentials 947
Anaesthetic Management, A Rule-Based Guide 947
Cardiotonic Drugs. A Clinical Survey 947

AUGUST

EDITORIAL: Anaesthesia, and atelectasis: the role of V_{TAB} and the chest wall 949
J. G. Jones

CLINICAL INVESTIGATION

Haemodynamic effects of prolonged infusion of propofol as a supplement to nitrous oxide anaesthesia. *Studies in Association with Peripheral Arterial Surgery* 954
C. R. Monk, D. P. Coates, C. Prys-Roberts, M. J. Turtle and K. Spelina

Effects of ethanol on psychomotor performance 961
D. Fagan, B. Tiplady and D. B. Scott

Comparison of the effects of atropine and glycopyrrolate on cognitive function following general anaesthesia 966
K. H. Simpson, R. J. Smith and L. F. Davies

Comparison of recovery after halothane or alfentanil anaesthesia for minor surgery 970
E. Moss, I. Hindmarch, A. J. Pain and R. S. Edmondson

Use of simple tests to determine the residual effects of the analgesic component of balanced anaesthesia 978
T. Manner, J. Kanto and M. Salonen

Electrical and mechanical responses after neuromuscular blockade with vecuronium, and subsequent antagonism with neostigmine or edrophonium 983
B. A. Astley, R. L. Katz and J. P. Payne

Onset and recovery of atracurium and suxamethonium-induced neuromuscular blockade with simultaneous train-of-four and single twitch stimulation 989
M. J. Curran, F. Donati and D. R. Bevan

Atracurium, vecuronium and pancuronium in end-stage renal failure. Dose–response properties and interactions with azathioprine 995
L. Gramstad

Vecuronium and atracurium in patients with end-stage renal failure. *A Comparative Study* 1004
J. Y. Lepage, M. Malinge, A. Cozian, M. Pinaud, Y. Blanloeil and R. Souron

Potentiation of the neuromuscular blockade produced by alcuronium with halothane, enflurane and isoflurane 1011
S. J. Keens, J. M. Hunter, S. L. Snowdon and J. E. Utting

Electromyographic responses to small doses of suxamethonium in children after burns 1017
T. C. K. Brown and B. Bell

LABORATORY INVESTIGATION

Effect of halothane, enflurane and isoflurane on bronchomotor tone in anaesthetized ponies 1022
G. C. G. Watney, C. Jordan and L. W. Hall

Selective mechanical ventilation of dependent lung regions in the anaesthetized horse in dorsal recumbency 1027
G. Nyman, C. Frostell, G. Hedenstierna, B. Funkquist, C. Kvart and H. Blomqvist

Autotransfusion: quality of blood prepared with a red cell processing device 1035
A. J. McShane, C. Power, J. F. Jackson, D. F. Murphy, A. MacDonald, D. C. Moriarty and B. W. Otridge

Inhibition of rat fetal methionine synthase by nitrous oxide. *An* In Vitro *Study* 1040
J. M. Baden, M. Serra and R. I. Mazze

Distribution and kinetics of ^{14}C-vecuronium in rats and mice 1044
P. G. Waser, H. Wiederkehr, A. C. Sin-Ren and E. Kaiser-Schönenberger

SPECIAL ARTICLE

Phenotyping of individuals sensitive to suxamethonium. *The Cholinesterase Research Unit at the Royal Postgraduate Medical School* 1052
M. Whittaker and J. J. Britten

CASE REPORTS

Monitoring of axillary arterial pressure in a patient with Buerger's disease requiring clipping of an intracerebral aneurysm 1056
O. F. Yacoub, J. H. Bacaling and M. Kelly

Massive intraoperative pulmonary embolism in a child 1059
N. W. Goodman and M. J. Falkner

BOOK REVIEWS

Emergency Anaesthesia 1063
Liver Failure 1063
Pulse Oximetry 1063
600 MCQs in Anaesthesia: Clinical Practice 1064
Handbook of Local Anesthesia 1064
A Pocket-Book for Intensive Care 1064
Current European Anaesthesiology – The Yearbook of the European Academy of Anaesthesiologists 1065

SEPTEMBER

EDITORIAL: A British footnote to the life of Horace Wells 1067
J. A. W. Wildsmith

CLINICAL INVESTIGATION

Comparison of the ventilatory depressant effects of halothane and isoflurane in routine surgery 1070
K. Alagesan, J. F. Nunn, T. W. Feeley and C. P. H. Heneghan

Prospective, multi-centre trial of mortality following general or spinal anaesthesia for hip fracture surgery in the elderly 1080
F. M. Davis, D. F. Woolner, C. Frampton, A. Wilkinson, A. Grant, R. T. Harrison, M. T. S. Roberts and R. Thadaka

Relationship of post-tetanic count and train-of-four response during intense neuromuscular blockade caused by atracurium 1089
A. K. Bonsu, J. Viby-Mogensen, P. U. E. Fernando, K. Muchhal, A. Tamilarasan and A. Lambourne

Complement and anaphylatoxin responses to cross-clamping of the aorta. *Studies During General Anaesthesia With or Without Extradural Blockade* 1093
A. Bengtson, W. Lannsjö and M. Heideman

Acute ventilatory changes during i.v. induction of anaesthesia with thiopentone or propofol in man. *Studies Using Inductance Plethysmography* 1098
R. M. Grounds, D. L. Maxwell, M. B. Taylor, V. Aber and D. Royston

Pharmacokinetics of propofol in female patients. *Studies Using Single Bolus Injections* 1103
I. D. Cockshott, L. P. Briggs, E. J. Douglas and M. White

Recovery from outpatient anaesthesia: a comparison of incremental propofol and propofol–isoflurane... 1111
K. R. Milligan, D. P. O'Toole, J. P. Howe, J. C. Cooper and J. W. Dundee

Propofol–fentanyl anaesthesia for coronary bypass surgery in patients with good left ventricular function 1115
K. M. Vermeyen, F. A. Erpels, L. A. Janssen, C. P. Beeckman and G. H. Hanegreefs

Arterial oxygenation after major head and neck surgery involving tracheotomy 1121
I. T. Campbell, D. J. Willatt, D. Childs and P. M. Stell

Ventilatory effects of meptazinol and pethidine in anaesthetized patients 1127
A. Lee and D. B. Drummond

Meptazinol for postoperative pain relief in man. *Comparison of Extradural and I.m. Administration* 1134
C. Verborgh, D. Van Der Auwera and F. Camu

LABORATORY INVESTIGATION

Disposition and pharmacokinetics of meptazinol in the CSF. *Studies after Intrathecal Administration in the Non-Human Primate* Erythrocebus patas 1140
A. K. Dhiri, J. Sanford and M. G. Wyllie

Analgesic and respiratory effects of extradural sufentanil in volunteers and the influence of adrenaline as an adjuvant 1147
I. D. Klepper, D. L. Sherrill, C. L. Boetger and P. R. Bromage

Analysis of suxamethonium sensitivity following termination of pregnancy 1157
M. Whittaker and J. J. Britten

Additional blood-gas variables for the rational control of oxygen therapy. *With Allowance for Shifts of the Oxygen Dissociation Curve* 1160
N. Willis, M. C. C. Clapham and W. W. Mapleson

Propanolol increases oxygen utilization during hypoxia 1171
H. J. Khambatta, J. G. Stone, J. Askanazi and E. Khan

A model of the extradural space and a reappraisal of the extradural space pressure 1177
G. R. Harrison

APPARATUS

Heat and moisture exchangers in artificial ventilation. *An Experimental Study of the Effect of Gas Leakage* 1181
S. E. Tilling and B. Hayes

Which pH paper? 1189
A. Chaffe

CASE REPORTS

Acute dilatation of the stomach during general anaesthesia. *A Case Report* 1192
C. M. Kumar and P. G. P. Lawler

Malignant hyperpyrexia and isoflurane. *A Case Report* 1196
D. W. Thomas, V. J. Dev and M. J. Whitehead

BOOK REVIEWS

A Colour Atlas of Cardiopulmonary Resuscitation Techniques 1199

OCTOBER

EDITORIAL: Monitoring: Bane or blessing? 1201
C. D. Hanning
Antibody to halothane-induced liver antigen 1202
A. A. Spence

CLINICAL INVESTIGATION

Cerebral blood flow and metabolism during isoflurane-induced hypotension in patients subjected to surgery for cerebral aneurysms 1204
J. B. Madsen, G. E. Cold, E. S. Hansen, B. Bardrum and C. Kruse-Larsen

Cerebrovascular effects of isoflurane in man. *Intracranial Pressure and Middle Cerebral Artery Flow Velocity* 1208
T. Lundar, K.-F. Lindegaard, L. Refsum, R. Rian and H. Nornes

Single breath induction of anaesthesia with isoflurane 1214
J. M. Lamberty and I. H. Wilson

Isoflurane in a circle system with low gas flow 1219
S. P. Revell and D. H. Tayler

Influence of variations in blood haemoglobin concentration on the calculation of blood loss and volumetric irrigating fluid balance during transurethral resection of the prostate 1223
R. G. Hahn

Effects of upper or lower abdominal surgery on diaphragmatic function 1230
B. Dureuil, J. P. Contineau and J. M. Desmonts

An evaluation of priming with vecuronium 1236
M. Sosis, A. Stiner, G. E. Larijani and A. T. Marr

Vecuronium or suxamethonium for rapid sequence intubation: which is better? 1240
C. Martin, J.-J. Bonneru, J.-P. Brun, J. Albanese and F. Gouin

Influence of "priming" on the potency of non-depolarizing neuromuscular blocking agents 1245
M. M. Brady, R. K. Mirakhur and F. M. Gibson

Continuous i.v. infusion of labetalol for postoperative hypertension. *Haemodynamic Effects and Plasma Kinetics* 1250
M. Chauvin, H. Deriaz and P. Viars

High frequency jet ventilation: the influence of different methods of injection on respiratory parameters 1257
D. Benhamou, C. Ecoffey, J. J. Rouby, C. Spielvogel and P. Viars

Effects of extradural anaesthesia on human fetal blood flow *in utero*. *Comparison of Three Local Anaesthetic Solutions* 1265
A. Lindblad, J. Bernow, E. Vernersson and K. Maršál

LABORATORY INVESTIGATION

Effects of thiopentone or chlormethiazole on human placental stem villous arteries 1273
J. Allen, S. Maigaard, J. H. Christensen, F. Andreasen and A. Forman

High PEEP decreases hyaline membrane formation in surfactant deficient lungs 1278
E. P. Argiras, C. R. Blakeley, M. S. Dunnill, S. Otremski and M. K. Sykes

Specific antibodies to halothane-induced liver antigens in halothane-associated hepatitis 1286
J. G. Kenna, J. Neuberger and R. Williams

Reproductive and teratogenic effects of nitrous oxide, fentanyl and their combination in Sprague–Dawley rats 1291
R. I. Mazze, M. Fujinaga and J. M. Baden

High frequency jet ventilation: the influence of gas flow, inspiration time and ventilatory frequency on gas transport in healthy anaesthetized dogs 1298
A. J. G. Spoelstra and T. J. A. Tmasma

CASE REPORTS

Alfentanil for Caesarean section complicated by severe aortic stenosis. *A Case Report* 1309
N. Redfern, S. Bower, R. E. Bullock and C. J. Hull

Management of tracheomalacia in association with congenital tracheo–oesophageal fistula 1313
P. T. Conroy and N. R. Bennett

ABSTRACTS

Proceedings of the Anaesthetic Research Society, Glasgow Meeting, June 26–27 1987 ..... 1318P

CORRESPONDENCE

Unconscious perception during general anaesthesia 1333
Haemodynamic disturbances during anaesthesia in a patient receiving verapamil 1337

BOOK REVIEWS

F.F.A.R.C.S. Part 1 Practice Exams 1338
Cardiopulmonary Bypass. Principles and Management 1338
Essential Anaesthesia 1339

NOVEMBER

EDITORIAL: Anaesthesia: a practical or impractical construct? 1341
C. Prys-Roberts

CLINICAL INVESTIGATION

Relationship between lower oesophageal contractility, clinical signs and halothane concentration during general anaesthesia and surgery in man 1346
J. M. Evans, J. F. Bithell and I. G. Vlachonikolis

A dose–response study with nalbuphine hydrochloride for pain in patients after upper abdominal surgery 1356
G. C. Pugh and G. B. Drummond

Constant i.v. infusions of nalbuphine or buprenorphine for pain after abdominal surgery 1364
G. C. Pugh, G. B. Drummond, R. A. Elton and C. C. A. Macintyre

General anaesthesia in mothers with severe pre-eclampsia/eclampsia 1375
H. Connell, J. G. Dalgleish and J. W. Downing

Fentanyl–droperidol supplementation of rapid sequence induction in the presence of severe pregnancy-induced and pregnancy-aggravated hypertension 1381
E. G. Lawes, J. W. Downing, P. W. Duncan, B. Bland, N. Lavies and G. A. C. Gane

Maternal and neonatal responses to alfentanil administered before induction of general anaesthesia for Caesarean section 1392
W. L. Dann, A. Hutchinson and D. P. Cartwright

Haemodynamic effects of the i.v. administration of cimetidine or ranitidine in the critically ill patient. *A Double-Blind Prospective Study* 1397
C. L. Smith, D. M. Bardgett and J. M. Hunter

Gastric emptying: a study to compare the effects of intrathecal morphine and i.m. papaveretum analgesia 1403
D. W. England, I. J. Davis, A. E. Timmins, R. Downing and C. W. O. Windsor

Effect of extradural morphine on somatosensory evoked potentials to dermatomal stimulation 1408
C. Lund, P. Selmar, O. B. Hansen, C. M. Jensen and H. Kehlet

Effect of extradural bupivacaine or i.v. diamorphine on calf blood flow in patients after surgery 1412
G. M. R. Bowler, M. C. Lamont and D. B. Scott

Bupivacaine with and without adrenaline in interscalene brachial plexus blockade. *Studies in Patients with Rheumatoid Arthritis* 1420
K. K. Pihlajamäki and R. L. P. Lindberg

Venous plasma (total) bupivacaine concentrations following lower abdominal field block 1425
J. Martin and R. S. Neill

Comparison of the induction characteristics of thiopentone and propofol in children 1431
G. Purcell-Jones, A. Yates, J. R. Baker and I. G. James

Pharmacokinetics of alfentanil in children undergoing surgery 1437
P. Roure, N. Jean, A.-C. Leclerc, N. Cabanel, J.-C. Levron and P. Duvaldestin

Continuous extradural anaesthesia in children. *Clinical and Haemodynamic Implications* 1441
I. Murat, M. M. Delleur, C. Esteve, J. F. Egu, P. Raynaud and C. Saint-Maurice

Does injection of non-depolarizing neuromuscular blockers before thiopentone affect their speed of onset? *A Study of Tubocurarine and Vecuronium* .. 1451
I. D. Levack and A. A. Spence

Use of neostigmine in the antagonism of residual neuromuscular blockade produced by vecuronium 1454
I. E. Jones, J. M. Hunter and J. E. Utting

LABORATORY INVESTIGATION

Effects of temperature on the interaction of morphine with opioid receptors 1459
M. M. Puig, W. Warner, C. K. Tang, M. L. Laorden and H. Turndorf

APPARATUS

Variations in the flow of cerebrospinal fluid through spinal needles 1465
S. P. Gerrish and J. E. Peacock

CASE REPORT

Dangers of anaesthesia in Munchausen's syndrome. 1472
R. A. S. Frater and J. K. L. Lew

CORRESPONDENCE

Combination of fentanyl, etomidate and vecuronium may cause severe vagotonic state 1475
A new design of intubating forceps 1475
Recovery after atracurium 1477
Extradural blockade and intracranial pressure 1478
Intracranial hypertension and caudal anaesthesia 1478

BOOK REVIEWS

Problems in Obstetric Anaesthesia (*Perinatal Practice*, Vol. 3) 1480
Oxygen Free Radials In Shock 1480
Head Injury and the Anaesthetist. Monographs in Anaesthesiology No. 14 1481
Classical Anaesthesia Files 1481
Muscle Relaxants: Side Effects and a Rational Approach to Selection 1481

Changes in intraocular pressure associated with the administration of propofol 1514
B. Vanacker, D. Dekegel, J. Dionys, R. Garcia, L. Van Eeckhoutte, G. Dralants and J. Van de Walle

Extradural bupivacaine with sufentanil for vaginal delivery. *A Double-Blind Trial* 1518
A. Van Steenberge, H. C. Debroux and H. Noorduin

Intrathecal sufentanil as a supplement to subarachnoid anaesthesia with lignocaine 1523
R. Donadoni, H. Vermeulen, H. Noorduin and G. Rolly

Side effects and changes in pulmonary function after fixed dose precurarization with alcuronium, pancuronium or vecuronium 1528
J. Motsch, W. Fuchs, P. Hoch, V. Kass and K. Hutschenreuter

Flow requirements and rebreathing during mechanically controlled ventilation in a T-piece (Mapleson E) system 1533
D. J. Hatch, A. P. Yates and S. G. E. Lindahl

Pharmacokinetics of i.v. and rectal methohexitone in children 1541
S. B. Björkman, J. Gabrielsson, H. Quaynor and M. Corbey

Arterial oxygen tensions measured continuously in patients breathing 21% oxygen and nitrous oxide or air 1548
K. Sugioka, R. W. Cattermole and P. S. Sebel

Neuroleptic malignant syndrome and malignant hyperthermia. In Vitro *Comparison with Halothane and Caffeine Contracture Tests* 1554
R. Krivosic-Horber, P. Adnet, E. Guevart, D. Theunynck and P. Lestavel

DECEMBER

EDITORIAL: Acknowledgements 1483

CLINICAL INVESTIGATION

Effects of hypothermia on somatosensory evoked responses in man 1484
W. Russ, J. Sticher, H. Scheld and G. Hempelmann

Effects of halothane and enflurane on far and near field somatosensory evoked potentials 1492
P. S. Sebel, C. W. Erwin and W. K. Neville

Some ventilatory effects of propofol as sole anaesthetic agent 1497
N. W. Goodman, A. M. S. Black and J. A. Carter

Inter-relations of the volume and timing components of ventilation during carbon dioxide rebreathing in awake and anaesthetized subjects 1504
N. W. Goodman and A. M. S. Black

LABORATORY INVESTIGATION

Effects of adenylate cyclase activators on porcine skeletal muscle in malignant hyperpyrexia 1557
A. T. R. Sim, M. D. White and M. A. Denborough

Intrathecal midazolam in the rat: evidence for spinally-mediated analgesia 1563
C. S. Goodchild and J. M. Serrao

Effect of verapamil on Ca^{2+} influx to rat phrenic nerve–diaphragm preparation 1571
F. A. Wali and A. H. Suer

SPECIAL ARTICLES

Relationships among ventilation–perfusion distribution, multiple inert gas methodology and metabolic blood-gas tensions 1579
A. St J. Lee, R. W. Patterson and R. D. Kaufman

Derivation of $\dot{V}_A/\dot{Q}$ distribution from blood-gas tensions 1599
R. D. Kaufman, R. W. Patterson and A. St J. Lee

OCCASIONAL REVIEW

General anaesthesia for carbon dioxide laser surgery within the airway. *A Review* 1610
M. L. Paes

APPARATUS

Comparison of physical and flow characteristics of "streamline" and "normal" cuffed tracheal tubes 1621
G. N. Kalla and J. Venkataramana

CASE REPORT

Anaesthesia for major abdominal surgery in a patient with myotonia dystrophica 1629
J. Castano and N. Pares

Index to Volume 59 1633

Papers for publication and all editorial communications should be addressed to the Editor, University Department of Anaesthesia, Leicester Royal Infirmary, Leicester LE1 5WW; business communications to the publishers: Professional & Scientific Publications Ltd, BMA House, Tavistock Square, London WC1H 9JR. The GUIDE TO CONTRIBUTORS can be found on pages viii, x & xii of the advertisement section of this issue.

Published monthly: Annual subscriptions: UK/Eire £52.00; Abroad £82.00; USA $105.00 (direct orders only). Trainee rate UK/Eire £32.00; Abroad £48.00. Airmail rates on application. ISSN 0007–0912. Orders must be accompanied by payment; cheques should be made payable to Professional and Scientific Publications. Orders and payments should be sent to Professional and Scientific Publications, BMA House, Tavistock Square, London, WC1H 9JR. Orders in the United States of America may be sent to Professional and Scientific Publications, Box 560B, Kennebunkport, Maine 04046.

Group Advertisement Manager, Mr R. Hayzen.
Advertisement Executive, Mr E. Currer
BMA House, Tavistock Square, London WC1H 9JR. 01-387 4499.

Whilst every effort is made by the publishers and editorial committee to see that no inaccurate or misleading data, opinion or statement appears in this Journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the responsibility of the contributor or advertiser concerned. Accordingly, the publishers and the editorial committee and their respective employees, officers and agents accept no liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement. Whilst every effort is made to ensure that drug doses and other quantities are presented accurately, readers are advised that new methods and techniques involving drug usage, and described within this Journal, should only be followed in conjunction with the drug manufacturer's own published literature.

© Copyright: 1987 British Journal of Anaesthesia.
All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the *British Journal of Anaesthesia*.

Published by Professional and Scientific Publications.
Printed in Great Britain by the University Press, Cambridge